




INFORM SERIES

01.01.2024



THE INFORM SERIES

Greet the users of the library with the clear design of the Inform series of counters, desks and search stations.

The Inform series is easily recognized due to its up to 40 mm thick panels, creating a continuous frame around the work space. The counter system is specially designed for library use and is both functional, expandable and allows to a great extent customization to your needs. Compliment the counter with desks and search stations placed strategically around the library to create functional and user friendly work spaces for both the staff as well as the users of the library.

All three types of work spaces have a range of accessories available to create the right setting for all users.







INDEX

DESIGN OPTIONS4
TECHNICAL SPECIFICATIONS9
SEARCH STATION10
DESKS 12
COUNTER
CONFIGURATION OPTIONS19
STANDARD COUNTER 20 Rectangular counter 24 45° curved counter 26 Rectangular counter (combination with recessed counter) 28 45° curved counter (combination with recessed counter) 30 90° curved counter (combination with recessed counter) 32 Connections 34 Configurations 35 RECESSED COUNTER 36 Rectangular counter 38 45° curved counter 40 90° curved counter (combination with standard counter) 44 45° curved counter (combination with standard counter) 46 90° curved counter (combination with standard counter) 46 90° curved counter (combination with standard counter) 46 Connections 50 Configurations 51 STEP COUNTER 52 Counter tops 54
Front panels
CORNER COUNTER 58 Square corner counter top and front panel 60 Triangular corner counter top and front panel 61 INFO TABLES 62 Counter top with foot and side panel 64 Counter top with panel and side panel 65
HEIGHT ADJUSTABLE COUNTER 66 Height adjustable rectangular counter 70 H740 mm rectangular counter for height adjustable 72 H740 mm 45° curved counter for height adjustable 74 H740 mm 90° curved counter for height adjustable 76 H740 mm 45° curved counter for height adjustable and recessed 78 H740 mm 90° curved counter for height adjustable and recessed 79 Square corner counter for height adjustable 80 Triangular corner counter for height adjustable 81 Middle panels 82 Configurations 83

COUNTER SHELVES	84
For rectangular counter	88
For corner counter	89
For 45° curved counter	90
For 90° curved counter	91
DISPLAY AND STORAGE	92
Corner display unit	93
Display cabinet with storage	
Display cabinet with drawers	97
Display cabinet with shelves and shelving options	98
Display cabinet with book trolley	99
Accessories for display cabinet	100
FUNCTIONS	101
Bag shelves	103
Bag shelves	103
Bag shelves	103 106 108
Bag shelves	103 106 111
Bag shelves	103 106 108 111
Bag shelves Counter top part with info sign Counter top part with bag shelf. Decorative board and info sign Functional accessories Power sockets	103 106 108 111 113
Bag shelves Counter top part with info sign Counter top part with bag shelf. Decorative board and info sign Functional accessories Power sockets FRONT PANEL OPTIONS	103 106 111 113 115
Bag shelves Counter top part with info sign Counter top part with bag shelf. Decorative board and info sign Functional accessories Power sockets	103106111113115116



STEEL COMPONENTS - PAINTED

A PRICE GROUP - BASIS PRICE (smooth finish)



A03 **Traffic white** RAL 9016

Gloss 75-90



A15 Dusty grey RAL 7037 Gloss 71-85



A02 **Oyster white** RAL 1013 Gloss 40-50



Δ16 **Traffic grey** RAL 7043 Gloss 71-85



Moss green RAL 6005 Gloss 71-85



A17 **Basalt grey** RAL 7012 Gloss 71-85



A26 Fir green RAL 6009 Gloss 71-85



A18 Slate grey RAL 7015



A12 Steel blue RAL 5011



A19 **Anthracite grey** RAL 7016 Gloss 71-85



A13 **Light grey** RAL 7035 Gloss 71-85



A25 Jet black RAL 9005 Gloss 71-85

B PRICE GROUP - BASIS PRICE WITH 7% SURCHARGE (smooth finish)



A01 **Pure white**





A09 Ruby red **RAL** 3003 Gloss 71-85



A04 **Traffic yellow** RAL 1023



A21 Reseda green RAL 6011 Gloss 71-85



A05 Sun yellow RAL 1037



A10 RAL 5014



Pigeon blue



A06 Signal orange RAL 2010 Gloss 71-85



A11 Ocean blue RAL 5020 Gloss 71-85



A07 **Pearl orange** RAL 2013 Gloss 65-85



A14 White aluminium RAL 9006 Gloss 50-70



Flame red RAL 3000 Gloss 71-85



A31 **Grey aluminium** RAL 9007

Gloss 50-70

B PRICE GROUP - BASIS PRICE WITH 7% SURCHARGE (textured finish)



Pure white RAL 9010



A29 Concerting grey



A28 Grey aluminium

RAL 9007



A23 Anthracite grey

RAL 7016



Δ24 **Graphite black** RAL 9011

Note:

- Other RAL/NCS colours have a starter fee of GBP 215 / EUR 250 and a surcharge of 15%. A higher surcharge for colours with "metallic" look or different surface textures must be expected.
- See specific colour for steel gloss specification. Special requests outside specified gloss range are not covered by the above surcharges.







ACRYLIC COMPONENTS

A PRICE GROUP - BASIS PRICE



Crystal clear







Note:

• The acrylic front panels can be combined with acrylic side panels on shelving in the same colour. They can also be combined with lighting.





WOODEN COMPONENTS - MELAMINE/LAMINATE

A PRICE GROUP - BASIS PRICE



D61/L61 Signal white RAL 9003



Oyster white Similar to RAL 1013



D62/L62 **Pure white** Similar to RAL 9010



D63/L63 Steel blue RAL 5011



D71/L71 **Dusty grey** Similar to RAL 7037



D16/L16 **Basalt grey** Similar to RAL 7012



D19/L19 Slate grey Similar to RAL 7015 and RAL 7016



D04/L04 **Beech decor**



D05/L05 Maple decor



D06/L06 **Cherry decor**



D07/L07 Oak decor



D08/L08 Olive decor

C PRICE GROUP - BASIS PRICE WITH 10% SURCHARGE



D64/L64 Signal yellow RAL 1003



D65/L65 Yellow orange **RAL 2000**



D66/L66 **Pure orange** RAL 2004



D67/L67 Traffic red RAL 3020



E02/L02 **Ruby red** Similar to RAL 3003



D13/L13 Lime green Similar to NCS S1060-G40Y Similar to RAL 6011



D68/L68 Reseda green




D14/L14 Crystal blue Similar to NCS S1020-R90B RAL 5014



D73/L73 Pigeon blue



D74/L74 Ocean blue Similar to RAL 5020



D69/L69 **Light grey** Similar to RAL 7035



D70/L70 White aluminium Jet black Similar to RAL 9006



D75/L75 Similar to RAL 9005

Note:

- The above selection of colours are shown in both melamine (D/Exx) and laminate (Lxx).
- If you order a product (e.g. Inform Search station) in two different colours from price group C, then please note that you will be charged two times the surcharge - one for each colour.







WOODEN COMPONENTS - VENEER

A PRICE GROUP - BASIS PRICE











69 Birch

Light steamed beech





Oak

Maple

68

Ash

Note:

Table and work surfaces with solid wood veneer only have limited abrasion resistance. We recommend using HPL (which has a special overlay). For these types of surfaces, due to its higher durability against damages and scratches. Do not use veneer surfaces. If veneer is used for counter tops, we do not accept any complaints for damages or scratches.













TECHNICAL SPECIFICATIONS

STEEL COMPONENTS

are powder coated with standard polyester based powders that secures high UV resistance. Powders comply with EN 45545 (fire protection - similar to DIN 4201). Thickness of the coating is 60-80 my.

The powder used includes:

- no triglycidylisocyanurate (TGIC)
- no heavy metal-containing pigments such as lead and cadmium
- no volatiles

Antibacterial equipping of surfaces upon request.

LEG FRAMES

are made of steel section $40 \times 40 \times 2$ mm and $40 \times 20 \times 2$ mm and finished with a powder coat of thermo hardened polyester powder or epoxy (depending on choice of colour). Note: a leg frame is required per counter top in the same counter height.

WOODEN COMPONENTS

are either melamine coated, high pressure laminated (HPL) or have a environmental-friendly transparent lacquered veneer finish. Differences in colour underline the characteristics of veneer and cannot be avoided. They are conform to the norm EN 13986 of material type P2 and must only be used indoors. The border on each wooden panel is finished with an edge of melamine or with an edge of ABS (radius 2 mm). The edges are in the same colour of the wooden panels.

SEARCH STATION AND DESK

are produced in 40 mm particle board and have a melamine/veneer finish.

COUNTERS, SIDE- & MIDDLE PANELS, BAG SHELVES AND COUNTER SHELVES

are produced in 40 mm particle board and have a HPL finish.

WOODEN CABINETS, COUNTER TOP PARTS AND DECORATIVE BOARDS

are produced in 19 mm particle board and have a melamine/veneer finish.

STRAIGHT WOODEN FRONT PANELS FOR COUNTERS AND COUNTER SHELVES

are produced in 19 mm particle board and have a melamine/veneer finish.

CURVED WOODEN FRONT PANELS FOR COUNTERS AND COUNTER SHELVES

are produced in 19 mm particle board and have a HPL finish.

PLINTH

is produced in 19 mm particle board and has a melamin aluminum finish.

ACRYLIC COMPONENTS

ACRYLIC FRONT PANELS

are made of 5 mm acrylic glass panel, known as Plexiglas XT®. This material is conform with the EU norm EN 13501-1 (classification D like the German's norm DIN 4102-1)

LIGHTING

LIGHTING FOR COUNTER

You can add light under the counter with the use of an acrylic front panel. This light is only for use indoors and is conform with the norm 60598-1 ed 2000 + A 11 ed. 2000, EN 60598-2-1 Ed. 1998.

CLEANING

Clean wooden-, metal- and acrylic surfaces with a damp cloth and wipe dry with a clean cloth. Use a water based cleaning agent. DO NOT USE A DETERGENT!







INFORM SEARCH STATION

SINGLE- AND DOUBLE-SIDED










INFORM SEARCH STATION

SINGLE- AND DOUBLE-SIDED

Search station with offset keyboard and monitor levels. Place the CPU in the lockable cabinet with sufficient ventilation provided by the recoiling base and the air and cable conduct. Place freestanding monitor on the top level, alternately install a console for flat-screen monitors. The back wall/door can be ordered in different colours compared to the top/ side panels.

Inform search station - single-sided

Exterior: W750 x D625 x H1065 mm Interior: W670 x D260 x H740 mm With choice of desk grommet.



Material	Colour	Item no. Melamine	Item no. Veneer
Plastic	Black	BI610126	BI616122
Plastic	Oyster white	BI610186	BI616182
Plastic	Siĺver	BI610196	Bl616192
Metal	Stainless steel	BI610136	Bl616132

Inform search station - double-sided

Exterior: W750 x D1200 x H1065 mm Interior: W670 x D610 x H740 mm



Material	Colour	ltem no. Melamine	ltem no. Veneer
Plastic	Black	BI610226	BI616222
Plastic	Oyster white	BI610286	BI616282
Plastic	Siĺver	BI610296	BI616292
Metal	Stainless steel	BI610236	Bl616232

Console for flat-screen monitor

Laguered steel. Incl. mounting kit. Ideal for theft and tilt protection.

Item no.

B401418








INFORM DESK

SOLO








INFORM DESK

SOLO

Create a private workspace and work on your own with the Solo freestanding rectangular desk. For accessories, see page 113.

H740 mm - Rectangular table - freestanding - with panel (H305 mm) placed 50 mm from front


For counter with predrilled holes for cable conduct see pages 120-121.



W x	D	Item no.	ltem no.
mr	n	Melamine	Veneer
800	500	BI620104006	BI625104002
1000	500	BI620114006	BI625114002
1200	500	BI620124006	BI625124002
1400	500	BI620134006	BI625134002
1600	500	BI620144006	BI625144002
1800	500	BI620154006	BI625154002
800	600	BI620204006	BI625204002
1000	600	BI620214006	BI625214002
1200	600	BI620224006	BI625224002
1400	600	BI620234006	BI625234002
1600	600	BI620244006	BI625244002
1800	600	BI620254006	BI625254002
000	700		
800	700	BI620304006	BI625304002
1000	700	BI620314006	BI625314002
1200	700	BI620324006	BI625324002
1400	700	BI620334006	BI625334002
1600	700	BI620344006	BI625344002
1800	700	BI620354006	BI625354002
800	800		
1000	800	BI620404006	BI625404002
		BI620414006	BI625414002
1200	800	BI620424006	BI625424002
1400	800	BI620434006	BI625434002
1600	800	BI620444006	BI625444002
1800	800	BI620454006	BI625454002

H1000 mm - Rectangular table - freestanding - with panel (H305 mm) placed 50 mm from front

For counter with predrilled holes for cable conduct see pages 120-121.



W x	_	ltem no. Melamine	ltem no. Veneer
800	500	BI620106006	BI625106002
1000	500	BI620116006	BI625116002
1200	500	BI620126006	BI625126002
1400	500	BI620136006	BI625136002
1600	500	BI620146006	BI625146002
1800	500	BI620156006	BI625156002
800 1000 1200 1400 1600 1800	600 600 600 600 600	BI620206006 BI620216006 BI620226006 BI620236006 BI620246006 BI620256006	Bl625206002 Bl625216002 Bl625226002 Bl625236002 Bl625246002 Bl625256002
800	700	BI620306006	BI625306002
1000	700	BI620316006	BI625316002
1200	700	BI620326006	BI625326002
1400	700	BI620336006	BI625336002
1600	700	BI620346006	BI625346002
1800	700	BI620356006	BI625356002
800	800	BI620406006	BI625406002
1000	800	BI620416006	BI625416002
1200	800	BI620426006	BI625426002
1400	800	BI620436006	BI625436002
1600	800	BI620446006	BI625446002
1800	800	BI620456006	BI625456002






DUO

Work opposite one another with the Duo freestanding, rectangular table. For accessories, see page 113.

H740 mm - Rectangular table - freestanding - with panel (H305 mm) in the centre of table top

For counter with predrilled holes for cable conduct see pages 120-121.



	U	1 ,	•	
W	x D		Item no.	ltem no.
	mm		Melamine	Veneer
	111111		Meidillile	Veneer
800	800		BI630404006	BI635404002
1000	800			
1200	800		BI630414006	BI635414002
. —			BI630424006	BI635424002
1400	800		BI630434006	BI635434002
1600	800		BI630444006	BI635444002
1800	800		BI630454006	BI635454002
800	1000		BI630504006	BI635504002
1000	1000		BI630514006	BI635514002
1200	1000		BI630524006	BI635524002
1400	1000		BI630534006	BI635534002
1000	1000		BI630544006	BI635544002
1800	1000		BI630554006	BI635554002
1000	1000		ыозоззаооо	BI033334002
800	1200		BI630604006	BI635604002
1000	1200		BI630614006	BI635614002
1200	1200		BI630624006	BI635624002
1400	1200			
1600	1200		BI630634006	BI635634002
			BI630644006	BI635644002
1800	1200		BI630654006	BI635654002
800	1400		DI / 2070 / 00 /	DI/ 2.570.4002
1000	1400		BI630704006	BI635704002
1200	1400		BI630714006	BI635714002
			BI630724006	BI635724002
1400	1400		BI630734006	BI63 <i>57</i> 34002
1600	1400		BI630744006	BI635744002
1800	1400		BI630754006	BI635754002
000	1,00			
800	1600		BI630804006	BI635804002
1000	1600		BI630814006	BI635814002
1200	1600		BI630824006	BI635824002
1400	1600		BI630834006	BI635834002
1600	1600		BI630844006	BI635844002
1800	1600		BI630854006	BI635854002
			01030034000	01033634002






DUO

Work opposite one another with the Duo freestanding, rectangular table. For accessories, see page 113.

H1000 mm - Rectangular table - freestanding - with panel (H305 mm) in the centre of table top

For counter with predrilled holes for cable conduct see pages 120-121.



	J	1 '	'
W	x D	Item no.	Item no.
	mm	Melamine	Veneer
800 1000 1200 1400 1600 1800	800 800 800 800 800	BI630406006 BI630416006 BI630426006 BI630436006 BI630446006 BI630456006	BI635406002 BI635416002 BI635426002 BI635436002 BI635446002 BI635456002
800	1000	BI630506006	BI635506002
1000	1000	BI630516006	BI635516002
1200	1000	BI630526006	BI635526002
1400	1000	BI630536006	BI635536002
1000	1000	BI630546006	BI6355546002
1800	1000	BI630556006	BI635556002
800	1200	BI630606006	BI635606002
1000	1200	BI630616006	BI635616002
1200	1200	BI630626006	BI635626002
1400	1200	BI630636006	BI635636002
1600	1200	BI630646006	BI635646002
1800	1200	BI630656006	BI635656002
800	1400	BI630706006	BI635706002
1000	1400	BI630716006	BI635716002
1200	1400	BI630726006	BI635726002
1400	1400	BI630736006	BI635736002
1600	1400	BI630746006	BI635746002
1800	1400	BI630756006	BI635756002
800	1600	BI630806006	BI635806002
1000	1600	BI630816006	BI635816002
1200	1600	BI630826006	BI635826002
1400	1600	BI630836006	BI635836002
1600	1600	BI630846006	BI635846002
1800	1600	BI630856006	BI635856002



DUO & TWIN





TWIN

Work or play? Create a fun and interesting - yet functional - sitting or standing area in the library with the Inform curved desk. For accessories, see page 113.

 $H740 \text{ mm} - 2 \times 90^{\circ}$ curved tables - freestanding - with panel (H305 mm) in the centre of table top

Total length 3250 mm, total depth 1122 mm. For counter with predrilled holes for cable conduct see pages 120-121.


D mm

Item no. Melamine Item no. Veneer

800

BI64044006

BI64544002




 $H1000 \text{ mm} - 2 \times 90^{\circ} \text{ curved tables}$ - freestanding - with panel (H305 mm) in the centre of table top

Total length 3250 mm, total depth 1122 mm. For counter with predrilled holes for cable conduct see pages 120-121.

D mm Item no. Melamine Item no. Veneer

800

BI64046006



INFORM COUNTER

Inform is a modular piece of furniture. Straight and curved elements can be used as freestanding counters or randomly combined. The special design of the table tops and side panels creates a continuous surrounding frame which unites the single elements into an expressive optical unit.

Inform's modular construction allows an individual adaptation to functional and design requirements, as well as to architectural conditions. You are able to reconstruct and add on as well as electrically adjust the counter to your ideal working height. Modules in the two heights; 740 and 1000 mm can be combined in may ways. The counter is also suitable for use with RFID systems.

CONSTRUCTION

The construction of the counter Inform is based on a left-to-right sequence (seen from the person's view sitting behind the counter). The counter has 15 mm adjustable feet.

MOUNTING TOLERANCES

All our components for the Inform counter are produced according to the norm DIN ISO 2768-1.


ASSEMBLY

No special fittings or tools are needed.


DIMENSIONS

For planning purposes, please note the below measurements. The listed measurements in the catalogue/price list are the effective measurements for the front panels only. It is necessary to add 40 mm with all the side/end panels, step counter middle panels and middle panels in connection with height adjustable counters.


STARTER-, MIDDLE- & END ELEMENT



STEP COUNTER



HEIGHT ADJUSTABLE COUNTER








CONFIGURATION OPTIONS


RECTANGULAR COUNTERS

W 600/800/1000/1200/1400/1600 mm (+40 mm per outer panel) H 740/1000 mm D 800 mm




CURVED COUNTERS 45° & 90°

Height:740 mmHeight:740 mmInside radius:1550 mmInside radius:500 mmOuter radius:2350 mmOuter radius:1300 mm



RECTANGULAR AND CURVED COUNTERS WITH VARIOUS INTEGRATED CABINETS/COUNTERS







CONFIGURATION NO. 1



Rectangular counter (with info sign)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	2	-
Steel leg frame (H740 mm)	BI069146	-	1	-
Info sign - acrylic frosted white glazed (W600 x H430 mm)	BI85512	-	1	-
Monitor arm	B401184	-	1	-


Comments to configuration

- Monitor, office chair and text are not included in price.
 All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
- It is necessary to drill an Ø80 mm hole for the monitor arm on site or modify the article number for counter for predrilled hole, see pages 120-121.



CONFIGURATION NO. 2





 45° curved counters (with counter top part with bag shelf)

Components	Article no.		Quantity	
45° curved counter - starter (H740 mm)	BI2051428003	-	1	-
45° curved counter - end (H740 mm)	BI2053428003	-	1	-
Wooden front panel for 45° curved counter (H740 mm)	BI3204543	-	2	-
Steel leg frame (H740 mm)	BI069146	-	1	-
Wooden counter top part with bag shelf (W1400 x H490 mm)	BI83545683	-	1	-

Comments to configuration

- Computer, office chair and text are not included in price.All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.






1422 mm

RECTANGULAR COUNTER

Inform's rectangular modules are available in two heights; 740 and 1000 mm. This model can be combined with other standard counters of the same height, step counters, height adjustable counters (only with H1000 mm standard counter), info counters, corner counters as well as display cabinets.

Rectangular counter - starter

Remember to order front panel, see page 23 and leg frame/middle panel, see page 34. For counter with predrilled holes for cable conduct see pages 120-



Нх	x W	D
	mm	
740	640	800
740	840	800
740	1040	800
740	1240	800
740	1440	800
740	1640	800
1000	640	800
1000	840	800
1000	1040	800
1000	1240	800
1000	1440	800
1000	1640	800

ltem no HPL	=	
BI2001 BI2001 BI2001 BI2001 BI2001	018 020 022	003 003 003
BI2001	026	003
BI2001 BI2001 BI2001 BI2001 BI2001 BI2001	038 040 042 044	003 003 003 003

Rectangular counter - middle

Remember to order front panel, see page 23 and leg frame/middle panel, see page 34. For counter with predrilled holes for cable conduct see pages 120-






W	x D
ı	mm
600	800
800	800
1000	800
1200	800
1400	800
1600	800

Item no. HPL BI2002060003 BI2002080003 BI2002081003 BI2002082003 BI2002084003 BI2002086003

Rectangular counter - end

Remember to order front panel, see page 23 and leg frame/middle panel, see page 34. For counter with predrilled holes for cable conduct see pages 120-121.



Н	x W	x D
	mm	
740	640	800
740	840	800
740	1040	800
740	1240	800
740	1440	800
740	1640	800
1000	640	800
1000	840	800
1000	1040	800
1000	1240	800
1000	1440	800
1000	1640	800

Item no. HPL BI2003016003 BI2003018003 BI2003020003 BI2003022003 BI2003024003 BI2003026003 BI2003036003 BI2003038003 BI2003040003 BI2003042003 BI2003044003 BI2003046003




FREESTANDING RECTANGULAR COUNTER AND FRONT PANELS

A freestanding rectangular counter is an ideal solution for small rooms and is available in two heights; 740 and 1000 mm. Remember to order front panels.

Rectangular counter - freestanding


Remember to order front panel. For counter with predrilled holes for cable conduct see pages 120-121.




Н	x W mm	x D
740 740 740 740 740 740	680 880 1080 1280 1480 1680	800 800 800 800 800
1000 1000 1000 1000 1000	680 880 1080 1280 1480 1680	800 800 800 800 800 800

ltem no. HPL
BI2004016003 BI2004018003 BI2004020003 BI2004022003 BI2004024003 BI2004026003
BI2004036003 BI2004038003 BI2004040003 BI2004042003 BI2004044003 BI2004046003

Wooden front panel for rectangular counter






	k W m	ltem no. Melami
740 740 740 740 740 740	600 800 1000 1200 1400 1600	BI3001 BI3003 BI3004 BI3005 BI3006
1000 1000 1000 1000 1000 1000	600 800 1000 1200 1400 1600	BI3001 BI3003 BI3004 BI3005 BI3006

no.	ltem no.
amine	Veneer
00146	BI300142
00346	BI300342
00446	BI300442
00546	BI300542
00646	BI300642
00746	BI300742
00166 00366 00466 00566 00666	BI300162 BI300362 BI300462 BI300562 BI300662 BI300762

Acrylic front panel for rectangular counter

Melamine coated wooden frame.



740	600
740	800
740	1000
740	1200
740	1400
740	1600
1000	600
1000	800
1000	1000
1000	1200
1000	1400
1000	1.600

x W

mm

Item no. Acrylic & melamine BI310146 BI310346 BI310446 BI310546 BI310646 BI310746 BI310166 BI310366 BI310466 BI310566 BI310666 BI310766



45° CURVED COUNTERS

Inform's 45° curved modules are available in two heights; 740 and 1000 mm. This model can be combined with other standard counters of the same height, step counters, height adjustable counters (only with H1000 mm standard counter), info counters, corner counters as well as display cabinets.

800

800

45° curved counter - starter

Remember to order front panel, see page 25 and leg frame/middle panel, see page 34. For counter with predrilled holes for cable conduct see pages 120-

 $H \times W \times D$ mm 740 1835 1000 1835

Item no. HPL

BI2051428003

BI2051448003

R 2350 mm R 1550 mm

45° curved counter - middle

Remember to order front panel, see page 25 and leg frame/middle panel, see page 34. For counter with predrilled holes for cable conduct see pages 120-

W x D 1800 800

HPL

BI2052488003

Item no.




45° curved counter - end

Remember to order front panel, see page 25 and leg frame/middle panel, see page 34. For counter with predrilled holes for cable conduct see pages 120-121.

x W x D mm 740 1835 800 1000 1835 800 Item no. HPL

BI2053428003





FREESTANDING 45° CURVED COUNTERS AND FRONT PANELS

A freestanding 45° curved counter is an ideal solution for small rooms and is available in two heights; 740 and 1000 mm. Remember to order front panels.

45° curved counter - freestanding

Remember to order front panel. For counter with predrilled holes for cable conduct see pages 120-121.


740 1870 800

1000 1870 800

ltem no. HPL

BI2054428003

BI2054448003



Wooden front panel for 45° curved counter

H x W


740 1760

1000 1760

ltem no. HPL

BI3204543

BI3204563



Acrylic front panel for 45° curved counter

Melaminecoated wooden frame.

H x W


740 1760

1000 1760

Item no.

Acrylic & melamine

BI3304546





90° CURVED COUNTERS


Inform's 90° curved modules are available in two heights; 740 and 1000 mm. This model can be combined with other standard counters of the same height, step counters, height adjustable counters (only with H1000 mm standard counter), info counters, corner counters as well as display cabinets.

90° curved counter - starter

Remember to order front panel, see page 27 and leg frame/middle panel, see page 34. For counter with predrilled holes for cable conduct see pages 120-

 $H \times W \times D$ mm 740 1870 800 1000 1870 800 Item no. HPL

BI2051928003 BI2051948003




90° curved counter - middle

Remember to order front panel, see page 27 and leg frame/middle panel, see page 34. For counter with predrilled holes for cable conduct see pages 120-


 $W \times D$ 1800 800 Item no. HPL

BI2052988003



90° curved counter - end

Remember to order front panel, see page 27 and leg frame/middle panel, see page 34. For counter with predrilled holes for cable conduct see pages 120-



740 1870 800

1000 1870 800 Item no. HPL

BI2053928003




FREESTANDING 90° CURVED COUNTERS AND FRONT PANELS

A freestanding 90° curved counter is an ideal solution for small rooms and is available in two heights; 740 and 1000 mm. Remember to order front panels.

90° curved counter - freestanding

Remember to order front panel. For counter with predrilled holes for cable conduct see pages 120-121.




1900 800 1000 1900 800 Item no. HPL

BI2054928003

BI2054948003

Wooden front panel for 90° curved counter



x W

740 1768

1000 1768

Item no. HPL

BI3209043

BI3209063

Acrylic front panel for 90° curved counter

Melaminecoated wooden frame.

x W mm

740 1768

1000 1768

Item no. Acrylic & melamine

BI3309046








RECTANGULAR COUNTERS - FOR CONNECTING TO RECESSED COUNTER

Inform's rectangular modules are available in two heights; 740 and 1000 mm. This model can be combined with recessed counters of the same height as the standard counter by connecting with a middle panel (as the counter top is 40 mm wider than the standard rectangular counter).

Rectangular counter - starter - connected with middle panel

Remember to order front panel, see page 29 and middle panel, see page 34. For counter with predrilled holes for cable conduct see pages 120-121.



Н	x W	x D
	mm	
740	680	800
740	880	800
740	1080	800
740	1280	800
740	1480	800
740	1680	800
1000	680	800
1000	880	800
1000	1080	800
1000	1280	800
1000	1480	800
1000	1480	800

ltem no. HPL
BI2021016003 BI2021018003 BI2021020003 BI2021022003 BI2021024003 BI2021026003
BI2021036003 BI2021038003 BI2021040003 BI2021042003 BI2021044003 BI2021046003

Rectangular counter - middle - connected with middle panel

Remember to order front panel, see page 29 and middle panel, see page 34. For counter with predrilled holes for cable conduct see pages 120-121.

$W \rightarrow$	c D
mı	m
640	800
840	800
1040	800
1240	800
1440	800
1640	800

Item no. HPL BI2022060003 BI2022080003 BI2022081003 BI2022082003 BI2022084003


BI2022086003





Rectangular counter - end - connected with middle panel

Remember to order front panel, see page 29 and middle panel, see page 34. For counter with predrilled holes for cable conduct see pages 120-121.



Н	x W	x D
	mm	
740	680	800
740	880	800
740	1080	800
740	1280	800
740	1480	800
740	1680	800
1000	680	800
1000	880	800
1000	1080	800
1000	1280	800
1000	1480	800
1000	1680	800


ltem no. HPL
BI2023016003 BI2023018003 BI2023020003 BI2023022003 BI2023024003 BI2023026003
BI2023036003 BI2023038003 BI2023040003 BI2023042003 BI2023044003 BI2023046003



RECTANGULAR FRONT PANELS

Remember to order front panels.


Wooden fron	t panel foi	· rectangulo	ar counter
-------------	-------------	--------------	------------



	x W	ltem no.	Item no.
	ım	Melamine	Veneer
740	600	BI300146	BI300142
740	800	BI300346	BI300342
740	1000	BI300446	BI300442
740	1200	BI300546	BI300542
740	1400	BI300646	BI300642
740	1600	BI300746	BI300742
1000 1000 1000 1000 1000	600 800 1000 1200 1400 1600	BI300166 BI300366 BI300466 BI300566 BI300666	BI300162 BI300362 BI300462 BI300562 BI300662 BI300762

Acrylic front panel for rectangular counter

Melaminecoated wooden frame.



m	m	
740	600	
740	800	
740	1000	
740	1200	
740	1400	
740	1600	
1000	600	
1000	800	
1000	1000	
1000	1200	
1000	1400	
1000	1600	

Item no. Acrylic & Melamine BI310146 BI310346 BI310446 BI310546 BI310646 BI310746 BI310166 BI310366 BI310466 BI310566 BI310666 BI310766







45° CURVED COUNTERS - FOR CONNECTING TO RECESSED COUNTER

Inform's° curved modules are available in two heights; 740 and 1000 mm. This model can be combined with recessed counters of the same height as the standard counter by connecting with a middle panel (as the counter top is 40 mm wider than the standard 45° curved counter).

45° curved counter - starter - connected with middle panel

Remember to order front panel, see page 31 and middle panel, see page 34. For counter with predrilled holes for cable conduct see pages 120-121.

 $H \times W \times D$ mm 800 740


800

1000

Item no. HPL

BI2061428003

BI2061448003




45° curved counter - end - for middle panel

Remember to order front panel, see page 31 and middle panel, see page 34. For counter with predrilled holes for H x W x D Item no. HPL

cable conduct see pages 120-121.

740 800 BI2063428003

1000 800







45° CURVED FRONT PANELS

Remember to order front panels.

Wooden front panel for 45° curved counter

 $\begin{array}{ccc} H & x & W \\ & mm \end{array}$

740 1760

1000 1760

ltem no. HPL

BI3204543

BI3204563

Acrylic front panel for 45° curved counter

Melaminecoated wooden frame. H $\,$ x

mm


740 1760

1000 1760

Item no.

Acrylic & melamine

BI3304546







90° CURVED COUNTERS - FOR CONNECTING TO RECESSED COUNTER

Inform's 90° curved modules are available in two heights; 740 and 1000 mm. This model can be combined with recessed counters of the same height as the standard counter by connecting with a middle panel (as the counter top is 40 mm wider than the standard 90° curved counter).


90° curved counter - starter - connected with middle panel

Remember to order front panel, see page 33 and middle panel, see page 34. For counter with predrilled holes for cable conduct see pages 120-121. H x W x D mm 740 - 800

ltem no. HPL

1000 - 800

BI2061928003 BI2061948003



90° curved counter - end - connected with middle panel


Remember to order front panel, see page 33 and middle panel, see page 34. For counter with predrilled holes for cable conduct see pages 120-121. H x W x D mm 240 - 800

800

1000

ltem no. HPL

B12063928003



90° CURVED FRONT PANELS

Remember to order front panels.

Wooden front panel for 90° curved counter

 $\begin{array}{ccc} H & x & W \\ & mm \end{array}$

740 1768

1000 1768

ltem no. HPL

BI3209043

BI3209063

Acrylic front panel for 90° curved counter

Melaminecoated wooden frame.

H x W

740 1768

1000 1768

Item no.

Acrylic & melamine

BI3309046







CONNECTIONS

If you wish to combine a rectangular/cuved counter with a rectangular/cuved counter of the same height, you must use a steel leg frame.

If you wish to combine a rectangular/curved counter with recessed rectangular/curved or step counter, you must use

Steel leg frame			
Must be used when assembling 2 modules of the same height.	Finish	H mm	ltem no. Melamine/veneer
a fi	Melamine	740	BI069146
		1000	BI069166
	Veneer	740	BI069142
		1000	BI069162
Middle panel for standard as	nd recessed counter		
	Side of panel	H mm	ltem no. HPL
	Left: Recessed counter Right: Standard counter	740	B13704103
	Left: Standard counter Right: Recessed counter	740	B13704113

Side of par	nel	H mm	ltem no. HPL
Left: Step Right: Stan	counter dard counter (H740 mm)	1000	BI3706123
Left: Stan Right: Step	dard counter (H740 mm) counter	1000	BI3706133







CONFIGURATIONS

Remember always to construct your counter from left to right when sitting behind the counter.

Standard rectangular counter with 3 standard fronts and 1 recessed front



Standard rectangular and step counters





RECESSED COUNTER

CONFIGURATION NO. 3



Recessed rectangular counter

Components	Article no.		Quantity	
Recessed rectangular counter - starter (W1240 x H740 mm)	BI2101022003	-	1	-
Recessed rectangular counter - end (W1240 x H740 mm)	BI2103022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	2	-
Steel leg frame for recessed counter (H740 mm)	BI069546	-	1	-
Total price for configuration				-


Comments to configuration

- Monitor, office chair and text are not included in price.All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.





CONFIGURATION NO. 4



Recessed 45° curved counter

Components	Article no.	Quantity
45° recessed curved counter - starter (H740 mm)	BI2151429003	- 1 -
45° recessed curved counter - end (H740 mm)	BI2153429003	- 1 -
Wooden front panel for 45° curved counter (H740 mm)	BI3204543	- 2 -
Steel leg frame for recessed counter (H740 mm)	BI069546	- 1 -
Total price for configuration		-

- Computer, office chair, display and text are not included in price.All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.








RECTANGULAR COUNTERS

The design of Inform's recessed front panel allows for easy access on both sides of the counter and is especially suited for wheelchair use, as the front panel is placed 300 mm from the front. It is available in two heights; 740 and 1000 mm. This model can be combined with other recessed counters of the same height, step counters, height adjustable counters (only with H1000 mm standard counter), info counters, corner counters as well as display cabinets.

Recessed rectangular counter - starter

Remember to order front panel, see page 39 and leg frame/middle panel, see page 50. For counter with predrilled holes for cable conduct see pages 120-




Н	x W mm	x D
740 740 740 740 740 740	640 840 1040 1240 1440	800 800 800 800 800
1000 1000 1000 1000 1000 1000	640 840 1040 1240 1440 1640	800 800 800 800 800 800

ltem no. HPL
BI2101016003 BI2101018003 BI2101020003 BI2101022003 BI2101024003 BI2101026003
BI2101036003 BI2101038003 BI2101040003 BI2101042003 BI2101044003 BI2101046003

Recessed rectangular counter - middle

Remember to order front panel, see page 39 and leg frame/middle panel, see page 50. For counter with predrilled holes for cable conduct see pages 120-




W	c D
m	m
600	800
800	800
1000	800
1200	800
1400	800
1600	800

Item no. HPL
BI2102060003
BI2102080003
BI2102081003
BI2102082003
BI2102084003
BI2102086003

Recessed rectangular counter - end

Remember to order front panel, see page 39 and leg frame/middle panel, see page 50. For counter with predrilled holes for cable conduct see pages 120-



Н	x W	x D	
	mm		
740	640	800	
740	840	800	
740	1040	800	
740	1240	800	
740	1440	800	
740	1640	800	
1000	640	800	
1000	840	800	
1000	1040	800	
1000	1240	800	
1000	1440	800	
1000	1640	800	

ltem no. HPL
BI2103016003 BI2103018003 BI2103020003 BI2103022003 BI2103024003 BI2103026003
BI2103036003 BI2103038003 BI2103040003 BI2103042003 BI2103044003 BI2103046003




FREESTANDING RECTANGULAR COUNTERS AND FRONT PANELS

The design of Inform's recessed front panel allows for easy access on both sides of the counter and is especially suited for wheelchair use, as the front panel is placed 300 mm from the front. Remember to order front panel.

Recessed rectangular counter - freestanding

Remember to order front panel. For counter with predrilled holes for cable conduct see pages 120-121.




Н	X VV	χυ
	mm	
740	680	800
740	880	800
740	1080	800
740	1280	800
740	1480	800
740	1680	800
1000	680	800
1000	880	800
1000	1080	800
1000	1280	800
1000	1480	800
1000	1680	800

Item no. HPL BI2104016003 BI2104018003 BI2104020003 BI2104022003 BI2104024003 BI2104026003 BI2104036003 BI2104038003 BI2104040003 BI2104042003 BI2104044003 BI2104046003

Wooden front panel for recessed rectangular counter






Η ;	x W	ltem no.
m	m	Melamine
740	600	BI300146
740	800	BI300346
740	1000	BI300446
740	1200	BI300546
740	1400	BI300646
740	1600	BI300746
000	600	BI300166
000	800	BI300366
000	1000	BI300466
000	1200	BI300566
000	1400	BI300666
000	1600	BI300766

Item no. Veneer BI300142 BI300342 BI300442 BI300542 BI300642 BI300742 BI300162 BI300362 BI300462 BI300562 BI300662 BI300762

Acrylic front panel for recessed rectangular counter

Melaminecoated wooden frame.



mm		
740	600	
740	800	
740	1000	
740	1200	
740	1400	
740	1600	
1000	600	
1000	800	
1000	1000	
1000	1200	
1000	1400	
1000	1600	

H x W

Item no. Acrylic & melamine BI310146 BI310346 BI310446 BI310546 BI310646 BI310746 BI310166 BI310366 BI310466 BI310566 BI310666 BI310766





45° CURVED COUNTERS

The design of Inform's recessed front panel allows for easy access on both sides of the counter and is especially suited for wheelchair use, as the front panel is placed 300 mm from the front. It is available in two heights; 740 and 1000 mm. This model can be combined with other recessed counters of the same height, step counters, height adjustable counters (only with H1000 mm standard counter), info counters, corner counters as well as display cabinets.


45° recessed curved counter - starter

Remember to order front panel, see page 41 and leg frame/middle panel, see page 50. For counter with predrilled holes for cable conduct see pages 120-121.

 $H \times W \times D$ mm 740 2030 800 1000 2030 800

Item no. HPL

BI2151429003 BI2151449003



45° recessed curved counter - middle

Remember to order front panel, see page 41 and leg frame/middle panel, see page 50. For counter with predrilled holes for cable conduct see pages 120-

 $W \times D$ 1800 800 Item no. HPL

BI2152489003



45° recessed curved counter - end

Remember to order front panel, see page 41 and leg frame/middle panel, see page 50. For counter with predrilled holes for cable conduct see pages 120-



740 2030 1000 2030 800 Item no. HPL

BI2153429003

FREESTANDING 45° CURVED COUNTERS AND FRONT PANELS

The design of Inform's recessed front panel allows for easy access on both sides of the counter and is especially suited for wheelchair use, as the front panel is placed 300 mm from the front. Remember to order front panel.

45° recessed curved counter - freestanding

Remember to order front panel. For counter with predrilled holes for cable conduct see pages 120-121.

H x W x D

ltem no. HPL


740 2070

BI2154429003

1000 2070 800

800

BI2154449003



Wooden front panel for 45° recessed curved counter

H x W


740 1760

1000 1760

ltem no. HPL

BI3204543

BI3204563



Acrylic front panel for 45° recessed curved counter

Melaminecoated wooden frame.

H x W


740 1760

1000 1760

Item no.

Acrylic & melamine

BI3304546





90° CURVED COUNTERS


The design of Inform's recessed front panel allows for easy access on both sides of the counter and is especially suited for wheelchair use, as the front panel is placed 300 mm from the front. It is available in two heights; 740 and 1000 mm. This model can be combined with other recessed counters of the same height, step counters, height adjustable counters (only with H1000 mm standard counter), info counters, corner counters as well as display cabinets.

90° recessed curved counter - starter

Remember to order front panel, see page 43 and leg frame/middle panel, see page 50. For counter with predrilled holes for cable conduct see pages 120-

 $H \times W \times D$ mm 740 2220 800 1000 2220 800 Item no. HPL

BI2151929003 BI2151949003




90° recessed curved counter - middle

Remember to order front panel, see page 43 and leg frame/middle panel, see page 50. For counter with predrilled holes for cable conduct see pages 120-

 $W \times D$ 1800 800 Item no. HPL

BI2152989003




90° recessed curved counter - end

Remember to order front panel, see page 43 and leg frame/middle panel, see page 50. For counter with predrilled holes for cable conduct see pages 120-

x W x D mm 740 2220 1000 2220 800 Item no. HPI

BI2153929003





FREESTANDING 90° CURVED COUNTERS AND FRONT PANELS

The design of Inform's recessed front panel allows for easy access on both sides of the counter and is especially suited for wheelchair use, as the front panel is placed 300 mm from the front. Remember to order front panel.

90° recessed curved counter - freestanding

Remember to order front panel. For counter with predrilled holes for cable $H \times W \times D$ mm


Item no. HPL

conduct see pages 120-121.

740 2250 800

BI2154929003

1000 2250 800 BI2154949003



Wooden front panel for 90° recessed curved counter




740 1768

1000 1768

Item no. HPL

BI3209043

BI3209063



Acrylic front panel for 90° recessed curved counter

Melaminecoated wooden frame.

x W mm


740 1768

1000 1768

Item no.

Acrylic & melamine

BI3309046






RECTANGULAR COUNTERS - FOR CONNECTING TO STANDARD COUNTERS

The design of Inform's recessed front panel allows for easy access on both sides of the counter and is especially suited for wheelchair use, as the front panel is placed 300 mm from the front. It is available in two heights; 740 and 1000 mm. This model can be combined with standard counters of the same height by connecting with a middle panel (as the counter top is 40 mm wider than the recessed rectangular counter).

Recessed rectangular counter - starter - connected with middle panel

Remember to order front panel, see page 45 and middle panel, see page 50. For counter with predrilled holes for cable conduct see pages 120-121.




Н >	⟨W x	D
	mm	
740	680	800
740	880	800
740	1080	800
740	1280	800
740	1480	800
740	1680	800
1000	680	800
1000	880	800
1000	1080	800
1000	1280	800
1000	1480	800
1000	1680	800

ltem no. HPL
BI2121016003 BI2121018003 BI2121020003 BI2121022003 BI2121024003 BI2121026003
BI2121036003 BI2121038003 BI2121040003 BI2121042003 BI2121044003 BI2121046003

Recessed rectangular counter - middle - connected with middle panel

Remember to order front panel, see page 45 and middle panel, see page 50. For counter with predrilled holes for cable conduct see pages 120-121.




W	x D
m	ım
640	800
840	800
1040	800
1240	800
1440	800
1640	800

HPL

BI2122060003
BI2122080003
BI2122081003
BI2122082003
BI2122084003
BI2122086003

Recessed rectangular counter - end - connected with middle panel

Remember to order front panel, see page 45 and middle panel, see page 50. For counter with predrilled holes for cable conduct see pages 120-121.



	mm	
740	680	800
740	880	800
740	1080	800
740	1280	800
740	1480	800
740	1680	800
1000	680	800
1000	880	800
1000	1080	800
1000	1280	800
1000	1480	800
1000	1680	800

 $H \times W \times D$


ltem no. HPL
BI2123016003 BI2123018003 BI2123020003 BI2123022003 BI2123024003 BI2123026003
BI2123036003 BI2123038003 BI2123040003 BI2123042003 BI2123044003 BI2123046003



RECTANGULAR FRONT PANELS

Remember to order front panel.


Wooden front	panel for	recessed	rectangul	ar counter
--------------	-----------	----------	-----------	------------



H x W	ltem no. Melamine	ltem no. Veneer
740 600	BI300146	BI300142
740 800	BI300346	BI300342
740 1000	BI300446	BI300442
740 1200	BI300546	BI300542
740 1400	BI300646	BI300642
740 1600	BI300746	BI300742
1000 600	BI300166	BI300162
1000 800	BI300366	BI300362
1000 1000	BI300466	BI300462
1000 1200	BI300566	BI300562
1000 1400	BI300666	BI300662
1000 1600	BI300766	BI300762

Acrylic front panel for recessed rectangular counter

 ${\it Melamine coated wooden frame.}$



11 /	. ,,	
m	m	
740	600	
740	800	
740	1000	
740	1200	
740	1400	
740	1600	
1000	600	
1000	800	
1000	1000	
1000	1200	
1000	1400	
1000	1600	

ltem no. Acrylic & melami
BI310146 BI310346 BI310446 BI310546
BI310646 BI310746
BI310166 BI310366 BI310466 BI310566 BI310666 BI310766





45° CURVED COUNTERS - FOR CONNECTING TO STANDARD COUNTERS

The design of Inform's recessed front panel allows for easy access on both sides of the counter and is especially suited for wheelchair use, as the front panel is placed 300 mm from the front. It is available in two heights; 740 and 1000 mm. This model can be combined with standard counters of the same height by connecting with a middle panel (as the counter top is 40 mm wider than the recessed 45° curved counter).

45° recessed curved counter - starter - connected with middle panel

Remember to order front panel, see page 47 and middle panel, see page 50. For counter with predrilled holes for cable conduct see pages 120-121.


H x W x D mm 740 2030 800

800

1000 2030

ltem no. HPL

BI2161429003 BI2161449003




45° recessed curved counter - end - connected with middle panel

Remember to order front panel, see page 47 and middle panel, see page 50. For counter with predrilled holes for cable conduct see pages 120-121.

H × W × D mm 2030 800

ltem no. HPL

BI2163429003



45° CURVED FRONT PANELS

Remember to order front panel.

Wooden front panel for 45° recessed curved counter

 $\begin{array}{ccc} H & x & W \\ & mm \end{array}$

740 1760

1000 1760

ltem no. HPL

BI3204543

BI3204563



Melaminecoated wooden frame.

H x W


740 1760

1000 1760

Item no.

Acrylic & melamine

BI3304546







90° CURVED COUNTERS - FOR CONNECTING TO STANDARD COUNTERS

The design of Inform's recessed front panel allows for easy access on both sides of the counter and is especially suited for wheelchair use, as the front panel is placed 300 mm from the front. It is available in two heights; 740 and 1000 mm. This model can be combined with standard counters of the same height by connecting with a middle panel (as the counter top is 40 mm wider than the recessed 90° curved counter).


90° recessed curved counter - starter - connected with middle panel

Remember to order front panel, see page 49 and middle panel, see page 50. For counter with predrilled holes for cable conduct see pages 120-121.

H x W x D mm 740 2220 800

ltem no. HPL

Bl2161929003 Bl2161949003




90° recessed curved counter - end - connected with middle panel

Remember to order front panel, see page 49 and middle panel, see page 50. For counter with predrilled holes for cable conduct see pages 120-121. H × W × D mm × 2220 800

Item no. HPL

BI2163929003



90° CURVED FRONT PANELS

Remember to order front panel.

Wooden front panel for 90° recessed curved counter

 $\begin{array}{ccc} H & x & W \\ & mm \end{array}$

740 1768

1000 1768

ltem no. HPL

BI3209043

BI3209063

Acrylic front panel for 90° recessed curved counter

Melaminecoated wooden frame.

H x W


740 1768

1000 1768

Item no.

Acrylic & melamine

BI3309046







CONNECTIONS

If you wish to combine a recessed rectangular/curved counter with a recessed rectangular/curved counter of the same height, you must use a steel leg frame.

If you wish to combine a recessed rectangular/curved counter with standard rectangular/curved or step counter, you must use a middle panel.

illusi use a illiadie paliei.	musi use a midale panei.			
Steel leg frame for recessed counters				
Must be used when assembling 2 recessed modules of the same height.	Finish	H mm	ltem no. Melamine/veneer	
alli	Melamine	740	BI069546	
		1000	BI069566	
	Veneer	740	BI069542	
		1000	BI069562	
Middle panel for recessed and	d standard counters			
·	Side of panel	Н	Item no.	
	Left: Recessed counter Right: Standard counter	mm 740	HPL BI3704103	
	Left: Standard counter Right: Recessed counter	740	BI3704113	
Middle panel for recessed and	step counter Side of panel Left: Step counter Right: Recessed counter	H mm 1000	Item no. HPL BI3706143	
	Left: Recessed counter Right: Step counter	1000	BI3706153	
Middle panel for height adjustable and recessed counter				
	Side of panel	H	ltem no. HPL	
	Left: Height adjustable counter Right: Recessed counter	mm 740	BI3704163	
	Left: Recessed counter Right: Height adjustable counter	740	BI3704173	







CONFIGURATIONS

If you wish to combine a recessed counter with standard rectangular/curved, height adjustable or step counter, you must use one of the panels on page 50. Remember always to construct your counter from left to right when sitting behind the counter.


Rectangular counters with 2 standard fronts and 1 recessed front



Recessed and step counters




Recessed rectangular and height adjustable counter





CONFIGURATION NO. 5





Rectangular & step counters (with counter shelf and bag shelf)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	1	-
Counter shelf and front for rectangular counter - starter (W1240 mm)	BI4101056	-	1	-
Middle panel for step and standard counter (H1000 mm)	BI3706133	-	1	-
Rectangular counter - end (W1240 x H1000 mm)	BI2003042003	-	1	-
Wooden front panel for rectangular counter (W1200 x H1000 mm)	BI300566	-	1	-
Wooden bag shelf for rectangular counter (W1200 mm)	BI81053	-	1	-
Total price for configuration				-

- Monitor, office chair and text are not included in price.
 All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
- The bag shelf is in fact 1000 mm long, adapted to a 1200 mm front panel.







CONFIGURATION NO. 6





Rectangular & step counters with presentation cabinet (with bag shelf)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	1	-
Middle panel for step and standard counter (H1000 mm)	BI3706133	-	1	-
Rectangular counter - middle (W1200 x H1000 mm)	BI2002082003	-	1	-
Wooden front panel for rectangular counter (W1200 x H1000 mm)	BI300566	-	1	-
Display cabinet with 2 shelves & shelving options (W1008 x H1130 mm)	BI525127006	-	1	-
Steel intermediate shelf with backedge (W1000 x D300 mm)	B401803131	-	4	-
Wooden bag shelf for rectangular counter (W1200 mm)	BI81053	-	1	-
Total price for configuration				-

- Monitor, office chair and text are not included in price.All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
- The bag shelf is in fact 1000 mm long, adapted to a 1200 mm front panel.
- Shelves are not included in presentation cabinet. For full overview of shelving options for presentation cabinet, see page 101.







COUNTER TOPS

Vary the height of the Inform counter by adding a simple module - a step counter top. The counter top can be used for the two heights; 740 and 1000 mm. To combine with standard and recessed counters, see page 57.

Step counter top

Remember to order middle panels. For counter with predrilled holes for cable conduct see pages 120-121.

	~ ''	, ,
	mm	
740	600	800
740	800	800
740	1000	800
740	1200	800
740	1400	800
740	1600	800

H x W

Item no. HPL

BI2002060003 BI2002080003 BI2002081003 BI2002082003 BI2002084003 BI2002086003

Steel leg frame

Must be used when assembling 2 modules of the same height.

Н mm 1000 Item no. Melamine

Item no. Veneer

BI069166 BI069162





Item no. Veneer

BI300142 BI300342 BI300442 BI300542 BI300642 BI300742

BI300162 BI300362

BI300462


BI300562

BI300662 BI300762

FRONT PANELS

Vary the height of the Inform counter by adding a simple module - a step counter top. The counter top can be used for the two heights; 740 and 1000 mm. To combine with standard and recessed counters, see page 57.

Wooden front panel for step counter



H >	c W m	ltem no. Melamine
740	600	BI300146
740	800	BI300346
740	1000	BI300446
740	1200	BI300546
740	1400	BI300646
740	1600	BI300746
1000	600	BI300166
1000	800	BI300366
1000	1000	BI300466
1000	1200	BI300566
1000	1400	BI300666
1000	1600	BI300766


Acrylic front panel for step cour	nter	
Melaminecoated wooden frame.	H x W	ltem no.
	mm	Acrylic & melamine
	74 600	BI310146
	740 800	BI310346
	740 1000	BI310446
	740 1200	BI310546
	740 1400	BI310646
	740 1600	BI310746
	1000 600	BI310166
	1000 800	BI310366
~	1000 1000	BI310466
	1000 1200	BI310566
.	1000 1400	BI310666
	1000 1600	BI310766



MIDDLE PANELS

It is necessary to order side and middle panels for the step counter, depending on the construction of your complete counter. See overview of panels below. Remember always to construct your counter from left to right when sitting behind the counter!

Middle panel for step and standard counter



Side of panel Н Item no. mm HPL

Left: Step counter 1000 BI3706123 Right: Standard counter (H740 mm)

Left: Standard counter (H740 mm) 1000 BI3706133

Right: Step counter

Middle panel for step and recessed counter




Side of panel

Left: Step counter Right: Recessed counter

Н Item no. HPL mm

1000 BI3706143



Recessed counter Right: Step counter







CONFIGURATIONS


The counter can be installed using either the middle panel or leg frame, depending on whether the counter is placed next to another standard counter or display cabinet. See overview of middle panels on page 56. Remember always to construct your counter from left to right when sitting behind the counter!

Standard and step counter





Step, recessed and height adjustable counter





CONFIGURATION NO. 11



Rectangular & square corner counters (with bag shelves)

Components	Article no.	Quantity
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	- 1 -
Rectangular counter - middle (W1200 x H740 mm)	BI2002082003	- 1 -
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	- 1 -
Square corner counter top (H740 mm)	BI26530003	- 1 -
Wooden front panel for rectangular counter (W1200 \times H740 mm)	BI300546	- 3 -
Wooden front panel for square corner counter (H740 mm)	BI340346	- 1 -
Wooden bag shelf for rectangular counter (W1200 mm)	BI81053	- 2 -
Steel leg frame (H740 mm)	BI069146	- 3 -
Monitor arm	B401184	- 1 -
Total price for configuration		

- Monitor, key board, office chairs and text are not included in price.
 All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
- The bag shelf is in fact 1000 mm long, adapted to a 1200 mm front panel.
- It is necessary to drill an Ø80 mm hole for the monitor arm on site or modify the article number for counter for predrilled hole, see pages 120-121.



CONFIGURATION NO. 12



Rectangular & triangular corner counters (with bag shelves)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
Rectangular counter - middle (W1200 x H740 mm)	BI2002082003	-	1	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	3	-
Triangular corner counter top (H740 mm)	BI26833003	-	1	-
Wooden front panel for triangular corner counter (H740 mm)	BI345346	-	1	-
Wooden bag shelf for rectangular counter (W1200 mm)	BI81053	-	2	-
Steel leg frame (H740 mm)	BI069146	-	3	-
Total price for configuration				-

- Monitor, office chair and text are not included in price.
 All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
 We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
- The bag shelf is in fact 1000 mm long, adapted to a 1200 mm front panel.





SQUARE CORNER COUNTER TOPS, FRONT PANELS AND LEG FRAME

The corner counter is ideal for combining with the rectangular counter and the info table. The corner counter creates a sharp angle with no optical interruptions, maintaining the design of a continuous frame.

Square corner counter top

Remember to order leg framel and front panel. For counter with predrilled holes for cable conduct see pages 120-121.

 $W \times D$ mm


800 800 Item no. HPL

BI26530003



Wooden front panel for square corner counter

Remember to order leg frame.



Н	х	W	х	D
		mm		

800 740 800 1000 800 800

Item no. Melamine

BI340346

BI340366

Item no. Veneer

BI340342

BI340362



Must be used when assembling 2 modules of the same height.



Н mm

740 1000 Item no. Melamine

BI069146 BI069166 Item no. Veneer

BI069142





TRIANGULAR CORNER COUNTER TOPS, FRONT PANELS AND LEG FRAME

The triangular corner counter can be used for combining many of the other Inform counters. Create an open, informal look with the triangular corner counter and make a contrast to the linear lines usually found in a library.

Triangular corner counter top

Remember to order leg frame and front panel. For counter with predrilled holes for cable conduct see pages 120-121.

800 800


ltem no. HPL

BI26833003



Wooden front panel for triangular corner counter

Remember to order leg frame.



пх	mm	×υ
740	800	800
1000	800	800

Meiamine
BI345346
BI345366

Item no.

BI345362

Steel leg frame

Must be used when assembling 2 modules of the same height.



H mm		
740		
1000		

ltem no. Melamine	
BI069146	
BI069166	

CONFIGURATION NO. 13





45° & 90° curved counters & info table with foot

Components	Article no.	Quanti	ty
45° curved counter - starter (H740 mm)	BI2051428003	- 1	-
45° curved counter - middle (H740 mm)	BI2052488003	- 1	-
Wooden front panel for 45° curved counter (H740 mm)	BI3204543	- 2	-
90° curved counter - middle (H740 mm)	BI2052988003	- 1	-
Wooden front panel for 90° curved counter (H740 mm)	BI3209043	- 1	-
Info table - end (W800 x H740 mm)	BI27030343	- 1	-
Wooden side panel for info table (H740 mm)	BI38546	- 1	-
Steel leg frame (H740 mm)	BI069146	- 3	-
Monitor arm	B401184	- 1	-
Total price for configuration			-

- Monitor, key board, office chair, chairs and text are not included in price.
 All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
- It is necessary to drill an Ø80 mm hole for the monitor arm on site or modify the article number for counter for predrilled hole, see pages 120-121.







CONFIGURATION NO. 14



Height adjustable counter, corner counter & info table with panel

Components	Article no.	Quantity	
Left side panel for height adjustable counter (H740 mm)	BI3804303	- 1	-
Height adjustable counter - starter, middle and end (W1200 mm)	BI24015006	- 2	-
Wooden front panel for height adjustable counter (W1200 x H740 mm)	BI350546	- 2	-
Square corner counter top for height adjustable counter on left side	BI26520003	- 1	-
Middle panel for height adjustable and standard counter (H740 mm)	BI3704193	- 1	-
Wooden front panel for square corner counter (H740 mm)	BI340346	- 1	-
Wooden side panel for info table (H740 mm)	BI38546	- 1	-
Steel leg frame for info table (H740 mm)	BI069146	- 1	-
Info table - end (H740 x W1240 mm)	BI28030543	- 1	-
Total price for configuration			-

- Monitor, chair and text are not included in price.
- All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.







COUNTER TOPS WITH FOOT, SIDE PANEL AND LEG FRAME

As an adviser, you need to portray openness and show communicative skills. This also applies for the furniture. Our info table enlarges your work area with a short table element. It provides you with an open and informal space for small discussions.

Info table - starter

Foot included. Remember to order leg frame and wooden side panel.



Х W D mm 800 740 800 1000 800 800 Item no. HPL BI27010343

BI27010363



Info table - end

Foot included. Remember to order leg frame and wooden side panel.



х W D х mm 740 800 800 1000 800 800

Item no. HPL

BI27030343 BI27030363



Steel leg frame

Must be used when assembling 2 modules of the same height.



Н mm 740 1000

Item no. Melamine

BI069146 BI069166 Item no. Veneer

BI069142

BI069162

Wooden side panel for info table

Used to create a finish on adjacent counter. Wooden side panel to be placed at the end of adjacent counter, with leg frame inside.



Н W D Item no. Х Х mm 510 740 800 1000 800 510

Melamine BI38546 BI38566

Item no. Veneer

BI38542





COUNTER TOPS WITH PANEL, FRONT PANELS AND LEG FRAME

As an adviser, you need to portray openness and show communicative skills. This also applies for the furniture. Our info table enlarges your work area with a short table element. It provides you with an open and informal space for small discussions.

Info table - starter

Remember to order leg frame and wooden side panel for inside of adjacent counter.

Н	Х	W	Х	D
		mm		
740		840		800
740		1040)	800
740		1240)	800

Item no. HPL

BI28010343 BI28010443 BI28010543



Info table - end

Remember to order leg frame and wooden side panel for inside of adjacent counter.

Н	Х	W	Х	D
		mm		
740		840		800
740		1040)	800
740		1240)	800

ltem no. HPL

BI28030343 BI28030443 BI28030543



Steel leg frame for info table

Must be used when assembling 2 modules of the same height.

Н
mm
740

ltem no. Melamine

BI069146

ltem no. Veneer

BI069142




Wooden side panel for info table

Used to create a finish on adjacent counter. Wooden side panel to be placed at the end of adjacent counter with leg frame inside.

Н	x	W mm	х	D	
740		80		360	

Item no. Melamine BI38546 Item no. Veneer







CONFIGURATION NO. 7



Rectangular height adjustable counters

Components	Article no.		Quantity	
Left side panel for height adjustable counter (H740 mm)	BI3804303	-	1	-
Height adjustable counter - starter, middle and end (W1200 mm)	BI24015006	-	2	-
Wooden front panel for height adjustable counter (W1200 x H740 mm)	BI350546	-	2	-
Right side panel for height adjustable counter (H740 mm)	BI3804313	-	1	-


- Monitor and text are not included in price.
- All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.







CONFIGURATION NO. 8



Rectangular height adjustable counters (with acrylic front)

Components	Article no.		Quantity	
Left side panel for height adjustable counter (H740 mm)	BI3804303	-	1	-
Height adjustable counter - starter, middle and end (W1200 mm)	BI24015006	-	2	-
Acrylic front panel for height adjustable counter (W1200 x H740 mm)	BI360543	-	2	-
Right side panel for height adjustable counter (H740 mm)	BI3804313	-	1	-


- Text is not included in price.
- All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.







CONFIGURATION NO. 9



Rectangular height adjustable, corner and rectangular counters (with bag shelf)

Components	Article no.		Quantity	
Left side panel for height adjustable counter (H740 mm)	BI3804303		1	-
Height adjustable counter - starter, middle and end (W1200 mm)	BI24015006	-	2	-
Wooden front panel for height adjustable counter (W1200 x H740 mm) $$	BI350546	-	2	-
Square corner counter top for height adjustable counter on left side	BI26520003	-	1	-
Middle panel for height adjustable and standard counter (H740 mm)	BI3704193	-	1	-
Wooden front panel for square corner counter (H740 mm)	BI340346	-	1	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	1	-
Wooden bag shelf for rectangular counter (W1200 mm)	BI81053	-	1	-

- Monitor, office chairs and text are not included in price.
 All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
- The bag shelf is in fact 1000 mm long, adapted to a 1200 mm front panel.








CONFIGURATION NO. 10





[—] mm 008 →

Rectangular height adjustable and rectangular counters (with bag shelves)

Components	Article no.		Quantity	
Left side panel for height adjustable counter (H740 mm)	BI3804303	-	1	-
Height adjustable counter - starter, middle and end (W1200 mm)	BI24015006	-	2	-
Wooden front panel for height adjustable counter (W1200 x H740 mm)	BI350546	-	2	-
Middle panel for height adjustable and standard counter (H740 mm)	BI3704193	-	1	-
Rectangular counter for height adj. counter - end (W1240 x H740 mm)	BI2305022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	1	-
Wooden bag shelf for rectangular counter (W1200 mm)	BI81053	-	2	-

- Monitor, display and text are not included in price.
 All prices based on colours and surfaces in price group A, see pages 4-7 for colours.
 We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
- The bag shelves are in fact 1000 mm long, adapted to 1200 mm front panels.



RECTANGULAR COUNTERS

The height adjustable counter is a double construction with a moveable upper part and a fixed lower part. The moveable part of the counter slides along the walls of the fixed parts excluding possible safety risks such as entrapment and bruising. With the electrical driven height adjustable counter, you can adjust your working height ranging between 680 mm and 1180 mm. To constuct a complete counter including a height adjustable counter, you must use the products shown on pages 72-81.

Height adjustable counter

Available in 3 versions:	
(1) for European market,	
(2) for US market 110V	


(3) for UK market.

Side, front and middle panels to be ordered separately. For counter with predrilled holes for cable conduct see pages 120-121.

IY	
<u></u>	

H x	W x D	Item no. Melamine	Item no. Veneer
680-1180 680-1180	1000 700 1200 700 1400 700 1600 700	BI24014006 BI24015006 BI24016006 BI24017006	BI25014002 BI25015002 BI25016002 BI25017002
680-1180 680-1180	1000 700 1200 700 1400 700 1600 700	BI24024006 BI24025006 BI24026006 BI24027006	BI25024002 BI25025002 BI25026002 BI25027002
00000	1000 700 1200 700 1400 700 1600 700	BI24034006 BI24035006 BI24036006 BI24037006	BI25034002 BI25035002 BI25036002 BI25037002

Wooden front panel for height adjustable counter



Н	x W	
r	nm	
740 740 740 740	1000 1200 1400 1600	

ltem no. Melamine	
BI350446 BI350546 BI350646 BI350746	

item no.
Veneer
BI350442
BI350542
BI350642
BI350742

Acrylic front panel for height adjustable counter

HPL wooden frame.

ltem no. Acrylic & HPL







FRONT AND SIDE PANELS

Remember to order front and side panels for your height adjustable counter.

Side	H mm	ltem no. HPL
Left: No drill holes Right: Height adjustable counter	740	BI3804303
Left: Height adjustable counter Right: No drill holes	740	BI3804313



H740 MM RECTANGULAR COUNTERS FOR HEIGHT ADJUSTABLE COUNTER

If you wish to add a rectangular H740 mm counter to Inform height adjustable counters, you must use the counters shown below. If you wish to add a rectangular H1000 mm counter, see page 22. See overview on page 82 to find the correct middle panel for your construction.

H740 mm rectangular counter for right sided height adjustable counter - starter

Left side: Starter
Right side: Height adjustable
Use with middle panel BI3704193,
see page 82. Remember to order front
panel, see next page. For counters with
predrilled holes for cable conduct, see
pages 120-121.

Н	x W x	: D
740	640	800
740	840	800
740	1040	800
740	1240	800
740	1440	800
7/0	1640	800

ltem no. HPL
BI2301016003
BI2301018003
BI2301020003
BI2301022003
BI2301024003
BI2301026003



H740 mm rectangular counter for right sided height adjustable counter - middle

Left side: Rectangular/curved/corner
Right side: Height adjustable
Use with middle panel BI3704193,
see page 82. Remember to order front
panel, see next page. For counters with
predrilled holes for cable conduct, see
pages 120-121.
· -

Н	x W	хD	
	mm		
740	640	800	
740	840	800	
740	1040	008	
740	1240	008	
740	1440	008	
740	1640	008	

Item no. HPL
BI2302060003
BI2302080003
BI2302081003
BI2302082003
BI2302084003
BI2302086003



H740 mm rectangular counter for height adjustable counter on both sides

Lett side: Height adjustable
Right side: Height adjustable
Use with two middle panels BI3704183
and BI3704193, see page 82. Remem-
ber to order front panel, see next page.
For counters with predrilled holes for
cable conduct, see pages 120-121.

Н	Х	VV	Х	D	
		mm			
740		600		800	
740		800		800	
740		1000)	800	
740		1200)	800	
740		1400)	800	
740		1600)	800	

Item no. HPL
BI2303060003
BI2303080003
BI2303081003
BI2303082003
BI2303084003





H740 MM RECTANGULAR COUNTERS AND FRONTS FOR HEIGHT ADJUSTABLE COUNTER

If you wish to add a rectangular H740 mm counter to Inform height adjustable counters, you must use the counters shown below. If you wish to add a rectangular H1000 mm counter, see page 22. See overview on page 82 to find the correct middle panel for your construction.

H740 mm rectangular counter for left sided height adjustable counter - middle

Left side: Height adjustable Right side: Rectangular/curved/corner Use with middle panel BI3704183, see page 82. Remember to order front panel, see below. For counters with predrilled holes for cable conduct, see pages 120-121.

Н	x W x	D
	mm	
740	600	800
740	800	800
740	1000	800
740	1200	800
740	1400	800
740	1600	800

Item no. HPL BI2304060003 BI2304080003 BI2304081003 BI2304082003 BI2304084003

BI2304086003



H740 mm rectangular counter for left sided height adjustable counter - end

Left side: Height adjustable Right side: End Use with middle panel BI3704183, see page 82. Remember to order front panel, see below. For counters with predrilled holes for cable conduct, see pages 120-121.

	× 11 ×	
	mm	
740	640	800
740	840	800
	0.0	
740	1040	800
740	1240	800
740	1440	800
740	1640	800
, 40	.540	550

Item no. HPL

BI2305016003
BI2305018003
BI2305020003
BI2305022003
BI2305024003
BI2305026003

Item no.


BI310146 BI310346 BI310446 BI310546 BI310646 BI310746

Acrylic & melamine



Wooden or acrylic front panel for rectangular counter for height adjustable counter

Wooden: Melaminecoated/veneer. Acrylic: Melaminecoated wooden frame.



,	x W m	ltem no. Melamine/veneer
740 740 740 740 740 740	600 800 1000 1200 1400 1600	BI300146 BI300346 BI300446 BI300546 BI300646
740 740 740 740 740 740	600 800 1000 1200 1400 1600	BI300142 BI300342 BI300442 BI300542 BI300642 BI300742





H740 MM 45° CURVED COUNTERS FOR HEIGHT ADJUSTABLE COUNTER

If you wish to add a 45° curved H740 mm counter to Inform height adjustable counters, you must use the counters shown below. If you wish to add a 45° curved H1000 mm counter, see page 24. See overview on page 82 to find the correct middle panel for your construction.

45° curved counter for right sided height adjustable counter - starter

740

Left side: Starter Right side: Height adjustable Use with middle panel BI3704193, see page 82. Remember to order front panel, see next page. For counters with predrilled holes for cable conduct, see pages 120-121.

H x W x D mm 1835

800

Item no. HPL

BI2351428003



45° curved counter for right sided height adjustable counter - middle

Left side: Rectangular/curved/corner Right side: Height adjustable Use with middle panel BI3704193, see page 82. Remember to order front panel, see next page. For counters with predrilled holes for cable conduct, see pages 120-121.

H x W x D

740 1800 800 Item no. HPL

BI2352488003



45° curved counter for height adjustable counter on both sides

Left side: Height adjustable Right side: Height adjustable Use with two middle panels BI3704183 and BI3704193, see page 82. Remember to order front panel, see next page. For counters with predrilled holes for cable conduct, see pages 120-121.

 $H \times W \times D$ mm

740 1800 800 Item no. HPI





H740 MM 45° CURVED COUNTERS AND FRONT PANELS FOR HEIGHT ADJUSTABLE COUNTER

If you wish to add a 45° curved H740 mm counter to Inform height adjustable counters, you must use the counters shown below. If you wish to add a 45° curved H1000 mm counter, see page 24. See overview on page 82 to find the correct middle panel for your construction.

 45° curved counter for left sided height adjustable counter - middle

Left side: Height adjustable Right side: Rectangular/curved/corner Use with middle panel Bl3704183, see page 82. Remember to order front panel, see below. For counters with predrilled holes for cable conduct, see pages 120-121. H x W x D

740 1800 800

ltem no. HPL

BI2354488003



45° curved counter for left sided height adjustable counter - end

Left side: Height adjustable Right side: End Use with middle panel BI3704183, see page 82. Remember to order front panel, see below. For counters with predrilled holes for cable conduct, see pages 120-121. H x W x D

740 1835 800

Item no. HPL

BI2355428003



Wooden or acrylic front panel for 45° curved counter

Wooden: High pressure laminate (HPL) Acrylic: Melaminecoated wooden frame. H x W


1760

ltem no. HPL

BI3204543

Item no.

Acrylic & melamine







H740 MM 90° CURVED COUNTERS FOR HEIGHT ADJUSTABLE COUNTER

If you wish to add a 90° curved H740 mm counter to Inform height adjustable counters, you must use the counters shown below. If you wish to add a 90° curved H1000 mm counter, see page 26. See overview on page 82 to find the correct middle panel for your construction.

90° curved counter for right sided height adjustable counter - starter

Left side: Starter Right side: Height adjustable Use with middle panel BI3704193, see page 82. Remember to order front panel, see next page. For counters with predrilled holes for cable conduct, see pages 120-121. 740 1870 800

ltem no. HPL

BI2351928003



90° curved counter for right sided height adjustable counter - middle

Left side: Rectangular/curved/corner Right side: Height adjustable Use with middle panel BI3704193, see page 82. Remember to order front panel, see next page. For counters with predrilled holes for cable conduct, see pages 120-121.

H x W x D

740 1840 800

ltem no. HPL

BI2352988003



90° curved counter for height adjustable counter on both sides

Left side: Height adjustable Right side: Height adjustable Use with two middle panels BI3704183 and BI3704193, see page 82. Remember to order front panel, see next page. For counters with predrilled holes for cable conduct, see pages 120-121. H x W x D

740 1840 800

Item no. HPL





H740 MM 90° CURVED COUNTERS AND FRONT PANELS FOR HEIGHT ADJUSTABLE COUNTER

If you wish to add a 90° curved H740 mm counter to Inform height adjustable counters, you must use the counters shown below. If you wish to add a 90° curved H1000 mm counter, see page 26. See overview on page 82 to find the correct middle panel for your construction.

 90° curved counter for left sided height adjustable counter - middle

Left side: Height adjustable Right side: Rectangular/curved/corner Use with middle panel BI3704183, see page 82. Remember to order front panel, see below. For counters with predrilled holes for cable conduct, see pages 120-121. 740 1840 800

ltem no. HPL

BI2354988003



90° curved counter for left sided height adjustable counter - end

Left side: Height adjustable Right side: End Use with middle panel BI3704183, see page 82. Remember to order front panel, see below. For counters with predrilled holes for cable conduct, see pages 120-121. H x W x D

740 1870 800

ltem no. HPL

BI2355928003



Wooden or acrylic front panel for 90° curved counter

Wooden: High pressure laminate (HPL) Acrylic: Melaminecoated wooden frame. H x W


1768

ltem no. HPL

BI3209043

Item no.

Acrylic & melamine







H740 MM 45° CURVED COUNTERS FOR HEIGHT ADJUSTABLE AND RECESSED COUNTER

If you wish to place a 45° curved H740 mm counter in between a height adjustable counter and a recessed counter, you must use the counters shown below.

 45° curved counter for right sided height adjustable counter - middle

Left side: Recessed - use with middle panel BI3704103.

Right side: Height adjustable - use with middle panel BI3704183.

Remember to order front panel, see below. For counters with predrilled holes for cable conduct, see pages 120-121. 740 xx 800

ltem no. HPL

BI2362488003

45° curved counter for left sided height adjustable counter - middle

Left side: Height adjustable - use with middle panel BI3704183.

Right side: Recessed - use with middle panel BI3704103.

Remember to order front panel, see below. For counters with predrilled holes for cable conduct, see pages 120-121. H x W x D

740 xx 800

ltem no. HPL

BI2364488003

Wooden or acrylic front panel for 45° curved counter

Wooden: High pressure laminate (HPL) Acrylic: Melaminecoated wooden

frame.

H x W


740 1760

ltem no. HPL

BI3204543

Item no.

Acrylic & melamine







H740 MM 90° CURVED COUNTERS PANELS FOR HEIGHT ADJUSTABLE AND RECESSED COUNTER

If you wish to place a 90° curved H740 mm counter in between a height adjustable counter and a recessed counter, you must use the counters shown below.

90° curved counter for right sided height adjustable counter - middle

Left side: Recessed - use with middle panel BI3704103.

Right side: Height adjustable - use with middle panel Bi3704183.

Remember to order front panel, see below. For counters with predrilled holes for cable conduct, see pages 120-121.

H x W x D mm

740 800 ХX

Item no HPL

BI2362988003

90° curved counter for left sided height adjustable counter - middle

Left side: Height adjustable - use with middle panel BI3704183.

Right side: Recessed - use with middle panel BI3704103.

Remember to order front panel, see below. For counters with predrilled holes for cable conduct, see pages 120-121.

H x W x D

740 800 XX

Item no. HPL

BI2364988003

Wooden or acrylic front panel for 90° curved counter

Wooden: High pressure laminate (HPL) Acrylic: Melaminecoated wooden

frame.

x W mm

1768

Item no. HPL

BI3209043

Item no.

Acrylic & melamine







SQUARE CORNER COUNTER FOR HEIGHT ADJUSTABLE COUNTER

If you wish to add a square corner counter to Inform height adjustable counters, you must use the counters shown below. See overview on page 82 to find the correct middle panel for your construction.

Square corner counter top for right sided height adjustable counter

Left side: Rectangular Right side: Height adjustable Use with middle panel B13704193, see page 82. Remember to order front panel, see below. For counters with predrilled holes for cable conduct, see pages 108-109. H x W x D mm 740 800 800

HPL

Item no.

BI26510003



Square corner counter top for left sided height adjustable counter

Left side: Height adjustable Right side: Rectangular Use with middle panel B13704183, see page 82. Remember to order front panel, see below. For counters with predrilled holes for cable conduct, see pages 120-121. H x W x D mm 800

ltem no. HPL

BI26520003



Wooden front panel for square corner counter

H x W x D

ltem no. Melamine ltem no. Veneer

740 800 800

BI340346





TRIANGULAR CORNER COUNTER FOR HEIGHT ADJUSTABLE COUNTER

If you wish to add a triangular corner counter to Inform height adjustable counters, you must use the counters shown below. See overview on page 82 to find the correct middle panel for your construction.

Triangular corner counter top for right sided height adjustable counter

Left side: Rectangular Right side: Height adjustable Use with middle panel BI3704193 (see page 82. Remember to order front panel, see below. For counters with predrilled holes for cable conduct, see pages 120-121. H x W x D mm 800

ltem no. HPL

BI26813003



Triangular corner counter top for left sided height adjustable counter

Left side: Height adjustable Right side: Rectangular Use with middle panel B13704183, see page 82. Remember to order front panel, see below. For counters with predrilled holes for cable conduct, see pages 120-121. H x W x D mm 740 800 800

40 800 800

ltem no. HPL

BI26823003



Wooden front panel for triangular corner counter

Remember to order leg frame.

800


800

740

ltem no. Melamine

BI345346

ltem no. Veneer







MIDDLE PANELS


It is necessary to order side and middle panels for the height adjustable counter BI240, depending on the construction of your complete counter. See overview of middle panels below. Note - do not place more than 2 height adjustable counters next to each other and remember always to construct your counter from left to right when sitting behind the counter.

Middle panel for height adjustable and rectangular/curved/corner counters, see pages 72-79



Н mm


Item no HPL



H740 mm rectangular/curved/corner for height adjustable counter Right: Height adjustable counter

740

BI3704183



Height adjustable counter Right: H740 mm rectangular/curved/corner

for height adjustable counter


740

BI3704193

Middle panel for height adjustable and recessed counter, see pages 38-50

Side of panel


Н mm Item no. HPL



Left: Height adjustable counter Right: Recessed counter

740

BI3704163




Recessed counter Right: Height adjustable counter 740

BI3704173

Middle panel for height adjustable and step counter, see pages 54-56


Side of panel

Η mm Item no. HPL



Left: Height adjustable counter Right: Rectangular/step counter (1000 mm) 1000

BI3706203



Rectangular/step counter (1000 mm) Right: Height adjustable counter

1000







CONFIGURATIONS

It is necessary to order side and middle panels for the height adjustable counter BI240, depending on the construction of your complete counter. See overview of middle panels on page 82. Note - do not place more than 2 height adjustable counters next to each other and remember always to construct your counter from left to right when sitting behind the counter.


Rectangular and height adjustable counter



Recessed rectangular and height adjustable counter



Special rectangular, height adjustable, corner and info counters





STANDARD AND SPECIAL SOLUTIONS


COUNTER SHELVES FOR VARIOUS COUNTERS

When ordering freestanding counter shelf for your counter, please note the following:


A freestanding counter shelf has (equal to a freestanding counter) 40 mm end panels on both sides. The front of the counter shelf has the same measurement as the counter below. This means that if you place a freestanding counter shelf (with two end panels) on a counter built up of two modules, the end panel of the counter shelf will be placed on the top of the adjacent counter.

It is possible to construct a freestanding counter shelf that fits on the counters below, (see 3 options below), but this must be specially requested. Contact customer service for details.


STANDARD




SPECIAL SOLUTION 1



SPECIAL SOLUTION 2



SPECIAL SOLUTION 3







CONFIGURATION NO. 15



Rectangular & square corner counters (with counter shelves and bag shelves)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
Rectangular counter - middle (W1200 x H740 mm)	BI2002082003	-	1	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Square corner counter top (H740 mm)	BI26530003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	2	-
Acrylic front panel for rectangular counter (W1200 x H740 mm)	BI310546	-	1	-
Wooden front panel for square corner counter (H740 mm)	BI340346	-	1	-
Wooden bag shelf for rectangular counter (W1200 mm)	BI81053	-	2	-
Counter shelf and front for rectangular counter - starter (W1240 mm)	BI4101056	-	1	-
Counter shelf and front for rectangular counter - end (W1240 mm)	BI4103056	-	1	-
Steel leg frame (H740 mm)	BI069146	-	3	-

- Office chair, monitors, Puppy and text are not included in price.
 All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
 We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
 The bag shelf is in fact 1000 mm long, adapted to a 1200 mm front panel.








CONFIGURATION NO. 16





45° curved counters (with counter shelf)

Components	Article no.		Quantity	
45° curved counter - starter (H740 mm)	BI2051428003	-	1	-
45° curved counter - end (H740 mm)	BI2053428003	-	1	-
Wooden front panel for 45° curved counter (H740 mm)	BI3204543	-	2	-
Steel leg frame (H740 mm)	BI069146	-	1	-
Counter shelf with front panel for 45° counter - freestanding	BI431443	-	1	-


- Monitor and text are not included in price.
- All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.







CONFIGURATION NO. 17



45° curved and rectangular counters (with counter shelf)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
45° curved counter - middle (H740 mm)	BI2052488003	-	1	-
45° curved counter - end (H740 mm)	BI2053428003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	1	-
Wooden front panel for 45° curved counter (H740 mm)	BI3204543	-	2	-
Steel leg frame (H740 mm)	BI069146	-	2	-
Counter shelf with front panel for 45° counter - freestanding	BI431443	-	1	-

- Monitor and text are not included in price.
- All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.








COUNTER SHELVES FOR RECTANGULAR COUNTERS

Create a private working space by adding a counter shelf to your standard rectangular counter. It has both practical and optical advantages.

Wooden counter shelf with front panel for rectangular counter - starter


High pressure laminate (HPL) counter shelf and melamine coated/veneer front panel.



Н	x W >	k D	ltem no. HPL & melamine	ltem no. HPL & veneer
260	640	300	BI4101016	BI4151012
260	840	300	BI4101036	BI4151032
260	1040	300	BI4101046	BI4151042
260	1240	300	BI4101056	BI4151052
260	1440	300	BI4101066	BI4151062
260	1640	300	BI4101076	BI4151072

Wooden counter shelf with front panel for rectangular counter - middle


High pressure laminate (HPL) counter shelf and melamine coated/veneer front panel.



Н :	x W x	x D	ltem no. HPL & melamine	ltem no. HPL & veneer
260	640	300	BI4102016	BI4152012
260	840	300	BI4102036	BI4152032
260	1040	300	BI4102046	BI4152042
260	1240	300	BI4102056	BI4152052
260	1440	300	BI4102066	BI4152062
260	1640	300	BI4102076	BI4152072

Wooden counter shelf with front panel for rectangular counter - end


High pressure laminate (HPL) counter shelf and melamine coated/veneer front panel.



H >	x W x	c D	ltem no. HPL & melamine	ltem no. HPL & veneer
260 260 260 260	640 840 1040 1240	300 300 300 300	BI4103016 BI4103036 BI4103046	BI4153012 BI4153032 BI4153042
260 260 260	1440 1640	300 300 300	BI4103056 BI4103066 BI4103076	BI4153052 BI4153062 BI4153072

Wooden counter shelf with front panel for rectangular counter - freestanding

High pressure laminate (HPL) counter shelf and melamine coated/veneer front panel.



H x W mm	x D	ltem no. HPL & melamine	ltem no. HPL & venee
260 680 260 880 260 1080 260 1280 260 1480 260 1680	300	BI4104016 BI4104036 BI4104046 BI4104056 BI4104066 BI4104076	BI4154012 BI4154032 BI4154042 BI4154052 BI4154062 BI4154072



COUNTER SHELVES FOR CORNER COUNTERS

Create a private working space by adding a counter shelf to your standard corner counter. It has both practical and optical advantages.

Wooden counter shelf with front panel for corner counter - starter

High pressure laminate (HPL) counter shelf and melamine coated/veneer front panel.

H x W x E

800

260

300

Item no. HPL & melamine

BI4201036

ltem no. HPL & veneer

BI4251032





Wooden counter shelf with front panel for corner counter - middle

High pressure laminate (HPL) counter shelf and melamine coated/veneer front panel.

H x W x [

800

300

260

Item no. HPL & melamine

BI4202036

Item no. HPL & veneer

BI4252032





Wooden counter shelf with front panel for corner counter - end

High pressure laminate (HPL) counter shelf and melamine coated/veneer front panel.

H x W x D

800

260


300

ltem no. HPL & melamine

BI4203036

Item no. HPL & veneer

BI4253032





Wooden counter shelf with front panel for corner counter - freestanding

High pressure laminate (HPL) counter shelf and melamine coated/veneer front panel.

H x W x D mm 260 800 300

ltem no. HPL & melamine

BI4204036

Item no. HPL & veneer







COUNTER SHELVES FOR 45° COUNTER

Create a private working space by adding a counter shelf to your curved counter. It has both practical and optical advantages.

Wooden counter shelf with front panel for 45° counter - starter

High pressure laminate (HPL) counter shelf and HPL/veneer front panel.


H x D

ltem no. HPL Item no. HPL & veneer

260 300

BI431143

BI435142



Wooden counter shelf with front panel for 45° counter - middle

High pressure laminate (HPL) counter shelf and HPL/veneer front panel.


H x D mm

Item no. HPL Item no. HPL & veneer

260 300

BI431243

BI435242



Wooden counter shelf with front panel for 45° counter - end

High pressure laminate (HPL) counter shelf and HPL/veneer front panel.

H x D


ltem no.

Item no. HPL & veneer

260 300

BI431343

BI435342



Wooden counter shelf with front panel for 45° counter - freestanding


High pressure laminate (HPL) counter shelf and HPL/veneer front panel.

 $\begin{array}{ccc} H & x & D \\ & mm \end{array}$

ltem no. HPL ltem no. HPL & veneer

260 300

BI431443



COUNTER SHELVES FOR 90° COUNTER

Create a private working space by adding a counter shelf to your curved counter. It has both practical and optical advantages.

Wooden counter shelf with front panel for 90° counter- starter

High pressure laminate (HPL) counter shelf and HPL/veneer front panel.

H x D

260


300

ltem no. HPL

BI431193

Item no. HPL & veneer

BI435192



Wooden counter shelf with front panel for 90° counter - middle

High pressure laminate (HPL) counter shelf and HPL/veneer front panel.

 $\begin{array}{ccc} H & x & D \\ & mm \end{array}$

ltem no. HPL ltem no. HPL & veneer

260 300

BI431293

BI435292



Wooden counter shelf with front panel for 90° counter - end

High pressure laminate (HPL) counter shelf and HPL/veneer front panel.

 $\begin{array}{ccc} H & x & D \\ & mm \end{array}$


ltem no.

Item no. HPL & veneer

260 300

BI431393

BI435392



Wooden counter shelf with front panel for 90° counter - freestanding

High pressure laminate (HPL) counter shelf and HPL/veneer front panel.


 $\begin{array}{ccc} H & x & D \\ & mm \end{array}$

ltem no. HPL

Item no. HPL & veneer

260 300


BI431493







CONFIGURATION NO. 18



Rectangular height adjustable counters and corner display unit

Components	Article no.		Quantity	
Left side panel for height adjustable counter (H740 mm)	BI3804303	-	1	-
Height adjustable counter - starter, middle and end (W1200 mm)	BI24015006	-	2	-
Acrylic front panel for height adjustable counter (W1200 x H740 mm)	BI360543	-	2	-
Corner display unit (H870 mm)	BI5105336	-	1	-
Right side panel for height adjustable counter (H740 mm)	BI3804313	-	1	-

- Monitor, display and text are not included in price.
 All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.








CORNER DISPLAY UNITS

This is a slender corner solution with a presentation function towards the customer. The front-side shelves provide perfect storage for loose pamphlets, as well as for books and DVD's. The display unit also structures your counter and offers space e.g. book stands at standing height. The display units are ready for direct integration into all parts of the Inform counter. When constructing your counter, remember always to construct your counter from left to right when sitting behind the counter!

H870 mm - corner display unit




H >	x W	x Front	ltem no. Melamine	ltem no. Veneer
870	875	1200	BI5105006	BI5105002

To have the correct positioning of drill holes in combination with other counters or cabinets, you must use the following in the article number:

•		Left panel	Right panel
No drill holes for connecting fittings	BI5105	0	0
Drill holes for counter height 740 mm	BI5105	2	2
Drill holes for height adjustable counter	BI5105	3	3
Drill holes for recessed counter	BI5105	4	4

H1130 mm - corner display unit




Нх	w W	x Front	ltem no. Melamine	ltem no. Veneer
1130	875	1200	BI5107006	BI5107002

To have the correct positioning of drill holes in combination with other counters or cabinets, you must use the following in the article number:

		Left panel	Right panel
No drill holes for connecting fittings	BI5107	0	Ó
Drill holes for standing height 1000 mm	BI5107	1	1
Drill holes for counter height 740 mm	BI5107	2	2
Drill holes for height adjustable counter	BI5107	3	3
Drill holes for recessed counter	BI5107	4	4



CONFIGURATION NO. 19



Rectangular height adjustable and rectangular counters with display cabinet

Components	Article no.		Quantity	
Left side panel for height adjustable counter (H740 mm)	BI3804303	-	1	-
Height adjustable counter - starter, middle and end (W1200 mm)	BI24015006	-	1	-
Wooden front panel for height adjustable counter (W1200 \times H740 mm)	BI350546	-	1	-
Display cabinet with shelves & pamphlet display (W1008 x H870 mm)	BI515115006	-	1	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	1	-
Wooden bag shelf for rectangular counter (W1200 mm)	BI81053	-	1	-

- Monitor and text are not included in price.All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
- The bag shelf is in fact 1000 mm long, adapted to a 1200 mm front panel.








DISPLAY CABINETS WITH STORAGE

This is a cabinet with double function: Display at the front and cabinet at the back! Inserted shelves at the front provide perfect storage for loose pamphlets, as well as for books and DVD's. The cabinet offers practical additional surface when standing behind the counter and comes in different heights and widths. The cabinets are ready for direct integration with rectangular, curved and height adjustable counters. The open back of the cabinet can be equipped with lockable doors.

H870 mm - display cabinet with shelves at the back and pamphlet display in front

With bottom shelf and one middle shelf at the back. Doors can be installed on back of display cabinet, see page 100.




H x W x	a D	Item no. Melamine	Item no. Veneer
870 758	875	BI515715006	BI515715002
870 908	875	BI515915006	BI515915002
870 1008	875	BI515115006	BI515115002

To have the correct positioning of drill holes in combination with other counters or cabinets, you must use the following in the article number:

		Left panel	Right panel
No drill holes for connecting fittings	BI515715	0	0
Drill holes for counter height 740 mm	BI515715	2	2
Drill holes for height adjustable counter	BI515715	3	3
Drill holes for recessed counter	BI515715	4	4

H1130 mm - display cabinet with shelves at the back and pamphlet display in front

With bottom shelf and two middle shelves at the back. Doors can be installed on back of display cabinet, see page 100.



H X VV X	D	Melamine	Veneer
1130 <i>75</i> 8	875	BI515727006	BI515727002
1130 908	875	BI515927006	BI515927002
1130 1008	875	BI515127006	BI515127002

To have the correct positioning of drill holes in combination with other counters or cabinets, you must use the following in the article number:


		Left panel	Right panel
No drill holes for connecting fittings	BI515727	0	0
Drill holes for standing height 1000 mm	BI515727	1	1
Drill holes for counter height 740 mm	BI515727	2	2
Drill holes for height adjustable counter	BI515727	3	3
Drill holes for recessed counter	BI515727	4	4





CONFIGURATION NO. 20





Rectangular counters with display cabinet with drawers

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	2	-
Display cabinet with drawers & pamphlet display (W865 x H870 mm)	BI520943006	-	1	-

- Monitor, drawer pedestal and keyboard are not included in price.
- All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.







DISPLAY CABINETS WITH DRAWERS

This is a cabinet similar to the display cabinet with storage: It has the same front display, but with drawers at the back. Inserted shelves at the front provide perfect storage for loose pamphlets, as well as for books and DVD's. The drawers at the back are designed for organising different media by use of mobile dividers. The drawers are lockable and with drawer stop, which prevents the cabinet from tilting, when several drawers are open at the same time.

H895 mm - display cabinet with drawers at the back and pamphlet display in front

With 4 drawers. See page 100 for accessories for drawers.

865


ltem no. Melamine ltem no. Veneer

895

894

BI520943006

BI520943002



To have the correct positioning of drill holes in combination with other counters or cabinets, you must use the following in the article number:

		Left panel	Right panel
No drill holes for connecting fittings	BI520943	0	0
Drill holes for counter height 740 mm	BI520943	2	2
Drill holes for height adjustable counter	BI520943	3	3
Drill holes for recessed counter	BI520943	4	4

H1130 mm - display cabinet with drawers at the back and pamphlet display in front

With 5 drawers. See page 100 for accessories for drawers.

H x W x D

ltem no. Melamine Item no. Veneer


1130

865

894

BI520957006

BI520957002



To have the correct positioning of drill holes in combination with other counters or cabinets, you must use the following in the article number:

		Left panel	Right panel
No drill holes for connecting fittings	BI520957	0	0
Drill holes for standing height 1000 mm	BI520957	1	1
Drill holes for counter height 740 mm	BI520957	2	2
Drill holes for height adjustable counter	BI520957	3	3
Drill holes for recessed counter	BI520957	4	4






DISPLAY CABINETS WITH SHELVES AND SHELVING OPTIONS

Another cabinet with double function: Optional front display shelves and storage at the back! The front-side shelves (not included in price of cabinet) can be adjusted and can also be tilted for presenting your new acquisitions. With different heights and widths, the cabinets are ready for direct integration with rectangular, curved and height adjustable counters. The open back of the cabinet can be equipped with lockable doors.

H870 mm - display cabinet with shelves at the back and shelving options in the front

With bottom shelf and one middle shelf at the back. Front shelves are not included. Doors can be installed on back of display cabinet. See pages 100-101 for doors and shelves.

H :	x VV x	D	Item no. Melamine	Item no. Veneer
870	758	875	BI525715006	BI525715002
870	908	875	BI525915006	BI525915002
870	1008	875	BI525115006	BI525115002




To have the correct positioning of drill holes in combination with other counters or cabinets, you must use the following in the article number:

·		Left panel	Right panel
No drill holes for connecting fittings	BI5255715	0	0
Drill holes for counter height 740 mm	BI5255715	2	2
Drill holes for height adjustable counter	BI5255715	3	3
Drill holes for recessed counter	BI5255715	4	4

H1130 mm - display cabinet with shelves at the back and shelving options in the front

With bottom shelf and two middle shelves at the back. Front shelves are not included. Doors can be installed on back of display cabinet. See pages 100-101 for doors and shelves.

H x	M x	D	ltem no. Melamine	ltem no. Veneer
1130	908	875	BI525727006	BI525727002
1130		875	BI525927006	BI525927032
1130		875	BI525127006	BI525127002



To have the correct positioning of drill holes in combination with other counters or cabinets, you must use the following in the article number:

		Left panel	Right panel
No drill holes for connecting fittings	BI525727	0	0
Drill holes for standing height 1000 mm	BI525727	1	1
Drill holes for counter height 740 mm	BI525727	2	2
Drill holes for height adjustable counter	BI525727	3	3
Drill holes for recessed counter	BI525727	4	4







DISPLAY CABINET WITH BOOK TROLLEY GARAGE

Use the space behind your counter - give your book trolley its own parking spot! You will not loose any space when you have the double function cabinet as part of your counter. At the same time, present your books or pamphlets at the front of the cabinet. The cabinets are ready for direct integration with rectangular, curved and height adjustable counters.

H1130 mm - display cabinet with book trolley garage at the back and shelving options in front

Inner dimension of garage: H1080 xW930 x D580 mm. Front shelves are not included, see page 101.


 $H \times W \times D$ mm

Item no. Melamine Item no. Veneer

875 1130 1008

BI530197006

BI530197002




To have the correct positioning of drill holes in combination with other counters or cabinets, you must use the following in the article number:

		Left panel	Right panel
No drill holes for connecting fittings	BI530187	0	0
Drill holes for standing height 1000 mm	BI530187	1	1
Drill holes for counter height 740 mm	BI530187	2	2
Drill holes for height adjustable counter	BI530187	3	3
Drill holes for recessed counter	BI530187	4	4

H1130 mm - display cabinet with book trolley garage at the back and pamphlet display in front

Inner dimension of garage: H1080 x W930 x D580 mm.

Back



 $H \times W \times D$ mm

Item no. Melamine Item no. Veneer

1130 1008

875

BI530187006

BI530187002

To have the correct positioning of drill holes in combination with other counters or cabinets, you must use the following in the article number:

·		Left panel	Right panel
No drill holes for connecting fittings	BI530197	0	0
Drill holes for standing height 1000 mm	BI530197	1	1
Drill holes for counter height 740 mm	BI530197	2	2
Drill holes for height adjustable counter	BI530197	3	3
Drill holes for recessed counter	BI530197	4	4





ACCESSORIES

Doors for display cabinet BI515 & BI525

With cylinder lock and door handles. Item no. Item no.

n	nm	Melamine	Veneer
870	758	BI5407056	BI5407052
870	908	BI5409056	BI5409052
870	1008	BI5401056	BI5401052
1130	758	BI5407076	BI5407072
1130	908	BI5409076	BI5409072
1130	1008	BI5401076	BI5401072


Drawer organizer for display cabinet BI520

To organise media. Incl. silver coloured steel dividers, two stainless steel rods, mat and four mobile dividers. For approx. 200 CDs in standard cases, 1000 CDs in plastic cases or 90 DVDs.

Description

1 set for 1 drawer 1 additional divider Item no.

B4011859 B401186



Bracket for sloping wooden and steel shelves



Item no.

BN066





ACCESSORIES

Wooden shelf with steel backedge	for disp	play c	abinet Bl52	5 & BI530		
Snapfix incl. Steel backedge H47 mm. When turned, the shelf can be used as a sloping shelf by using	W s	x D	Type of shelf	Item no. Melamine	ltem no. Veneer	
the existing pins and bracket BN066.	500 500	250 300	Straight Sloping	B4018025216 B4018025316	B4018025212 B4018025312	
	750 750	250 300	Straight Sloping	B4018027216 B4018027316	B4018027212 B4018027312	
	900 900	250 300	Straight Sloping	B4018029216 B4018029316	B4018029212 B4018029312	
	1000 1000	250 300	Straight Sloping	B4018021216 B4018021316	B4018021212 B4018021312	
Wooden shelf for display cabinet	BI525 8	k BI53	30			_
Snapfix incl.		x D nm	Type of shelf	ltem no. Melamine	ltem no. Veneer	
	500	250	Straight	B4018025206	B4018025202	
	<i>7</i> 50	250	Straight	B4018027206	B4018027202	
	900	250	Straight	B4018029206	B4018029202	
	1000	250	Straight	B4018021206	B4018021202	
Steel shelf with steel backedge for	display	1.				
	رامام	cabii	net BI525 &	BI530		
Pins incl. Steel backedge H25 mm. When turned, the shelf can be	W :		net BI525 & Type of shelf	BI530	Item no.	
	W :	x D		BI530	Item no. B401803521 B401803531	
When turned, the shelf can be used as a sloping shelf by using the existing pins and bracket	W :	x D nm 250	Type of shelf Straight	BI530	B401803521	
When turned, the shelf can be used as a sloping shelf by using the existing pins and bracket	500 500 750	250 300 250	Type of shelf Straight Sloping Straight	BI530	B401803521 B401803531 B401803721	
When turned, the shelf can be used as a sloping shelf by using the existing pins and bracket	500 500 750 750 750	250 300 250 300 250 300	Type of shelf Straight Sloping Straight Sloping Straight	BI530	B401803521 B401803531 B401803721 B401803731	
When turned, the shelf can be used as a sloping shelf by using the existing pins and bracket BN066.	500 500 750 750 750 900 900 1000	250 300 250 300 250 300 250 300	Type of shelf Straight Sloping Straight Sloping Straight Sloping Straight Sloping	BI530	B401803521 B401803531 B401803721 B401803731 B401803921 B401803931	_
When turned, the shelf can be used as a sloping shelf by using the existing pins and bracket	500 500 750 750 750 900 900 1000 1000	250 300 250 300 250 300 250 300	Type of shelf Straight Sloping Straight Sloping Straight Sloping Straight Sloping	BI530	B401803521 B401803531 B401803721 B401803731 B401803921 B401803931	
When turned, the shelf can be used as a sloping shelf by using the existing pins and bracket BN066. Steel shelf for display cabinet BI52	500 500 750 750 750 900 900 1000 1000	250 300 250 300 250 300 250 300 250 300	Type of shelf Straight Sloping Straight Sloping Straight Sloping Straight Sloping Straight Sloping	BI530	B401803521 B401803531 B401803721 B401803731 B401803921 B401803931 B401803121 B401803131	_
When turned, the shelf can be used as a sloping shelf by using the existing pins and bracket BN066. Steel shelf for display cabinet BI52	500 500 500 750 750 900 900 1000 1000	250 300 250 300 250 300 250 300 250 300 530 x D	Type of shelf Straight Sloping Straight Sloping Straight Sloping Straight Sloping Type of shelf	BI530	B401803521 B401803531 B401803721 B401803731 B401803921 B401803931 B401803121 B401803131	_
When turned, the shelf can be used as a sloping shelf by using the existing pins and bracket BN066. Steel shelf for display cabinet BI52	500 500 750 750 750 900 900 1000 1000	250 300 250 300 250 300 250 300 250 300 250 300 250	Type of shelf Straight Sloping Straight Sloping Straight Sloping Straight Sloping Type of shelf Straight	BI530	B401803521 B401803531 B401803721 B401803731 B401803921 B401803931 B401803121 B401803131	_



CONFIGURATION NO. 21



Rectangular counters (with counter top part & bag shelf)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	2	-
Steel leg frame (H740 mm)	BI069146	-	1	-
Wooden counter top part with info sign (W600 x H490 mm)	BI820186	-	1	-
Wooden bag shelf for rectangular counter (W1200 mm)	BI81053	-	1	-

- Office chair and text are not included in price.
 All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
 We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
 The bag shelf is in fact 1000 mm long, adapted to a 1200 mm front panel.







BAG SHELVES

Add functions to your counter. Below you will find products that can be built on to the Inform counter to make it more functional and user friendly. The wooden bag shelves below can only be used with wooden front panels, it is not possible to use with acrylic front panels. The distance from floor to top of shelf is 55 cm.

Wooden bag shelf for rectangular counter

Only use with wooden front panels. Do not use with acrylic front panels. Max. load 5 kg. Actual width of shelf is 200 mm shorter than the width of the counter.

Counter	Shelf	Shelf
Wx	Wx	D
	mm	
600	400	180
800	600	180
1000	800	180
1200	1000	180
1400	1200	180
1600	1400	180

Item no. HPL BI81013

BI81033 BI81043 BI81053 BI81063 BI81073



Wooden bag shelf for 45° curved counter

Only use with wooden front panels. Do not use with acrylic front panels. Max. load 5 kg.

 $W \times D$ mm

1710 180

Item no. HPL


BI815453



Wooden bag shelf for 90° curved counter

Only use with wooden front panels. Do not use with acrylic front panels. Max. load 5 kg.

 $W \times D$ mm 1875 180 Item no. HPL







CONFIGURATION NO. 22



45° curved counters (with counter top part)

Components	Article no.		Quantity	
45° curved counter - starter (H740 mm)	BI2051428003	-	1	-
45° curved counter - end (H740 mm)	BI2053428003	-	1	-
Wooden front panel for 45° curved counter (H740 mm)	BI3204543	-	2	-
Steel leg frame (H740 mm)	BI069146	-	1	-
Wooden counter top part with info sign (1400 x H490 mm)	BI82545683	-	1	-

- Computer, office chair and text are not included in price.All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.







CONFIGURATION NO. 23



Rectangular counters (with acrylic front panel, bag shelf & counter top part with bag shelf)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
Rectangular counter - middle (W1200 x H740 mm)	BI2002082003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	2	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Acrylic front panel for rectangular counter (W1200 x H740 mm)	BI310546	-	1	-
Steel leg frame (H740 mm)	BI069146	-	2	-
Wooden counter top part with bag shelf (W1000 x H490 mm)	BI830486	-	1	-
Wooden bag shelf (W1200 mm)	BI81053	-	1	-
Stainless steel desk grommet	B4015553	-	1	-

- Monitor, key board, office chair and text are not included in price.All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
- The counter top part and bag shelf are in fact 1000 mm long, adapted to a 1200 mm front panel.








COUNTER TOP PARTS WITH INFO SIGN


Add functions to your counter. Below you will find products that can be built on to the Inform counter to make it more functional and user friendly.

Wooden counter top part with info sign for rectangular counter




W >	x H x mm (OD	_	H x		ltem no. Melamine
600 800 1000 1200 1400	490 490 490 490 490 490	280 280 280 280 280 280 280	235 235 235 235 235 235 235	250 250 250 250 250 250 250	BI820186 BI820386 BI820486 BI820586 BI820686 BI820786
600 800 1000 1200 1400	580 580 580 580 580 580	280 280 280 280 280 280	325 325 325 325 325 325 325	250 250 250 250 250 250 250	BI820196 BI820396 BI820496 BI820596 BI820696 BI820796

Wooden counter top part with info sign for 45° curved counter



W >	mm (OD	_	H x mm	: D (ID)	ltem no. HPL
800	490	280	235	250	BI82545383
1000	490	280	235	250	BI82545483
1200	490	280	235	250	BI82545583
1400	490	280	235	250	BI82545683
800	580	280	325	250	BI82545393
1000	580	280	325	250	BI82545493
1200	580	280	325	250	BI82545593
1400	580	280	325	250	BI82545693

Wooden counter top part with info sign for 90° curved counter



W	Mm (OD		H x mm (D ID)	ltem no. HPL
800 1000 1200 1400	490 490 490 490	280 280 280 280	235 235 235 235	250 250 250 250 250	BI82590383 BI82590483 BI82590583 BI82590683
800 1000 1200 1400	580 580 580 580	280 280 280 280	325 325 325 325	250 250 250 250 250	BI82590393 BI82590493 BI82590593 BI82590693






COUNTER TOP PARTS WITH INFO SIGN


Add functions to your counter. Below you will find products that can be built on to the Inform counter to make it more functional and user friendly.

Wooden counter top part with info sign for rectangular counter




W	x H x mm (OD	=	H x mm (D ID)	ltem no. Veneer
600 800 1000 1200 1400 1600	490 490 490 490 490 490	280 280 280 280 280 280	235 235 235 235 235 235 235	250 250 250 250 250 250 250	BI820182 BI820382 BI820482 BI820582 BI820682 BI820782
600 800 1000 1200 1400 1600	580 580 580 580 580 580	280 280 280 280 280 280	325 325 325 325 325 325 325	250 250 250 250 250 250 250	BI820192 BI820392 BI820492 BI820592 BI820692 BI820792

Wooden counter top part with info sign for 45° curved counter



W >	x H x mm (OD	_	H x mm	D (ID)	ltem no. Veneer
800	490	280	235	250	BI82545382
1000	490	280	235	250	BI82545482
1200	490	280	235	250	BI82545582
1400	490	280	235	250	BI82545682
800	580	280	325	250	BI82545392
1000	580	280	325	250	BI82545492
1200	580	280	325	250	BI82545592
1400	580	280	325	250	BI82545692

Wooden counter top part with info sign for 90° curved counter



W >	(H) mm (OI	x D D)	H x mm		ltem no. Veneer
800	490	280	235	250	BI82590382
1000	490	280	235	250	BI82590482
1200	490	280	235	250	BI82590582
1400	490	280	235	250	BI82590682
800	580	280	325	250	BI82590392
1000	580	280	325	250	BI82590492
1200	580	280	325	250	BI82590592
1400	580	280	325	250	BI82590692




COUNTER TOP PARTS WITH BAG SHELF

Add functions to your counter. Below you will find products that can be built on to the Inform counter to make it more functional and user friendly. The counter top parts can only be used with wooden front panels, it is not possible to use with acrylic front panels.

Wooden counter top part with bag shelf for rectangular counter


Max.	load	5	kg.
------	------	---	-----



W >		< D1 x (OD)	D2	H x	_	ltem no. Melamine
600 800 1000 1200 1400 1600	490 490 490 490 490 490	280 280 280 280 280 280	130 130 130 130 130 130	235 235 235 235 235 235 235	250 250 250 250 250 250 250	BI830186 BI830386 BI830486 BI830586 BI830686 BI830786
600 800 1000 1200 1400 1600	580 580 580 580 580 580	280 280 280 280 280 280	130 130 130 130 130 130	325 325 325 325 325 325	250 250 250 250 250 250 250	BI830196 BI830396 BI830496 BI830596 BI830696 BI830796

Wooden counter top part with bag shelf for 45° curved counter


Max. load 5 kg.



W ×		x D1 x (OD)	D2	H x mm	ī 	ltem no. HPL
800	490	280	130	235	250	BI83545383
1000	490	280	130	235	250	BI83545483
1200	490	280	130	235	250	BI83545583
1400	490	280	130	235	250	BI83545683
800	580	280	130	325	250	B183545393
1000	580	280	130	325	250	B183545493
1200	580	280	130	325	250	B183545593
1400	580	280	130	325	250	B183545693

Wooden counter top part with bag shelf for 90° curved counter

Max. load 5 kg.




W×	• • •	x D1 x (OD)	D2	H >	1	ltem no. HPL
800	490	280	130	235	250	BI83590383
1000	490	280	130	235	250	BI83590483
1200	490	280	130	235	250	BI83590583
1400	490	280	130	235	250	BI83590683
800	580	280	130	325	250	BI83590493
1000	580	280	130	325	250	BI83590593
1200	580	280	130	325	250	BI83590693
1400	580	280	130	325	250	BI83590393



COUNTER TOP PARTS WITH BAG SHELF

Add functions to your counter. Below you will find products that can be built on to the Inform counter to make it more functional and user friendly. The counter top parts can only be used with wooden front panels, it is not possible to use with acrylic front panels.


Wooden counter top part with bag shelf for rectangular counter



W	x H :	x D1 x	D2	Нх	. D	ltem no.
	mm	(OD)		mm	(ID)	Veneer
400	490	280	130	235	250	B1000100
600						BI830182
800	490	280	130	235	250	BI830382
1000	490	280	130	235	250	BI830482
1200	490	280	130	235	250	BI830582
1400	490	280	130	235	250	BI830682
1600	490	280	130	235	250	BI830782
600	580	280	130	325	250	BI830192
800	580	280	130	325	250	BI830392
1000	580	280	130	325	250	BI830492
1200	580	280	130	325	250	BI830592
1400	580	280	130	325	250	BI830692
1600	580	280	130	325	250	BI830792

Wooden counter top part with bag shelf for 45° curved counter


Max. load 5 kg.



W×		x D1 x (OD)	D2	H x mm	ī	ltem no. Veneer
800	490	280	130	235	250	BI83545382
1000	490	280	130	235	250	BI83545482
1200	490	280	130	235	250	BI83545582
1400	490	280	130	235	250	BI83545682
800	580	280	130	325	250	BI83545392
1000	580	280	130	325	250	BI83545492
1200	580	280	130	325	250	BI83545592
1400	580	280	130	325	250	BI83545692

Wooden counter top part with bag shelf for 90° curved counter

Max. load 5 kg.



W×		× D1 × (OD)	D2	H x mm	1	ltem no. Veneer
800	490	280	130	235	250	BI83590382
1000	490	280	130	235	250	BI83590482
1200	490	280	130	235	250	BI83590582
1400	490	280	130	235	250	BI83590682
800	580	280	130	325	250	BI83590392
1000	580	280	130	325	250	BI83590492
1200	580	280	130	325	250	BI83590592
1400	580	280	130	325	250	BI83590692



CONFIGURATION NO. 24



Rectangular counters (with decorative boards)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	2	-
Steel leg frame (H740 mm)	BI069146	-	1	-
Wooden decorative board - high (W600 x H740 mm)	BI840146	-	1	-
Wooden decorative board - narrow (W600 x H190 mm)	BI845116	-	1	-

- Office chair and text are not included in price.
- All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.







DECORATIVE BOARDS AND INFO SIGNS

Wooden decorative board - high



W :	x H x	D	ltem no. Melamine	ltem no. Veneer
600	<i>74</i> 0	19	BI840146	BI840142
600	1000	19	BI840166	BI840162


Wooden decorative board - narrow



600 190 19 BI845116 BI845 800 190 19 BI845316 BI845 1000 190 19 BI845416 BI845 1200 190 19 BI845516 BI845 1400 190 19 BI845616 BI845 1600 190 19 BI845716 BI845	5312 5412 5512 5612

Wooden info sign


Melamine/veneer board. Only use with wooden front panels. Do not use with acrylic front panels.



W×	mm	x D	ltem no. Melamine	ltem no. Veneer
600	430	25	BI850126	BI850122
800	430	25	BI850326	BI850322
1000	430	25	BI850426	BI850422
1200	430	25	BI850526	BI850522

Acrylic info sign (se configuration no 25.)

Acrylic frosted white glazed board.
Only use with wooden front panels. Do not use with acrylic front panels.



W ×	с Н mm	x D	
600	430	10	
800	430	10	
1000	430	10	
1200	430	10	

Item no. Acrylic BI85512 BI85532 BI85542

BI85552





CONFIGURATION NO. 25



Rectangular counters (with acrylic info sign, desk grommet and monitor arm)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	1	-
Acrylic front panel for rectangular counter (W1200 x H740 mm)	BI310546	-	1	-
Steel leg frame (H740 mm)	BI069146	-	1	-
Info sign - acrylic frosted white glazed (W600 x H430 mm)	BI85512	-	1	-
Monitor arm	B401184	-	1	-

- Monitor, office chair and text are not included in price.
 All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
- It is necessary to drill an Ø80 mm hole for the monitor arm on site or modify the article number for counter for predrilled hole, see pages 120-121.



FUNCTIONAL ACCESSORIES

Desk grommet

Ø80 mm. Drill hole is not included. For placement of drill hole, see cable conduct on pages 122-123.





Material Colour

Plastic Oyster white Plastic Black Plastic Silver

Metal Stainless steel

Item no.

B4015548 B4015542 B4015549

B4015553

Monitor arm

Silver. For placement of drill hole, see cable conduct on pages 120-121. Drill holes for monitor arm will most often be drilled on site.

Item no.

B401184

CPU holder

W230 x H551 x D500 mm. Laquered steel. Practical storage of CPU holder under counter. Does not fit with recessed counter.



Item no.

B401180

Cable channel

W495 x H70 x D115 mm. Laquered steel. Is bendable - can be used with both straight and curved counters. For required quantities, see below.

Item no.

B401182A28



600

800

1000

1200

1400

1600







Drawer pedestal

W442 x H615 x D585 mm. With office supplies drawer and 2/3 drawers.



Drawers
D. a ** 0.0

ltem no. Melamine

ltem no.

Veneer B401195252

B401195256

1 drawer (192 mm) 1 drawer (256 mm)

1 drawer (128 mm)

1 drawer (320 mm)

B401195346

B401195342

2 drawers (128 mm) 1 drawer (192 mm)

B401195236

B401195232





POWER SOCKETS

Power soc	ket Square	80
-----------	------------	----

W181 x D96 mm with lid open. With sliding lid. Mounting hole Ø80 mm. Worktop thickness 10-50 mm. 3 m cable length.







Colour	USB	Туре	Market	ltem no.
Black	1	1 x F	BE/DE/DK/FR/SE	B4015002101
White		1 x F	BE/DE/DK/FR/SE	B4015001101
Black	1	1 x G	GB	B4015002311
White	1	1 x G	GB	B4015001311
Black	1	1 x B	US	B4015002221



Built-in power socket BackFlip


 $W225 \times D105$ mm. Lid flips 180 deg. Mounting depth 53 mm. Worktop thickness 10-40 mm. 2,5 m cable length.

Colour USB Туре Market Item no.

2 BE/DE/DK/FR/SE Stainless steel $2 \times F$ B4015013102 Stainless steel 2 2 x G GB B4015013312










POWER SOCKETS

Built-in power socket FlipTop Push

W260 x D167 mm. Open lid with soft touch. Colour USB Market Туре Item no. Mounting depth 68 mm.
Worktop thickness 10-50 mm.
3 m cable length. Stainless steel 2 BE/DE/DK/FR/SE 3 x F B4015023103 Stainless steel 2 2 x G GB B4015023312







Built-in power socket FrameDock

 $W260 \times D167 \text{ mm}.$ Mounting depth 51 mm. Worktop thickness 5-38 mm. 3 m cable length.







Colour	USB	Туре	Market	ltem no.
Black White	2 2	3 x F 3 x F	BE/DE/DK/FR/SE BE/DE/DK/FR/SE	B4015032103 B4015031103
Black	2	2 x G	GB	B4015032312
Black	2	2 x B	US	B4015032222





CONFIGURATION NO. 26



2/18	0 mm

Rectangular counters (with acrylic front panels and lighting)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Acrylic front panel for rectangular counter (W1200 x H740 mm)	BI310546	-	2	-
Light for acrylic front panel (W1200 mm)	BI86051	-	2	-
Steel leg frame (H740 mm)	BI069146	-	1	-
Monitor arm	B401184	-	1	-

- Monitor and office chair are not included in price.
- All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
- It is necessary to drill an Ø80 mm hole for the monitor arm on site or modify the article number for counter for predrilled hole, see pages 120-121.
- Above article number for light is for German voltage and plug. Contact Sales for further information on voltage and plug for other countries.





LED LIGHT

Create your own individual counter! You can differentiate your counter by use of acrylic front panels with light. See Design Options for acrylic front panel options. Note - the LED lighting can only be used for Standard Inform rectangular and curved counters.

Light for rectangular counter with acrylic front panel				
Light mounted underneath table top on the inside of the counter. With cable and plug for the European market (except	W W counter lamp	Watt	Item no.	
UK). Contact sales for plug and voltage	800 595	1 x 14W	BI86031	
for other countries.	1000 895	1 x 21W	BI86041	
	1200 895	1 x 21W	BI86051	
	1400 1195	1 x 28W	BI86061	
	1600 1495	1 x 35W	BI86071	
Light for 45° and 90° curved counter with acrylic front panel				
· ·	•	•	h	
Light mounted underneath table top on	Deg. W	Watt	Item no.	

lamp

595

595

2 x 14W

2 x 14W

45°

90°

the inside of the counter. With cable and

UK). Contact sales for plug and voltage

plug for the European market (except

for other countries.

BI862451

BI862901



CONFIGURATION NO. 27



}	
2480	O mm

Rectangular counters (with graphics on wooden front panel)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	2	-
Additional graphics to wooden front panel (W1200 x H740 mm)	BI86454	-	2	-
Steel leg frame (H740 mm)	BI069146	-	1	-
Monitor arm	B401184	-	1	-

- Monitor, key board and office chair are not included in price.
 All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
- It is necessary to drill an Ø80 mm hole for the monitor arm on site or modify the article number for counter for predrilled hole, see pages 120-121.



GRAPHICS

Create your own individual counter! Use the front of the counter as a display for your ideas. The Inform counter gives you the opportunity to design all wooden front panels in accordance with your wishes and requirements. Use pictures, graphics or text to make a statement!

Front image for rectangular front p	panel		
Price for full size sticker. Smaller stickers and logos on request. Price excl. front panel.	Н	W	Item no.
pullel.	740	600	BI86414
	740	800	BI86434
	740	1000	BI86444
	740	1200	BI86454
	740	1400	BI86464
	740	1600	BI86474
	1000	600	BI86416
	1000	800	BI86436
	1000	1000	BI86446
	1000	1200	BI86456
	1000	1400	BI86466
	1000	1600	BI86476
Front image for 45° curved front p	anel		
Price for full size sticker. Smaller stickers and logos on request. Price excl. front	H	W nm	ltem no.
panel.	740	1830	BI866454
	,		D1000434
	1000	1850	BI866456
Front image for 90° curved front price for full size sticker. Smaller stickers and logos on request. Price excl. front	Н	W	ltem no.
panel.	740	1830	BI866904
	1000	1850	BI866906
Front image for corner front panel			
Price for full size sticker. Smaller stickers and logos on request. Price excl. front panel.	H	W nm	Item no.
pano.	740	800	BI8684
	1000	800	BI8686
Text for front panel			b.
			ltem no.
			B400003







DRILL HOLES

FOR CABLE CONDUCT

It is possible to have counters delivered with predrilled holes and desk grommets for cable conduct. There is a surcharge per drill hole and desk grommet. Please inform Customer Service where you would like the predrilled hole to be placed (0-7) and which desk grommet (0/2/3/8/9) you would like. Remember to view the counter from left to right, as if sitting behind the counter.

Drill hole for desk grommet for rectangular, step and height adjustable counters

















0. No drill hole

1. Left

2. Middle

3. Right

4. Left & right

5. Left & middle

6. Middle & right

7. Left, middle & right

Drill hole for desk grommet for recessed rectangular counters

















0. No drill hole

1. Left

2. Middle

3. Right

4. Left & right

5. Left & middle

6. Middle & right

7. Left, middle & right

Drill hole for desk grommet for 45° and 90° curved counters

















0. No drill hole

1. Left

2. Middle

3. Right

4. Left & right

5. Left & middle

6. Middle & right

7. Left, middle & right

Drill hole for desk grommet for 45° and 90° recessed curved counters

















0. No drill hole

1. Left

2. Middle

3. Right

4. Left & right

5. Left & middle

6. Middle & right

7. Left, middle & right



DRILL HOLES

FOR CABLE CONDUCT

It is possible to have counters delivered with predrilled holes and desk grommets for cable conduct. There is a surcharge per drill hole and desk grommet. Please inform Customer Service where you would like the predrilled hole to be placed (0-7) and which desk grommet (0/2/3/8/9) you would like. Remember to view the counter from left to right, as if sitting behind the counter.

Drill hole for desk grommet for corner counter - side A









0. No drill hole

3. Left

2. Middle

6. Left & middle

Drill hole for desk grommet for corner counter - side B

















0. No drill hole

3. Right

2. Middle

1. Corner

5. Corner & right

6. Middle & right

4. Corner & middle

7. Corner, middle & right

Drill hole for desk grommet for triangular corner counter









0. No drill hole

1. Left

2. Middle

3. Right

Desk grommet









0. No desk grommet

2. Black plastic

8. Pearl white plastic

9. Silver plastic 3. Stainless steel




RFID INSTALLATION


PREPARATION FOR INSTALLATION OF RFID IN COUNTERTOP

The Inform counter offers the option to install an RFID PCB under the countertop, whether straight, curved or height adjustable. The 40 mm thick countertop is recessed below the central section to allow for the optimal positioning of the RFID PCB as needed. As far as the dimension of the countertop is concerned, the central recessed section leaves a peripheral circumference of 80 mm to 110 mm to preserve the visual aesthetics of the 40 mm top. In the recessed section, the countertop is 20 mm thick, thus complying with the technical specifications of most RFID systems for counters.

RFID installation in rectangular counter



RFID installation in recessed rectangular counter






RFID INSTALLATION


PREPARATION FOR INSTALLATION OF RFID IN COUNTERTOP

The Inform counter offers the option to install an RFID PCB under the countertop, whether straight, curved or height adjustable. The 40 mm thick countertop is recessed below the central section to allow for the optimal positioning of the RFID PCB as needed. As far as the dimension of the countertop is concerned, the central recessed section leaves a peripheral circumference of 80 mm to 110 mm to preserve the visual aesthetics of the 40 mm top. In the recessed section, the countertop is 20 mm thick, thus complying with the technical specifications of most RFID systems for counters.

RFID installation in 45° curved counters




RFID installation in 90° curved counters





LOCATIONS





DENMARK

Lammhults Biblioteksdesign A/S Dalbækvej 1 6670 Holsted

bci@bci.dk www.bci.dk

SWEDEN

Lammhults Biblioteksdesign AB Odlarevägen 16 226 60 Lund

eurobib@eurobib.se www.eurobib.se

UNITED KINGDOM

thedesignconcept Ltd.
The Old Bakery,
10 Greenless Road
Cambuslang Belgrave Street
Glasow G72 8JJ

info@thedesignconcept.co.uk www.thedesignconcept.co.uk

FRANCE

BC Intérieur Sarl 6 allée Kepler 77420 Champs sur Marne

bci@bcinterieur.com www.bcinterieur.com

GERMANY

Schulz Speyer Bibliothekstechnik AG Hafenstraße 2 67346 Speyer

sales@schulzspeyer.de www.schulzspeyer.de

NORWAY

BS Eurobib AS Alf Bjerckes Vei 20 0582 Oslo

post@bseurobib.no www.bseurobib.no

BELGIUM

SBNL - Schulz Benelux BVBA Appelweg 94 C 3221 Holsbeek

info@sbnl.be www.sbnl.be



