



## 60/30 CLASSIC

01.01.2025



# 60/30 CLASSIC STEEL SHELVING


The 60/30 Classic Steel Shelving system represents the culmination of years of experience and success. This adaptable product concept has been refined over time, boasting a modular structure and a vast array of standard components that ensure optimal use of space and efficient organization of all essential functions. Furthermore, the system's versatility allows for a plethora of customized solutions, brought to life by our design teams to suit the unique needs of each library.

Furthermore, the basic 60/30 Classic Steel Shelving configurations are GS-approved by TÜV in accordance with the DIN EN 16121/12.17 standard as regards to safety, strength, durability and stability. See under Technical Specifications for further information on installation.

You can explore all our standard products in this overview. For additional inspiration, we encourage you to visit our website, where you'll find project insights from our latest endeavors worldwide.

The 60/30 Classic Steel Shelving system is showcased in various creative configurations, often paired with special features like circular shelving with integrated seating benches and castors, as well as dedicated youth corners furnished with tables and chairs. With our extensive range of library furniture, the design possibilities are virtually limitless. Feel free to reach out to our experienced sales teams for further inspiration.





# INDEX

|                                       |    |
|---------------------------------------|----|
| <b>FSC®</b> .....                     | 6  |
| <b>EU ECOLABEL</b> .....              | 7  |
| <b>DESIGN OPTIONS</b> .....           | 9  |
| <b>TECHNICAL SPECIFICATIONS</b> ..... | 12 |
| <b>DIMENSIONS</b> .....               | 16 |

## STRAIGHT CONFIGURATIONS

|                                                    |    |
|----------------------------------------------------|----|
| <b>60/30 CLASSIC STEEL SHELVING</b> .....          | 26 |
| Single-sided configurations without shelves.....   | 28 |
| Double-sided configurations without shelves.....   | 30 |
| Single-sided configurations without top shelf..... | 32 |
| Double-sided configurations without top shelf..... | 34 |
| Single-sided configurations with top shelf.....    | 36 |
| Double-sided configurations with top shelf.....    | 38 |
| <b>80/30 CLASSIC STEEL SHELVING</b> .....          | 40 |
| Single-sided configurations.....                   | 42 |
| Double-sided configurations.....                   | 43 |
| <b>60/30 CLASSIC STEEL SHELVING - WALL</b> .....   | 44 |
| Single-sided configurations.....                   | 46 |
| <b>60/30 EXPO</b> .....                            | 48 |
| Double-sided configurations - H122 cm.....         | 50 |
| Double-sided configurations - H152 cm.....         | 52 |

## COMPONENTS FOR STRAIGHT SHELVING

|                                              |     |
|----------------------------------------------|-----|
| <b>SHELVES</b>                               |     |
| Steel top shelves and London top plates..... | 56  |
| Wooden London top plates.....                | 80  |
| Steel intermediate shelves.....              | 87  |
| Steel bottom shelves.....                    | 93  |
| Brackets for shelves.....                    | 100 |
| Accessories for shelves.....                 | 102 |

|                                                    |     |
|----------------------------------------------------|-----|
| <b>ACCESSORIES</b>                                 |     |
| Book supports.....                                 | 105 |
| Browsers.....                                      | 106 |
| Display & storage - magazines.....                 | 111 |
| Display & storage - multimedia.....                | 115 |
| Display & storage - for shelves.....               | 117 |
| Display & storage - for slat end panels.....       | 118 |
| Display & storage - for perforated end panels..... | 119 |
| Signage - for end panels/uprights/tops.....        | 121 |
| Signage - for shelves.....                         | 123 |

|                                                        |     |
|--------------------------------------------------------|-----|
| <b>UPRIGHTS &amp; CROSSBARS</b>                        |     |
| Uprights for 60/30 Classic.....                        | 124 |
| Uprights for 80/30 Classic.....                        | 125 |
| Wall strips for 60/30 Classic.....                     | 126 |
| Uprights, frame and castor set for hidden castors..... | 127 |
| Upright extensions & crossbars.....                    | 128 |

|                              |     |
|------------------------------|-----|
| <b>CASTORS &amp; PLINTHS</b> |     |
| Plinths & castors.....       | 129 |

|                                  |     |
|----------------------------------|-----|
| <b>PANELS</b>                    |     |
| Wooden end panels.....           | 130 |
| Wooden slat end panels.....      | 132 |
| Wooden London end panel.....     | 134 |
| Perforated steel end panels..... | 136 |
| Steel London end panels.....     | 137 |
| Glass end panels.....            | 138 |
| Back panels.....                 | 139 |

|                                                        |     |
|--------------------------------------------------------|-----|
| <b>END PANEL BAYS</b>                                  |     |
| End panel bay with adjustable feet.....                | 142 |
| End panel bay with adjustable feet and London top..... | 144 |
| End panel bay with castors.....                        | 146 |
| End panel bay with castors and London top.....         | 147 |
| Steel shelves for end panel bays.....                  | 148 |


|                        |     |
|------------------------|-----|
| <b>LIGHTING</b>        |     |
| LED lighting.....      | 150 |
| Book LED lighting..... | 152 |

## ROUND CONFIGURATIONS

|                                                     |     |
|-----------------------------------------------------|-----|
| <b>60/30 ROUND STEEL SHELVING</b> .....             | 154 |
| Double-sided configurations without shelves .....   | 155 |
| Double-sided configurations without top shelf ..... | 156 |
| Double-sided configurations with top shelf .....    | 157 |

## COMPONENTS FOR ROUND SHELVING

|                                                         |     |
|---------------------------------------------------------|-----|
| <b>SHELVES</b>                                          |     |
| Steel top shelves .....                                 | 160 |
| Wooden London top plates .....                          | 163 |
| Steel intermediate shelves .....                        | 164 |
| Steel bottom shelves .....                              | 164 |
| <b>UPRIGHTS &amp; CROSSBARS</b>                         |     |
| Uprights for 60/30 Classic Round .....                  | 166 |
| Crossbars .....                                         | 166 |
| Components for steel shelves .....                      | 166 |
| <b>CASTORS &amp; PLINTHS</b>                            |     |
| Plinths & castors .....                                 | 167 |
| <b>PANELS</b>                                           |     |
| Wooden end panels .....                                 | 169 |
| Wooden slat end panels .....                            | 170 |
| Wooden London end panels .....                          | 171 |
| Perforated steel end panels .....                       | 172 |
| <b>END PANEL BAYS</b>                                   |     |
| End panel bay with adjustable feet .....                | 174 |
| End panel bay with adjustable feet and London top ..... | 176 |
| End panel bay with castors .....                        | 178 |
| End panel bay with castors and London top .....         | 179 |
| Steel shelves for end panel bays .....                  | 180 |



**We are committed to increasing the share of sustainable raw wooden material in our products and thereby support responsibly managed forests – for a better world.**



Governments and local authorities are specifying the supply of legal and responsibly sourced wood in their procurement policies.

We have invested in a Chain-of-Custody Multi-site certificate (FSC-C144988), issued by FSC, which documents, that we can offer wood from responsibly managed forests. FSC (Forest Stewardship Council ®) is an international labelling scheme, that documents that FSC labelled products originate from sustainable forestry.

Working with certified suppliers, we can now offer painted and veneered 60/30 Classic wooden components as fully FSC Mix certified (noted in this document for each wooden product, which is FSC-certified). We are continuously working on increasing the number of certified products in our portfolio. To stay informed about our environmental certifications, we recommend visiting our website regularly to access the most recent information.

### **What is sustainable managed forestry?**

According to the FSC, forests, managed according to their principles and criteria, mean fair conditions for workers, respect for indigenous communities and local populations as well as strict environmental controls.

The FSC label ensures that the trees that are harvested are replaced or allowed to regenerate naturally.

The FSC label also ensures that all the wood is tracked from the forest to the store. Every link between the forest and the consumer is certified to make it clearly identifiable which wood is from sustainable forestry and which is not.

Source: Forest Stewardship Council  
<http://www.fsc-uk.org/en-uk>



**We are pleased to add the EU Ecolabel to our preferred eco labels. The EU Ecolabel certification reflects our unwavering commitment to providing our customers with documented environmentally friendly choices.**



The EU Ecolabel is an official label that complies with European legislation on sustainable actions. We present a selection of EU-ecolabelled library furniture, facilitating the choice of more sustainable and responsible solutions. The requirements are based on a life-cycle assessment of the product and requirements are imposed on production, use and disposal.

The purpose of the EU Ecolabel is to reduce the overall environmental impact from production and consumption. Therefore, the environmental label considers the entire journey of the product and the environmental issues that arise along the way.

Working with certified suppliers, we can now offer 60/30 Classic steel and wooden components as EU Ecolabelled. We are continuously working on increasing the number of certified products in our portfolio. To stay informed about our environmental certifications, we recommend visiting our website regularly to access the most recent information.

### **Why choose the EU Ecolabel?**

An increasing number of businesses and individuals are conscious of the environmental footprint they leave when designing a library.

By choosing EU Ecolabel certified products, you do not only contribute to sustainability and environmental conservation but are also assured of meeting stringent eco-friendly standards.

The EU Ecolabel ensures:

- Rigorous conditions for environmentally harmful substances.
- Specific criteria for each product type to increase the label's business relevance.
- Stringent requirements for health-hazardous substances.
- Third-party approval, ensuring the credibility of the labelling.





# DESIGN OPTIONS

STEEL COMPONENTS - PAINTED

## A PRICE GROUP - BASIS PRICE (smooth finish)



**03**  
**Traffic white**  
RAL 9016  
Gloss 75-90




**02**  
**Oyster white**  
RAL 1013  
Gloss 40-50




**22**  
**Moss green**  
RAL 6005  
Gloss 71-85




**26**  
**Fir green**  
RAL 6009  
Gloss 71-85




**12**  
**Steel blue**  
RAL 5011  
Gloss 71-85




**13**  
**Light grey**  
RAL 7035  
Gloss 71-85




**15**  
**Dusty grey**  
RAL 7037  
Gloss 71-85




**16**  
**Traffic grey**  
RAL 7043  
Gloss 71-85




**17**  
**Basalt grey**  
RAL 7012  
Gloss 71-85



**18**  
**Slate grey**  
RAL 7015  
Gloss 71-85



**19**  
**Anthracite grey**  
RAL 7016  
Gloss 71-85




**25**  
**Jet black**  
RAL 9005  
Gloss 71-85


## B PRICE GROUP - BASIS PRICE WITH 7% SURCHARGE (smooth finish)




**01**  
**Pure white**  
RAL 9010  
Gloss 71-85




**04**  
**Traffic yellow**  
RAL 1023  
Gloss 71-85




**05**  
**Sun yellow**  
RAL 1037  
Gloss 71-85




**06**  
**Signal orange**  
RAL 2010  
Gloss 71-85



**07**  
**Pearl orange**  
RAL 2013  
Gloss 65-85




**08**  
**Flame red**  
RAL 3000  
Gloss 71-85




**09**  
**Ruby red**  
RAL 3003  
Gloss 71-85




**21**  
**Reseda green**  
RAL 6011  
Gloss 71-85




**10**  
**Pigeon blue**  
RAL 5014  
Gloss 71-85



**11**  
**Ocean blue**  
RAL 5020  
Gloss 71-85



**14**  
**White aluminium**  
RAL 9006  
Gloss 50-70




**31**  
**Grey aluminium**  
RAL 9007  
Gloss 50-70


## B PRICE GROUP - BASIS PRICE WITH 7% SURCHARGE (textured finish)




**27**  
**Pure white**  
RAL 9010




**29**  
**Concertina grey**



**28**  
**Grey aluminium**  
RAL 9007



**23**  
**Anthracite grey**  
RAL 7016



**24**  
**Graphite black**  
RAL 9011


### Note:

- Other RAL/NCS colours have a starter fee of GBP 215 / EUR 250 and a surcharge of 15%. A higher surcharge for colours with "metallic" look or different surface textures must be expected.
- See specific colour for steel gloss specification. Special requests outside specified gloss range are not covered by the above surcharges.
- Chrome, electro galvanised and aluminium parts are not available in other colours.
- Products such as e.g. castors and accurides cannot be produced in other colours than described in the price list.

# DESIGN OPTIONS

## WOODEN COMPONENTS - PAINTED


### A PRICE GROUP - BASIS PRICE



**01**  
**Pure white**  
RAL 9010  
Gloss 20-30



**02**  
**Oyster white**  
RAL 1013  
Gloss 20-30



**03**  
**Traffic white**  
RAL 9016  
Gloss 20-30



**04**  
**Traffic yellow**  
RAL 1023  
Gloss 20-30



**05**  
**Sun yellow**  
RAL 1037  
Gloss 20-30



**06**  
**Signal orange**  
RAL 2010  
Gloss 20-30



**07**  
**Pearl orange**  
RAL 2013  
Gloss 20-30



**08**  
**Flame red**  
RAL 3000  
Gloss 20-30



**09**  
**Ruby red**  
RAL 3003  
Gloss 20-30



**21**  
**Reseda green**  
RAL 6011  
Gloss 20-30



**22**  
**Moss green**  
RAL 6005  
Gloss 20-30



**26**  
**Fir green**  
RAL 6009  
Gloss 20-30



**10**  
**Pigeon blue**  
RAL 5014  
Gloss 20-30



**11**  
**Ocean blue**  
RAL 5020  
Gloss 20-30



**12**  
**Steel blue**  
RAL 5011  
Gloss 20-30



**13**  
**Light grey**  
RAL 7035  
Gloss 20-30



**14**  
**White aluminium**  
RAL 9006  
Gloss 20-30



**31**  
**Grey aluminium**  
RAL 9007  
Gloss 20-30



**15**  
**Dusty grey**  
RAL 7037  
Gloss 20-30



**16**  
**Traffic grey**  
RAL 7043  
Gloss 20-30



**17**  
**Basalt grey**  
RAL 7012  
Gloss 20-30




**18**  
**Slate grey**  
RAL 7015  
Gloss 20-30



**19**  
**Anthracite grey**  
RAL 7016  
Gloss 20-30



**25**  
**Jet black**  
RAL 9005  
Gloss 20-30



**Any RAL/NCS colour**  
Gloss 20-30

#### Note:

- The above selection of colours match our steel colours. Note that you can order any RAL/NCS colour without surcharge.
- A surcharge for colours with "metallic" look or different surface textures must be expected, please contact Customer Service.

# DESIGN OPTIONS

WOODEN COMPONENTS - VENEER

## A PRICE GROUP - BASIS PRICE



**01**  
**Light steamed  
beech**




**10**  
**Oak**



**20**  
**Maple**



**30**  
**Ash**



**40**  
**Birch**

**Note:**

- The wooden veneers can also be stained for a surcharge, please contact Customer Service. Samples will be forwarded for approval.

# TECHNICAL SPECIFICATIONS

## GENERAL SPECIFICATIONS

### DIMENSIONS

Dimensions of complete bays in available modules and heights can be found in each catalogue section which include complete configurations. See index page for overview.

### MOUNTING TOLERANCES

The tolerances of the increments of the column limit the number of shelving bays, which can be built together. Generally the tolerances permit up to 10 successive bays. Above 10 bays it is advised to continue with a starter bay.

### MAXIMUM LOAD

Steel top shelf - max. load of 25 kg.

Steel shelf with backedge - max. load of 80 kg.

Round steel top shelf - max. load of 25 kg.

Round steel shelf with backedge - max. load of 30 kg.

Round steel shelf with backedge and shelf strengthener - max. load of 80 kg.

Wooden top shelf - particleboard - max. load of 25 kg.

Wooden shelf with backedge - block board - max. load of 80 kg.

Steel browser with pull-out frame - max. load of 40 kg

### MOBILE SHELVINGS/CASTORS

Only double-sided shelving units with a max. height of 152 cm and maximum 3 bays can be mounted with castors. Castors are available with or without brakes. Max. load of 120 kg per castor, max. load of 100 kg per hidden castor.

### EXTENSIONS FOR UPRIGHTS

are used to increase the capacity. Enables an extra layer of shelves. Available for single- and double-sided uprights. Can be used for uprights of max. height of 229 cm.

### STABILITY

All uprights are provided with adjustable feet that can be adjusted even when the system is loaded. Single-sided uprights are supplied with anti-topple brackets.

### ROUNDED EDGES

All storage units and brackets have rounded edges.

### BROWSERS

It is important to remember the following, when installing browsers in a shelving system:

- Browsers without tubes are meant for low medias with a maximum height of 20 cm, meaning they are not suited for e.g. picture books, as they may tip over the edge. If you wish to use store/display tall medias in browsers, then it is recommended to use single browsers with tubes, 20 cm in height and to place the books as far back as possible.
- The foot of the upright must minimally be the same depth as the browser, meaning that a 30 cm deep browser must only be installed on a 30 or 40 cm deep upright and a 40 cm deep browser on a 40 cm deep upright.
- We recommend that all shelving systems with browsers are either fixed to the floor or wall.
- Ensure that children do not play/crawl/hang on the shelving system.
- The maximum weight for each pull-out browser is 45 kg.

### ASSEMBLY

No special fittings or tools are needed.

# TECHNICAL SPECIFICATIONS

## STEEL COMPONENTS

### STEEL COMPONENTS

are powder coated with standard polyester based powders that secures high UV resistance. Powders comply with EN 45545 (fire protection - similar to DIN 4201). Thickness of the coating is 60-80 my. The powder used includes no triglycidylisocyanurate (TGIC), no heavy metal-containing pigments such as lead and cadmium and no volatiles

Steel components are not treated with any biocidal products.

Antibacterial equipping of surfaces upon request.

### STEEL UPRIGHTS

are made of steel square tubes. The freestanding single- and double-faced uprights are available in two strengths which are recommended based on load carrying requirements. Choose between configurations with either 60 x 30 mm or 80 x 30 mm external dimensions. The upright is 2 mm thick and the welded foot is 3 mm thick. The uprights allow a wide range of shelves and other functions to be mounted in a row of punched holes with a distance of 25 mm. The uprights are provided with plastic caps to close the tube ends. The uprights are also provided with adjustable feet, adjustable to a max. of 25 mm.

### STEEL WALL STRIPS

are made of 2 mm steel coils. The uprights allow a wide range of shelves and other functions to be mounted in a row of punched holes with a distance of 25 mm.

### STEEL CROSSBARS

are made of 1.4 mm sheet steel. The crossbars are with hooks for easy connection to uprights. The uprights are connected with 2 crossbars for each bay. The top and bottom crossbar have an opening/groove to allow back panels to be fitted to the uprights without the use of special fittings or tools. A third crossbar is used on first and every third 229 and 259 cm high shelving bay. For heavy load it is recommended to use 3 crossbars in each bay. The third crossbar will be mounted at a fixed position using the slots at height 98 cm above the floor.

### STEEL CROSSBARS FOR ROUND SHELVING

are made of 20 x 70 x 2 mm steel square tubes. The crossbars are with connection fittings for easy connection to uprights. The uprights are connected with 2 crossbars for each bay.

### STEEL BRACKETS

are made of 1.4 mm sheet steel.

### STEEL SHELVES/BROWSERS/CABINETS/PULL-OUT SHELVES

are made of 0.9 mm sheet steel. The flat steel shelves have a 25 mm high front edge. The sloping steel shelves are bent in a way so they have a stopper to prevent magazines from sliding off. Flat steel shelves can be mounted in a sloping position by changing brackets.

### STEEL PLINTHS

are 60 mm high and made of 0.9 mm sheet steel.

### LONDON STEEL PLINTHS

are made of 0.9 mm sheet steel over 1 and 2 bays and 1.5 mm sheet steel over 3 bays.

### PERFORATED STEEL END PANELS

are made of 1.4 mm sheet steel. The perforations are Ø4.5 mm.

### LONDON STEEL END PANELS AND TOPS

are made of 1.4 mm sheet steel with a 30 mm wide front edge.

# TECHNICAL SPECIFICATIONS

## WOODEN COMPONENTS

### DENSITY

Particle board has a density of 600-700 kg/m<sup>3</sup>

Block board has a density of 602 m<sup>3</sup> (+/- 2 %)

MDF has a density of 700 kg/m<sup>3</sup> (+/- 5-7 %)

### PAINTED WOODEN COMPONENTS

are made of MDF (medium density fibre board) which is painted with acid lacquer. Standard components have gloss 20 - 30, except for shelves for Expo that have gloss 60 - 70.

#### PAINTED PANELS

are made of 19 mm MDF. The wooden panels are supplied with fittings and hooks for easy connection to uprights.

#### PAINTED DISPLAY PANELS

are made of 22 mm MDF. The wooden panels are supplied with fittings with hooks for easy connection to uprights.

#### PAINTED LONDON WOODEN PANELS AND TOPS

are made of 30 mm MDF. Along the vertical edges of the panel a flat aluminium profile is attached. The aluminium profile is powder coated in the specified colour. The profiles are mounted on the front edge of panels using visible euro screws which are powder coated in the specified colour. The end panels and top are attached to the shelving using steel brackets.

#### PAINTED BACK PANELS

are made of 12 mm MDF.

#### PAINTED TOP SHELVES

are made of 22 mm MDF.

#### PAINTED SHELVES EXPO

are made of 22 mm MDF with special PU paint to increase robustness.

## VENEERED WOODEN COMPONENTS

are mainly lacquered with UV-lacquer.

### VENEERED PANELS

are made of 19 mm particleboard and are veneered with 0.6 mm veneer. All vertical and horizontal edges have a 2 mm veneer edge. The wooden panels are supplied with fittings and hooks for easy connection to uprights.

### VENEERED DISPLAY PANELS

are made of 22 mm MDF and are veneered with 0.6 mm veneer. All vertical and horizontal edges have a 2 mm veneer edge. The wooden panels are supplied with fittings with hooks for easy connection to uprights.

### VENEERED BACK PANELS

are made of 12 mm particleboard and are veneered with 0.6 mm veneer.

### VENEERED SHELVES

are made of 22 mm block board and are veneered with 0.6 mm veneer. The front and back edges have a 2 mm veneer edge.

### VENEERED TOP SHELVES

are made of 22 mm particleboard and are veneered with 0.6 mm veneer. The front and back edges have a 2 mm veneer edge.

### VENEERED CORNER SHELVES

are made of 22 mm particleboard and are veneered with 0.6 mm veneer. The straight edges have a 2 mm veneer edge and the front has a 1 mm wooden edge strip.

# TECHNICAL SPECIFICATIONS

## GLASS COMPONENTS

### **GLASS COMPONENTS**

#### **GLASS END PANELS**

are made of hardened frosted glass. Satimat 10 mm with straight mat facet edges.


# DIMENSIONS

## 60/30 CLASSIC

Please find important dimensions below, configurations can be found on page 26.

### HEIGHTS

The shelving system is available in 5 heights; 92, 122, 152, 182 and 212 cm. Heights include adjustable feet (max. 2.5 cm). The shelves are adjustable in 2.5 cm increments.




### WIDTHS

The bays are available as starter and add-on bays. A starter bay has two uprights and an add-on bay has one upright.

78 cm is shown as module 75 in price list  
93 cm is shown as module 90 in price list  
103.5 is shown as module 100 in price list\*

Module 75, 90 and 100 indicate distance from centre to centre of uprights.

\*The exact measure of module 100 is 100.5 cm



### DEPTHS


The uprights are available in 4 depths:

30 cm for 22.5 cm deep shelves

32 cm for 25 cm deep shelves

37 cm for 30 cm deep shelves

47 cm for 40 cm deep shelves




51 cm for 2 x 22.5 cm deep shelves

56 cm for 2 x 25 cm deep shelves

66 cm for 2 x 30 cm deep shelves

86 cm for 2 x 40 cm deep shelves




# DIMENSIONS

## 80/30 CLASSIC

Please find important dimensions below, configurations can be found on page 40.

### HEIGHTS

80/30 Classic Steel shelving system comes in 3 heights; 199, 229 and 259 cm. Heights include adjustable feet (max. 2.5 cm). The shelves are adjustable in 2.5 cm increments.




### WIDTHS

The bays are available as starter and add-on bays. A starter bay has two uprights and an add-on bay has one upright.

78 cm is shown as module 75 in price list  
93 cm is shown as module 90 in price list  
103.5 is shown as module 100 in price list\*


Module 75, 90 and 100 indicate distance from centre to centre of uprights.

\*The exact measure of module 100 is 100.5 cm




### DEPTHS

The uprights come in 4 depths:  
32 cm for 22.5 cm deep shelves  
34 cm for 25 cm deep shelves  
39 cm for 30 cm deep shelves  
49 cm for 40 cm deep shelves



53 cm for 2x22.5 cm deep shelves  
58 cm for 2x25 cm deep shelves  
68 cm for 2x30 cm deep shelves  
88 cm for 2x40 cm deep shelves




# DIMENSIONS

## 60/30 CLASSIC WALL

Please find important dimensions below, configurations can be found on page 44.

### HEIGHTS

60/30 Classic Steel shelving - Wall system comes in 4 heights; 112.5, 142.5, 172.5 and 202.5 cm. The shelves are adjustable in 2.5 cm increments.




### WIDTHS

The bays are available as starter and add-on bays. A starter bay has two wall strips and an add-on bay has one wall strip.

78 cm is shown as module 75 in price list  
93 cm is shown as module 90 in price list  
103.5 is shown as module 100 in price list\*


Module 75, 90 and 100 indicate distance from centre to centre of uprights.

\*The exact measure of module 100 is 100.5 cm



### DEPTHS

The uprights come in 4 depths:  
24 cm for 22.5 cm deep shelves  
26.5 cm for 25 cm deep shelves  
31.5 cm for 30 cm deep shelves  
41.5 cm for 40 cm deep shelves



# DIMENSIONS

60/30 EXPO

Please find important dimensions below, configurations can be found on page 48.

## HEIGHTS

60/30 Expo is available in heights 122 cm and 152 cm. Heights include adjustable feet (max. 2.5 cm). The shelves are adjustable in 2.5 cm increments.

## WIDTHS


One bay is 130 cm wide.

Two bays are 220 cm wide.

Three bays are 310 cm wide.

## DEPTHS

60/30 Expo is available with a shelf depth of 30 cm.




# DIMENSIONS

## 60/30 CLASSIC ROUND

Please find important dimensions below, configurations can be found on page 154.


### HEIGHTS

60/30 Classic Round Steel Shelving system is available in 5 heights; 92, 122, 152, 182 and 212 cm. Heights include adjustable feet (max. 2.5 cm). The shelves are adjustable in 2.5 cm increments.




### WIDTHS

The bays are available as starter and add-on bays. A starter bay has two uprights and an add-on bay has one upright.



### DEPTHS


The uprights come in one depth:  
66 cm for 2 x 30 cm deep shelves




# DIMENSIONS

## 60/30 CLASSIC ROUND

### 60/30 CLASSIC ROUND 26°



### 60/30 CLASSIC ROUND 18°



# DIMENSIONS

## 60/30 CLASSIC LONDON TOP PLATE

### LONDON WOODEN AND STEEL OVERLAYING TOP PLATES FOR STRAIGHT BAYS

If you build a shelving system with 1, 2 or 3 bays, then you can use just one freestanding top plate.

If you build a shelving system with more than 3 bays, then the overlaying top plates will be a combination of outer and intermediate overlaying top plates.

#### Freestanding wooden overlaying top plate

Is always used for 1 bay and can be used for 1, 2 or 3 bays. The overlaying top plate covers the end panels in both ends.

| Total width mm |      |      |      |
|----------------|------|------|------|
| Module         | 750  | 900  | 1000 |
| 1 bay          | 816  | 966  | 1071 |
| 2 bays         | 1566 | 1866 | 2071 |
| 3 bays         | 2316 | 2766 | -    |

#### Freestanding steel overlaying top plate

Is always used for 1 bay and can be used for up to 2 bays for London Steel. The overlaying top plate fits in between both end panels.

| Total width mm |      |      |      |
|----------------|------|------|------|
| Module         | 750  | 900  | 1000 |
| 1 bay          | 755  | 905  | 1010 |
| 2 bays         | 1505 | 1805 | 2010 |
| 3 bays         | -    | -    | -    |



#### Outer wooden overlaying top plate

Can be used for 1, 2 or 3 bays in combination with either outer or intermediate overlaying top plates. The overlaying top plate covers one end panel.

| Total width mm |      |      |      |
|----------------|------|------|------|
| Module         | 750  | 900  | 1000 |
| 1 bay          | 783  | 933  | 1038 |
| 2 bays         | 1533 | 1833 | 2038 |
| 3 bays         | 2283 | 2733 | -    |

#### Outer steel overlaying top plate

Can be used for 1 and 2 bays in combination with either outer or intermediate overlaying top plates. The overlaying top plate is placed in between the end panel and outer/intermediate top plate.

| Total width mm |      |      |      |
|----------------|------|------|------|
| Module         | 750  | 900  | 1000 |
| 1 bay          | 753  | 903  | 1008 |
| 2 bays         | 1503 | 1803 | 2008 |
| 3 bays         | -    | -    | -    |



#### Intermediate wooden overlaying top plate

Can be used for 1, 2 or 3 bays in combination with either outer or intermediate overlaying top plates. The overlaying top plate is placed next to the outer/intermediate overlaying top plate.

| Total width mm |      |      |      |
|----------------|------|------|------|
| Module         | 750  | 900  | 1000 |
| 1 bay          | 751  | 901  | 1006 |
| 2 bays         | 1501 | 1801 | 2006 |
| 3 bays         | 2251 | 2701 | -    |

#### Intermediate steel overlaying top plate

Can be used for 1 and 2 bays in combination with either outer or intermediate overlaying top plates. The overlaying top plate is placed next to the outer/intermediate overlaying top plate.

| Total width mm |      |      |      |
|----------------|------|------|------|
| Module         | 750  | 900  | 1000 |
| 1 bay          | 750  | 900  | 1005 |
| 2 bays         | 1500 | 1800 | 2005 |
| 3 bays         | -    | -    | -    |



# DIMENSIONS

## 60/30 CLASSIC ROUND LONDON TOP PLATE


### LONDON WOODEN OVERLAYING TOP PLATES FOR ROUND BAYS

Use a freestanding or a combination of outer and intermediate wooden London top plates for your shelving system.

#### Freestanding wooden overlaying top plate

Is always used for 1 bay. The overlaying top plate covers the end panels in both ends.


| Dimensions mm |      |      |      |      |
|---------------|------|------|------|------|
| Bay           | 26°x | 26°y | 18°x | 18°y |
| 1 bay         | 1040 | 724  | 1006 | 707  |



#### Outer wooden overlaying top plate

Can be used in combination with either outer or intermediate top plates. The overlaying top plate covers one end panel.


| Dimensions mm |      |      |      |      |
|---------------|------|------|------|------|
| Bay           | 26°x | 26°y | 18°x | 18°y |
| 1 bay         | 1008 | 724  | 974  | 707  |



#### Intermediate wooden overlaying top plate

Can be used in combination with either outer or intermediate top plates. The overlaying top plate is placed next to the outer/intermediate overlaying top plate.

| Dimensions mm |      |      |      |      |
|---------------|------|------|------|------|
| Bay           | 26°x | 26°y | 18°x | 18°y |
| 1 bay         | 976  | 716  | 941  | 707  |



# DIMENSIONS


## END PANEL BAYS FOR DOUBLE-SIDED 60/30 CLASSIC STEEL SHELVING

Please find important dimensions below, configurations can be found on page [142](#) and [174](#).


### HEIGHTS

The end panel bays comes in 5 heights for double-sided shelving with/without London wooden top plate. Heights include adjustable feet. The shelves are adjustable in 2.5 cm increments.

For double-sided shelving



For double-sided shelving with overlaying London wooden top plate



### WIDTHS


The width of the end panel bays depend on the depth of the double-sided shelving system they are mounted on:

52,8 cm - for 22,5/22,5 cm shelving

57,8 cm - for 25/25 cm shelving

67,8 cm - for 30/30 cm shelving

87,8 cm - for 40/40 cm shelving




### DEPTHS

The end panel bays come in 2 depths:

30,5 cm - for 25 cm deep shelves

35,5 cm - for 30 cm deep shelves







# 60/30 CLASSIC

The following pages will show basic configurations of the 60/30 Classic Steel Shelving system.




# 60/30 CLASSIC

## SINGLE-SIDED - WITHOUT SHELVES

Configurations with uprights, crossbars, fittings and wall securement. Find shelves from page 56.




### Height 92 cm



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120002120000000        | F120012120000000       |
| 75           | 25                | F120002220000000        | F120012220000000       |
| 75           | 30                | F120002320000000        | F120012320000000       |
| 75           | 40                | F120002520000000        | F120012520000000       |
| 90           | 22.5              | F120002130000000        | F120012130000000       |
| 90           | 25                | F120002230000000        | F120012230000000       |
| 90           | 30                | F120002330000000        | F120012330000000       |
| 90           | 40                | F120002530000000        | F120012530000000       |
| 100          | 22.5              | F120002140000000        | F120012140000000       |
| 100          | 25                | F120002240000000        | F120012240000000       |
| 100          | 30                | F120002340000000        | F120012340000000       |
| 100          | 40                | F120002540000000        | F120012540000000       |




### Height 122 cm



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120003120000000        | F120013120000000       |
| 75           | 25                | F120003220000000        | F120013220000000       |
| 75           | 30                | F120003320000000        | F120013320000000       |
| 75           | 40                | F120003520000000        | F120013520000000       |
| 90           | 22.5              | F120003130000000        | F120013130000000       |
| 90           | 25                | F120003230000000        | F120013230000000       |
| 90           | 30                | F120003330000000        | F120013330000000       |
| 90           | 40                | F120003530000000        | F120013530000000       |
| 100          | 22.5              | F120003140000000        | F120013140000000       |
| 100          | 25                | F120003240000000        | F120013240000000       |
| 100          | 30                | F120003340000000        | F120013340000000       |
| 100          | 40                | F120003540000000        | F120013540000000       |



### Height 152 cm



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120004120000000        | F120014120000000       |
| 75           | 25                | F120004220000000        | F120014220000000       |
| 75           | 30                | F120004320000000        | F120014320000000       |
| 75           | 40                | F120004520000000        | F120014520000000       |
| 90           | 22.5              | F120004130000000        | F120014130000000       |
| 90           | 25                | F120004230000000        | F120014230000000       |
| 90           | 30                | F120004330000000        | F120014330000000       |
| 90           | 40                | F120004530000000        | F120014530000000       |
| 100          | 22.5              | F120004140000000        | F120014140000000       |
| 100          | 25                | F120004240000000        | F120014240000000       |
| 100          | 30                | F120004340000000        | F120014340000000       |
| 100          | 40                | F120004540000000        | F120014540000000       |


# 60/30 CLASSIC

## SINGLE-SIDED - WITHOUT SHELVES

Configurations with uprights, crossbars, fittings and wall securement. Find shelves from page 56.




### Height 182 cm



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120005120000000        | F120015120000000       |
| 75           | 25                | F120005220000000        | F120015220000000       |
| 75           | 30                | F120005320000000        | F120015320000000       |
| 75           | 40                | F120005520000000        | F120015520000000       |
| 90           | 22.5              | F120005130000000        | F120015130000000       |
| 90           | 25                | F120005230000000        | F120015230000000       |
| 90           | 30                | F120005330000000        | F120015330000000       |
| 90           | 40                | F120005530000000        | F120015530000000       |
| 100          | 22.5              | F120005140000000        | F120015140000000       |
| 100          | 25                | F120005240000000        | F120015240000000       |
| 100          | 30                | F120005340000000        | F120015340000000       |
| 100          | 40                | F120005540000000        | F120015540000000       |



### Height 212 cm



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120006120000000        | F120016120000000       |
| 75           | 25                | F120006220000000        | F120016220000000       |
| 75           | 30                | F120006320000000        | F120016320000000       |
| 75           | 40                | F120006520000000        | F120016520000000       |
| 90           | 22.5              | F120006130000000        | F120016130000000       |
| 90           | 25                | F120006230000000        | F120016230000000       |
| 90           | 30                | F120006330000000        | F120016330000000       |
| 90           | 40                | F120006530000000        | F120016530000000       |
| 100          | 22.5              | F120006140000000        | F120016140000000       |
| 100          | 25                | F120006240000000        | F120016240000000       |
| 100          | 30                | F120006340000000        | F120016340000000       |
| 100          | 40                | F120006540000000        | F120016540000000       |


# 60/30 CLASSIC

## DOUBLE-SIDED - WITHOUT SHELVES

Configurations with uprights, crossbars and fittings. Find shelves from page 56.




### Height 92 cm



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120022120000000        | F120032120000000       |
| 75           | 25                | F120022220000000        | F120032220000000       |
| 75           | 30                | F120022320000000        | F120032320000000       |
| 75           | 40                | F120022520000000        | F120032520000000       |
| 90           | 22.5              | F120022130000000        | F120032130000000       |
| 90           | 25                | F120022230000000        | F120032230000000       |
| 90           | 30                | F120022330000000        | F120032330000000       |
| 90           | 40                | F120022530000000        | F120032530000000       |
| 100          | 22.5              | F120022140000000        | F120032140000000       |
| 100          | 25                | F120022240000000        | F120032240000000       |
| 100          | 30                | F120022340000000        | F120032340000000       |
| 100          | 40                | F120022540000000        | F120032540000000       |




### Height 122 cm



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120023120000000        | F120033120000000       |
| 75           | 25                | F120023220000000        | F120033220000000       |
| 75           | 30                | F120023320000000        | F120033320000000       |
| 75           | 40                | F120023520000000        | F120033520000000       |
| 90           | 22.5              | F120023130000000        | F120033130000000       |
| 90           | 25                | F120023230000000        | F120033230000000       |
| 90           | 30                | F120023330000000        | F120033330000000       |
| 90           | 40                | F120023530000000        | F120033530000000       |
| 100          | 22.5              | F120023140000000        | F120033140000000       |
| 100          | 25                | F120023240000000        | F120033240000000       |
| 100          | 30                | F120023340000000        | F120033340000000       |
| 100          | 40                | F120023540000000        | F120033540000000       |



### Height 152 cm



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120024120000000        | F120034120000000       |
| 75           | 25                | F120024220000000        | F120034220000000       |
| 75           | 30                | F120024320000000        | F120034320000000       |
| 75           | 40                | F120024520000000        | F120034520000000       |
| 90           | 22.5              | F120024130000000        | F120034130000000       |
| 90           | 25                | F120024230000000        | F120034230000000       |
| 90           | 30                | F120024330000000        | F120034330000000       |
| 90           | 40                | F120024530000000        | F120034530000000       |
| 100          | 22.5              | F120024140000000        | F120034140000000       |
| 100          | 25                | F120024240000000        | F120034240000000       |
| 100          | 30                | F120024340000000        | F120034340000000       |
| 100          | 40                | F120024540000000        | F120034540000000       |


# 60/30 CLASSIC

## DOUBLE-SIDED - WITHOUT SHELVES

Configurations with uprights, crossbars and fittings. Find shelves from page 56.




### Height 182 cm



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120025120000000        | F120035120000000       |
| 75           | 25                | F120025220000000        | F120035220000000       |
| 75           | 30                | F120025320000000        | F120035320000000       |
| 75           | 40                | F120025520000000        | F120035520000000       |
| 90           | 22.5              | F120025130000000        | F120035130000000       |
| 90           | 25                | F120025230000000        | F120035230000000       |
| 90           | 30                | F120025330000000        | F120035330000000       |
| 90           | 40                | F120025530000000        | F120035530000000       |
| 100          | 22.5              | F120025140000000        | F120035140000000       |
| 100          | 25                | F120025240000000        | F120035240000000       |
| 100          | 30                | F120025340000000        | F120035340000000       |
| 100          | 40                | F120025540000000        | F120035540000000       |



### Height 212 cm



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120026120000000        | F120036120000000       |
| 75           | 25                | F120026220000000        | F120036220000000       |
| 75           | 30                | F120026320000000        | F120036320000000       |
| 75           | 40                | F120026520000000        | F120036520000000       |
| 90           | 22.5              | F120026130000000        | F120036130000000       |
| 90           | 25                | F120026230000000        | F120036230000000       |
| 90           | 30                | F120026330000000        | F120036330000000       |
| 90           | 40                | F120026530000000        | F120036530000000       |
| 100          | 22.5              | F120026140000000        | F120036140000000       |
| 100          | 25                | F120026240000000        | F120036240000000       |
| 100          | 30                | F120026340000000        | F120036340000000       |
| 100          | 40                | F120026540000000        | F120036540000000       |


# 60/30 CLASSIC

## SINGLE-SIDED - WITH SHELVES - WITHOUT TOP SHELF

Complete shelving system with uprights, crossbars, shelves, brackets, fittings and wall securement. Shelves are steel shelves with backedge. Number of shelves are calculated for optimal shelf spacing for fiction. A starter bay is delivered with one right and one left bracket per shelf. An add-on bay is delivered with a double bracket per shelf, which places the shelves in the same height as that of the starter bay.




### Height 92 cm (2 shelves)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120002120001101        | F120012120001101       |
| 75           | 25                | F120002220001101        | F120012220001101       |
| 75           | 30                | F120002320001101        | F120012320001101       |
| 75           | 40                | F120002520001101        | F120012520001101       |
| 90           | 22.5              | F120002130001101        | F120012130001101       |
| 90           | 25                | F120002230001101        | F120012230001101       |
| 90           | 30                | F120002330001101        | F120012330001101       |
| 90           | 40                | F120002530001101        | F120012530001101       |
| 100          | 22.5              | F120002140001101        | F120012140001101       |
| 100          | 25                | F120002240001101        | F120012240001101       |
| 100          | 30                | F120002340001101        | F120012340001101       |
| 100          | 40                | F120002540001101        | F120012540001101       |




### Height 122 cm (3 shelves)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120003120001201        | F120013120001201       |
| 75           | 25                | F120003220001201        | F120013220001201       |
| 75           | 30                | F120003320001201        | F120013320001201       |
| 75           | 40                | F120003520001201        | F120013520001201       |
| 90           | 22.5              | F120003130001201        | F120013130001201       |
| 90           | 25                | F120003230001201        | F120013230001201       |
| 90           | 30                | F120003330001201        | F120013330001201       |
| 90           | 40                | F120003530001201        | F120013530001201       |
| 100          | 22.5              | F120003140001201        | F120013140001201       |
| 100          | 25                | F120003240001201        | F120013240001201       |
| 100          | 30                | F120003340001201        | F120013340001201       |
| 100          | 40                | F120003540001201        | F120013540001201       |



### Height 152 cm (4 shelves)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120004120001301        | F120014120001301       |
| 75           | 25                | F120004220001301        | F120014220001301       |
| 75           | 30                | F120004320001301        | F120014320001301       |
| 75           | 40                | F120004520001301        | F120014520001301       |
| 90           | 22.5              | F120004130001301        | F120014130001301       |
| 90           | 25                | F120004230001301        | F120014230001301       |
| 90           | 30                | F120004330001301        | F120014330001301       |
| 90           | 40                | F120004530001301        | F120014530001301       |
| 100          | 22.5              | F120004140001301        | F120014140001301       |
| 100          | 25                | F120004240001301        | F120014240001301       |
| 100          | 30                | F120004340001301        | F120014340001301       |
| 100          | 40                | F120004540001301        | F120014540001301       |


# 60/30 CLASSIC

## SINGLE-SIDED - WITH SHELVES - WITHOUT TOP SHELF

Complete shelving system with uprights, crossbars, shelves, brackets, fittings and wall securement. Shelves are steel shelves with backedge. Number of shelves are calculated for optimal shelf spacing for fiction. A starter bay is delivered with one right and one left bracket per shelf. An add-on bay is delivered with a double bracket per shelf, which places the shelves in the same height as that of the starter bay.




### Height 182 cm (5 shelves)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120005120001401        | F120015120001401       |
| 75           | 25                | F120005220001401        | F120015220001401       |
| 75           | 30                | F120005320001401        | F120015320001401       |
| 75           | 40                | F120005520001401        | F120015520001401       |
| 90           | 22.5              | F120005130001401        | F120015130001401       |
| 90           | 25                | F120005230001401        | F120015230001401       |
| 90           | 30                | F120005330001401        | F120015330001401       |
| 90           | 40                | F120005530001401        | F120015530001401       |
| 100          | 22.5              | F120005140001401        | F120015140001401       |
| 100          | 25                | F120005240001401        | F120015240001401       |
| 100          | 30                | F120005340001401        | F120015340001401       |
| 100          | 40                | F120005540001401        | F120015540001401       |



### Height 212 cm (6 shelves)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120006120001501        | F120016120001501       |
| 75           | 25                | F120006220001501        | F120016220001501       |
| 75           | 30                | F120006320001501        | F120016320001501       |
| 75           | 40                | F120006520001501        | F120016520001501       |
| 90           | 22.5              | F120006130001501        | F120016130001501       |
| 90           | 25                | F120006230001501        | F120016230001501       |
| 90           | 30                | F120006330001501        | F120016330001501       |
| 90           | 40                | F120006530001501        | F120016530001501       |
| 100          | 22.5              | F120006140001501        | F120016140001501       |
| 100          | 25                | F120006240001501        | F120016240001501       |
| 100          | 30                | F120006340001501        | F120016340001501       |
| 100          | 40                | F120006540001501        | F120016540001501       |

# 60/30 CLASSIC

## DOUBLE-SIDED - WITH SHELVES - WITHOUT TOP SHELF

Complete shelving system with uprights, crossbars, shelves, brackets and fittings. Shelves are steel shelves with backedge. Number of shelves are calculated for optimal shelf spacing for fiction. A starter bay is delivered with one right and one left bracket per shelf. An add-on bay is delivered with a double bracket per shelf, which places the shelves in the same height as that of the starter bay.



### Height 92 cm (2 shelves on each side)

|  | Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--|--------------|-------------------|-------------------------|------------------------|
|  | 75           | 22.5              | F120022120001101        | F120032120001101       |
|  | 75           | 25                | F120022220001101        | F120032220001101       |
|  | 75           | 30                | F120022320001101        | F120032320001101       |
|  | 75           | 40                | F120022520001101        | F120032520001101       |
|  | 90           | 22.5              | F120022130001101        | F120032130001101       |
|  | 90           | 25                | F120022230001101        | F120032230001101       |
|  | 90           | 30                | F120022330001101        | F120032330001101       |
|  | 90           | 40                | F120022530001101        | F120032530001101       |
|  | 100          | 22.5              | F120022140001101        | F120032140001101       |
|  | 100          | 25                | F120022240001101        | F120032240001101       |
|  | 100          | 30                | F120022340001101        | F120032340001101       |
|  | 100          | 40                | F120022540001101        | F120032540001101       |



### Height 122 cm (3 shelves on each side)

|  | Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--|--------------|-------------------|-------------------------|------------------------|
|  | 75           | 22.5              | F120023120001201        | F120033120001201       |
|  | 75           | 25                | F120023220001201        | F120033220001201       |
|  | 75           | 30                | F120023320001201        | F120033320001201       |
|  | 75           | 40                | F120023520001201        | F120033520001201       |
|  | 90           | 22.5              | F120023130001201        | F120033130001201       |
|  | 90           | 25                | F120023230001201        | F120033230001201       |
|  | 90           | 30                | F120023330001201        | F120033330001201       |
|  | 90           | 40                | F120023530001201        | F120033530001201       |
|  | 100          | 22.5              | F120023140001201        | F120033140001201       |
|  | 100          | 25                | F120023240001201        | F120033240001201       |
|  | 100          | 30                | F120023340001201        | F120033340001201       |
|  | 100          | 40                | F120023540001201        | F120033540001201       |



### Height 152 cm (4 shelves on each side)

|  | Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--|--------------|-------------------|-------------------------|------------------------|
|  | 75           | 22.5              | F120024120001301        | F120034120001301       |
|  | 75           | 25                | F120024220001301        | F120034220001301       |
|  | 75           | 30                | F120024320001301        | F120034320001301       |
|  | 75           | 40                | F120024520001301        | F120034520001301       |
|  | 90           | 22.5              | F120024130001301        | F120034130001301       |
|  | 90           | 25                | F120024230001301        | F120034230001301       |
|  | 90           | 30                | F120024330001301        | F120034330001301       |
|  | 90           | 40                | F120024530001301        | F120034530001301       |
|  | 100          | 22.5              | F120024140001301        | F120034140001301       |
|  | 100          | 25                | F120024240001301        | F120034240001301       |
|  | 100          | 30                | F120024340001301        | F120034340001301       |
|  | 100          | 40                | F120024540001301        | F120034540001301       |


# 60/30 CLASSIC

## DOUBLE-SIDED - WITH SHELVES - WITHOUT TOP SHELF

Complete shelving system with uprights, crossbars, shelves, brackets and fittings. Shelves are steel shelves with backedge. Number of shelves are calculated for optimal shelf spacing for fiction. A starter bay is delivered with one right and one left bracket per shelf. An add-on bay is delivered with a double bracket per shelf, which places the shelves in the same height as that of the starter bay.




### Height 182 cm (5 shelves on each side)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120025120001401        | F120035120001401       |
| 75           | 25                | F120025220001401        | F120035220001401       |
| 75           | 30                | F120025320001401        | F120035320001401       |
| 75           | 40                | F120025520001401        | F120035520001401       |
| 90           | 22.5              | F120025130001401        | F120035130001401       |
| 90           | 25                | F120025230001401        | F120035230001401       |
| 90           | 30                | F120025330001401        | F120035330001401       |
| 90           | 40                | F120025530001401        | F120035530001401       |
| 100          | 22.5              | F120025140001401        | F120035140001401       |
| 100          | 25                | F120025240001401        | F120035240001401       |
| 100          | 30                | F120025340001401        | F120035340001401       |
| 100          | 40                | F120025540001401        | F120035540001401       |



### Height 212 cm (6 shelves on each side)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120026120001501        | F120036120001501       |
| 75           | 25                | F120026220001501        | F120036220001501       |
| 75           | 30                | F120026320001501        | F120036320001501       |
| 75           | 40                | F120026520001501        | F120036520001501       |
| 90           | 22.5              | F120026130001501        | F120036130001501       |
| 90           | 25                | F120026230001501        | F120036230001501       |
| 90           | 30                | F120026330001501        | F120036330001501       |
| 90           | 40                | F120026530001501        | F120036530001501       |
| 100          | 22.5              | F120026140001501        | F120036140001501       |
| 100          | 25                | F120026240001501        | F120036240001501       |
| 100          | 30                | F120026340001501        | F120036340001501       |
| 100          | 40                | F120026540001501        | F120036540001501       |


# 60/30 CLASSIC

## SINGLE-SIDED - WITH SHELVES AND TOP SHELF

Complete shelving system with uprights, crossbars, shelves, top shelf, brackets, fittings and wall securement. Shelves are steel shelves with backedge, top shelf is steel shelf without backedge. Number of shelves are calculated for optimal shelf spacing for fiction. A starter bay is delivered with one right and one left bracket per shelf. An add-on bay is delivered with a double bracket per shelf, which places the shelves in the same height as that of the starter bay.




### Height 92 cm (2 shelves + top shelf)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120002120101101        | F120012120101101       |
| 75           | 25                | F120002220101101        | F120012220101101       |
| 75           | 30                | F120002320101101        | F120012320101101       |
| 75           | 40                | F120002520101101        | F120012520101101       |
| 90           | 22.5              | F120002130101101        | F120012130101101       |
| 90           | 25                | F120002230101101        | F120012230101101       |
| 90           | 30                | F120002330101101        | F120012330101101       |
| 90           | 40                | F120002530101101        | F120012530101101       |
| 100          | 22.5              | F120002140101101        | F120012140101101       |
| 100          | 25                | F120002240101101        | F120012240101101       |
| 100          | 30                | F120002340101101        | F120012340101101       |
| 100          | 40                | F120002540101101        | F120012540101101       |




### Height 122 cm (3 shelves + top shelf)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120003120101201        | F120013120101201       |
| 75           | 25                | F120003220101201        | F120013220101201       |
| 75           | 30                | F120003320101201        | F120013320101201       |
| 75           | 40                | F120003520101201        | F120013520101201       |
| 90           | 22.5              | F120003130101201        | F120013130101201       |
| 90           | 25                | F120003230101201        | F120013230101201       |
| 90           | 30                | F120003330101201        | F120013330101201       |
| 90           | 40                | F120003530101201        | F120013530101201       |
| 100          | 22.5              | F120003140101201        | F120013140101201       |
| 100          | 25                | F120003240101201        | F120013240101201       |
| 100          | 30                | F120003340101201        | F120013340101201       |
| 100          | 40                | F120003540101201        | F120013540101201       |



### Height 152 cm (4 shelves + top shelf)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120004120101301        | F120014120101301       |
| 75           | 25                | F120004220101301        | F120014220101301       |
| 75           | 30                | F120004320101301        | F120014320101301       |
| 75           | 40                | F120004520101301        | F120014520101301       |
| 90           | 22.5              | F120004130101301        | F120014130101301       |
| 90           | 25                | F120004230101301        | F120014230101301       |
| 90           | 30                | F120004330101301        | F120014330101301       |
| 90           | 40                | F120004530101301        | F120014530101301       |
| 100          | 22.5              | F120004140101301        | F120014140101301       |
| 100          | 25                | F120004240101301        | F120014240101301       |
| 100          | 30                | F120004340101301        | F120014340101301       |
| 100          | 40                | F120004540101301        | F120014540101301       |


# 60/30 CLASSIC

## SINGLE-SIDED - WITH SHELVES AND TOP SHELF

Complete shelving system with uprights, crossbars, shelves, top shelf, brackets, fittings and wall securement. Shelves are steel shelves with backedge, top shelf is steel shelf without backedge. Number of shelves are calculated for optimal shelf spacing for fiction. A starter bay is delivered with one right and one left bracket per shelf. An add-on bay is delivered with a double bracket per shelf, which places the shelves in the same height as that of the starter bay.




### Height 182 cm (5 shelves + top shelf)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120005120101401        | F120015120101401       |
| 75           | 25                | F120005220101401        | F120015220101401       |
| 75           | 30                | F120005320101401        | F120015320101401       |
| 75           | 40                | F120005520101401        | F120015520101401       |
| 90           | 22.5              | F120005130101401        | F120015130101401       |
| 90           | 25                | F120005230101401        | F120015230101401       |
| 90           | 30                | F120005330101401        | F120015330101401       |
| 90           | 40                | F120005530101401        | F120015530101401       |
| 100          | 22.5              | F120005140101401        | F120015140101401       |
| 100          | 25                | F120005240101401        | F120015240101401       |
| 100          | 30                | F120005340101401        | F120015340101401       |
| 100          | 40                | F120005540101401        | F120015540101401       |



### Height 212 cm (6 shelves + top shelf)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120006120101501        | F120016120101501       |
| 75           | 25                | F120006220101501        | F120016220101501       |
| 75           | 30                | F120006320101501        | F120016320101501       |
| 75           | 40                | F120006520101501        | F120016520101501       |
| 90           | 22.5              | F120006130101501        | F120016130101501       |
| 90           | 25                | F120006230101501        | F120016230101501       |
| 90           | 30                | F120006330101501        | F120016330101501       |
| 90           | 40                | F120006530101501        | F120016530101501       |
| 100          | 22.5              | F120006140101501        | F120016140101501       |
| 100          | 25                | F120006240101501        | F120016240101501       |
| 100          | 30                | F120006340101501        | F120016340101501       |
| 100          | 40                | F120006540101501        | F120016540101501       |


# 60/30 CLASSIC

## DOUBLE-SIDED - WITH SHELVES AND TOP SHELVES

Complete shelving system with uprights, crossbars, shelves, top shelf, brackets and fittings. Shelves are steel shelves with backedge, top shelf is steel shelf without backedge. Number of shelves are calculated for optimal shelf spacing for fiction. A starter bay is delivered with one right and one left bracket per shelf. An add-on bay is delivered with a double bracket per shelf, which places the shelves in the same height as that of the starter bay.




### Height 92 cm (2 shelves + top shelf on each side)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F12002212010110         | F120032120101101       |
| 75           | 25                | F12002222010110         | F120032220101101       |
| 75           | 30                | F12002232010110         | F120032320101101       |
| 75           | 40                | F12002252010110         | F120032520101101       |
| 90           | 22.5              | F12002213010110         | F120032130101101       |
| 90           | 25                | F12002223010110         | F120032230101101       |
| 90           | 30                | F12002233010110         | F120032330101101       |
| 90           | 40                | F12002253010110         | F120032530101101       |
| 100          | 22.5              | F12002214010110         | F120032140101101       |
| 100          | 25                | F12002224010110         | F120032240101101       |
| 100          | 30                | F12002234010110         | F120032340101101       |
| 100          | 40                | F12002254010110         | F120032540101101       |




### Height 122 cm (3 shelves + top shelf on each side)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F12002312010120         | F120033120101201       |
| 75           | 25                | F12002322010120         | F120033220101201       |
| 75           | 30                | F12002332010120         | F120033320101201       |
| 75           | 40                | F12002352010120         | F120033520101201       |
| 90           | 22.5              | F12002313010120         | F120033130101201       |
| 90           | 25                | F12002323010120         | F120033230101201       |
| 90           | 30                | F12002333010120         | F120033330101201       |
| 90           | 40                | F12002353010120         | F120033530101201       |
| 100          | 22.5              | F12002314010120         | F120033140101201       |
| 100          | 25                | F12002324010120         | F120033240101201       |
| 100          | 30                | F12002334010120         | F120033340101201       |
| 100          | 40                | F12002354010120         | F120033540101201       |



### Height 152 cm (4 shelves + top shelf on each side)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F12002412010130         | F120034120101301       |
| 75           | 25                | F12002422010130         | F120034220101301       |
| 75           | 30                | F12002432010130         | F120034320101301       |
| 75           | 40                | F12002452010130         | F120034520101301       |
| 90           | 22.5              | F12002413010130         | F120034130101301       |
| 90           | 25                | F12002423010130         | F120034230101301       |
| 90           | 30                | F12002433010130         | F120034330101301       |
| 90           | 40                | F12002453010130         | F120034530101301       |
| 100          | 22.5              | F12002414010130         | F120034140101301       |
| 100          | 25                | F12002424010130         | F120034240101301       |
| 100          | 30                | F12002434010130         | F120034340101301       |
| 100          | 40                | F12002454010130         | F120034540101301       |


# 60/30 CLASSIC

## DOUBLE-SIDED - WITH SHELVES AND TOP SHELVES

Complete shelving system with uprights, crossbars, shelves, top shelf, brackets and fittings. Shelves are steel shelves with backedge, top shelf is steel shelf without backedge. Number of shelves are calculated for optimal shelf spacing for fiction. A starter bay is delivered with one right and one left bracket per shelf. An add-on bay is delivered with a double bracket per shelf, which places the shelves in the same height as that of the starter bay.




### Height 182 cm (5 shelves + top shelf on each side)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120025120101401        | F120035120101401       |
| 75           | 25                | F120025220101401        | F120035220101401       |
| 75           | 30                | F120025320101401        | F120035320101401       |
| 75           | 40                | F120025520101401        | F120035520101401       |
| 90           | 22.5              | F120025130101401        | F120035130101401       |
| 90           | 25                | F120025230101401        | F120035230101401       |
| 90           | 30                | F120025330101401        | F120035330101401       |
| 90           | 40                | F120025530101401        | F120035530101401       |
| 100          | 22.5              | F120025140101401        | F120035140101401       |
| 100          | 25                | F120025240101401        | F120035240101401       |
| 100          | 30                | F120025340101401        | F120035340101401       |
| 100          | 40                | F120025540101401        | F120035540101401       |



### Height 212 cm (6 shelves + top shelf on each side)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120026120101501        | F120036120101501       |
| 75           | 25                | F120026220101501        | F120036220101501       |
| 75           | 30                | F120026320101501        | F120036320101501       |
| 75           | 40                | F120026520101501        | F120036520101501       |
| 90           | 22.5              | F120026130101501        | F120036130101501       |
| 90           | 25                | F120026230101501        | F120036230101501       |
| 90           | 30                | F120026330101501        | F120036330101501       |
| 90           | 40                | F120026530101501        | F120036530101501       |
| 100          | 22.5              | F120026140101501        | F120036140101501       |
| 100          | 25                | F120026240101501        | F120036240101501       |
| 100          | 30                | F120026340101501        | F120036340101501       |
| 100          | 40                | F120026540101501        | F120036540101501       |



# 80/30 CLASSIC STEEL SHELVING

The following pages will show basic configurations of the 60/30 Classic Steel Shelving system based on 80/30 upright installations. The wider construction of this upright allows for greater total weight and also a taller construction.




# 80/30 CLASSIC STEEL SHELVING

## SINGLE-SIDED - WITH TOP SHELF

Complete shelving system with uprights, crossbars, shelves, top shelf, brackets, fittings and wall securement. Shelves are steel shelves with backedge, top shelf is steel shelf without backedge. Number of shelves are calculated for optimal shelf spacing for fiction. A starter bay is delivered with one right and one left bracket per shelf. An add-on bay is delivered with a double bracket per shelf, which places the shelves in the same height as that of the starter bay. Please note that standard end panels do not fit on 80/30 steel shelving and must be ordered specially, please contact customer service.




### Height 199 cm (5 shelves + top shelf)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120201120101401        | F120211120101401       |
| 75           | 25                | F120201220101401        | F120211220101401       |
| 75           | 30                | F120201320101401        | F120211320101401       |
| 75           | 40                | F120201520101401        | F120211520101401       |
| 90           | 22.5              | F120201130101401        | F120211130101401       |
| 90           | 25                | F120201230101401        | F120211230101401       |
| 90           | 30                | F120201330101401        | F120211330101401       |
| 90           | 40                | F120201530101401        | F120211530101401       |
| 100          | 22.5              | F120201140101401        | F120211140101401       |
| 100          | 25                | F120201240101401        | F120211240101401       |
| 100          | 30                | F120201340101401        | F120211340101401       |
| 100          | 40                | F120201540101401        | F120211540101401       |




### Height 229 cm (6 shelves + top shelf)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120202120101501        | F120212120101501       |
| 75           | 25                | F120202220101501        | F120212220101501       |
| 75           | 30                | F120202320101501        | F120212320101501       |
| 75           | 40                | F120202520101501        | F120212520101501       |
| 90           | 22.5              | F120202130101501        | F120212130101501       |
| 90           | 25                | F120202230101501        | F120212230101501       |
| 90           | 30                | F120202330101501        | F120212330101501       |
| 90           | 40                | F120202530101501        | F120212530101501       |
| 100          | 22.5              | F120202140101501        | F120212140101501       |
| 100          | 25                | F120202240101501        | F120212240101501       |
| 100          | 30                | F120202340101501        | F120212340101501       |
| 100          | 40                | F120202540101501        | F120212540101501       |



### Height 259 cm (7 shelves + top shelf)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120203120101501        | F120213120101601       |
| 75           | 25                | F120203220101501        | F120213220101601       |
| 75           | 30                | F120203320101501        | F120213320101601       |
| 75           | 40                | F120203520101501        | F120213520101601       |
| 90           | 22.5              | F120203130101501        | F120213130101601       |
| 90           | 25                | F120203230101501        | F120213230101601       |
| 90           | 30                | F120203330101501        | F120213330101601       |
| 90           | 40                | F120203530101501        | F120213530101601       |
| 100          | 22.5              | F120203140101501        | F120213140101601       |
| 100          | 25                | F120203240101501        | F120213240101601       |
| 100          | 30                | F120203340101501        | F120213340101601       |
| 100          | 40                | F120203540101501        | F120213540101601       |


# 80/30 CLASSIC STEEL SHELVING

## DOUBLE-SIDED - WITH TOP SHELF

Complete shelving system with uprights, crossbars, shelves, top shelf, brackets and fittings. Shelves are steel shelves with backedge, top shelf is steel shelf without backedge. Number of shelves are calculated for optimal shelf spacing for fiction. A starter bay is delivered with one right and one left bracket per shelf. An add-on bay is delivered with a double bracket per shelf, which places the shelves in the same height as that of the starter bay. Please note that standard end panels do not fit on 80/30 steel shelving and must be ordered specially, please contact customer service.




### Height 199 cm (5 shelves + top shelf on each side)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120221120101401        | F120231120101401       |
| 75           | 25                | F120221220101401        | F120231220101401       |
| 75           | 30                | F120221320101401        | F120231320101401       |
| 75           | 40                | F120221520101401        | F120231520101401       |
| 90           | 22.5              | F120221130101401        | F120231130101401       |
| 90           | 25                | F120221230101401        | F120231230101401       |
| 90           | 30                | F120221330101401        | F120231330101401       |
| 90           | 40                | F120221530101401        | F120231530101401       |
| 100          | 22.5              | F120221140101401        | F120231140101401       |
| 100          | 25                | F120221240101401        | F120231240101401       |
| 100          | 30                | F120221340101401        | F120231340101401       |
| 100          | 40                | F120221540101401        | F120231540101401       |



### Height 229 cm (6 shelves + top shelf on each side)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120222120101501        | F120232120101501       |
| 75           | 25                | F120222220101501        | F120232220101501       |
| 75           | 30                | F120222320101501        | F120232320101501       |
| 75           | 40                | F120222520101501        | F120232520101501       |
| 90           | 22.5              | F120222130101501        | F120232130101501       |
| 90           | 25                | F120222230101501        | F120232230101501       |
| 90           | 30                | F120222330101501        | F120232330101501       |
| 90           | 40                | F120222530101501        | F120232530101501       |
| 100          | 22.5              | F120222140101501        | F120232140101501       |
| 100          | 25                | F120222240101501        | F120232240101501       |
| 100          | 30                | F120222340101501        | F120232340101501       |
| 100          | 40                | F120222540101501        | F120232540101501       |



### Height 259 cm (7 shelves + top shelf on each side)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120223120101601        | F120233120101601       |
| 75           | 25                | F120223220101601        | F120233220101601       |
| 75           | 30                | F120223320101601        | F120233320101601       |
| 75           | 40                | F120223520101601        | F120233520101601       |
| 90           | 22.5              | F120223130101601        | F120233130101601       |
| 90           | 25                | F120223230101601        | F120233230101601       |
| 90           | 30                | F120223330101601        | F120233330101601       |
| 90           | 40                | F120223530101601        | F120233530101601       |
| 100          | 22.5              | F120223140101601        | F120233140101601       |
| 100          | 25                | F120223240101601        | F120233240101601       |
| 100          | 30                | F120223340101601        | F120233340101601       |
| 100          | 40                | F120223540101601        | F120233540101601       |



# 60/30 CLASSIC STEEL SHELVING - WALL

The following pages will show basic configurations of the 60/30 Classic Steel Shelving system based on 60/30 Classic wall strip installations.




# CLASSIC STEEL SHELVING - WALL

## WITH TOP SHELF

Complete shelving system with wall strips, shelves, top shelf, brackets and fittings. Shelves are steel shelves with backedge, top shelf is steel shelf without backedge. Number of shelves are calculated for optimal shelf spacing for fiction. A starter bay is delivered with one right and one left bracket per shelf. An add-on bay is delivered with a double bracket per shelf, which places the shelves in the same height as that of the starter bay. Please note that standard end panels do not fit on 60/30 wall steel shelving and must be ordered specially, please contact customer service.




### Height 112.5 cm (3 shelves + top shelf)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120301120101201        | F120311120101201       |
| 75           | 25                | F120301220101201        | F120311220101201       |
| 75           | 30                | F120301320101201        | F120311320101201       |
| 75           | 40                | F120301520101201        | F120311520101201       |
| 90           | 22.5              | F120301130101201        | F120311130101201       |
| 90           | 25                | F120301230101201        | F120311230101201       |
| 90           | 30                | F120301330101201        | F120311330101201       |
| 90           | 40                | F120301530101201        | F120311530101201       |
| 100          | 22.5              | F120301140101201        | F120311140101201       |
| 100          | 25                | F120301240101201        | F120311240101201       |
| 100          | 30                | F120301340101201        | F120311340101201       |
| 100          | 40                | F120301540101201        | F120311540101201       |



### Height 142.5 cm (4 shelves + top shelf)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120302120101301        | F120312120101301       |
| 75           | 25                | F120302220101301        | F120312220101301       |
| 75           | 30                | F120302320101301        | F120312320101301       |
| 75           | 40                | F120302520101301        | F120312520101301       |
| 90           | 22.5              | F120302130101301        | F120312130101301       |
| 90           | 25                | F120302230101301        | F120312230101301       |
| 90           | 30                | F120302330101301        | F120312330101301       |
| 90           | 40                | F120302530101301        | F120312530101301       |
| 100          | 22.5              | F120302140101301        | F120312140101301       |
| 100          | 25                | F120302240101301        | F120312240101301       |
| 100          | 30                | F120302340101301        | F120312340101301       |
| 100          | 40                | F120302540101301        | F120312540101301       |



# CLASSIC STEEL SHELVING - WALL

## WITH TOP SHELF

Complete shelving system with wall strips, shelves, top shelf, brackets and fittings. Shelves are steel shelves with backedge, top shelf is steel shelf without backedge. Number of shelves are calculated for optimal shelf spacing for fiction. A starter bay is delivered with one right and one left bracket per shelf. An add-on bay is delivered with a double bracket per shelf, which places the shelves in the same height as that of the starter bay. Please note that standard end panels do not fit on 60/30 wall steel shelving and must be ordered specially, please contact customer service.





### Height 172.5 cm (5 shelves + top shelf)




| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120303120101401        | F120313120101401       |
| 75           | 25                | F120303220101401        | F120313220101401       |
| 75           | 30                | F120303320101401        | F120313320101401       |
| 75           | 40                | F120303520101401        | F120313520101401       |
| 90           | 22.5              | F120303130101401        | F120313130101401       |
| 90           | 25                | F120303230101401        | F120313230101401       |
| 90           | 30                | F120303330101401        | F120313330101401       |
| 90           | 40                | F120303530101401        | F120313530101401       |
| 100          | 22.5              | F120303140101401        | F120313140101401       |
| 100          | 25                | F120303240101401        | F120313240101401       |
| 100          | 30                | F120303340101401        | F120313340101401       |
| 100          | 40                | F120303540101401        | F120313540101401       |



### Height 202.5 cm (6 shelves + top shelf)



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F120304120101501        | F120314120101501       |
| 75           | 25                | F120304220101501        | F120314220101501       |
| 75           | 30                | F120304320101501        | F120314320101501       |
| 75           | 40                | F120304520101501        | F120314520101501       |
| 90           | 22.5              | F120304130101501        | F120314130101501       |
| 90           | 25                | F120304230101501        | F120314230101501       |
| 90           | 30                | F120304330101501        | F120314330101501       |
| 90           | 40                | F120304530101501        | F120314530101501       |
| 100          | 22.5              | F120304140101501        | F120314140101501       |
| 100          | 25                | F120304240101501        | F120314240101501       |
| 100          | 30                | F120304340101501        | F120314340101501       |
| 100          | 40                | F120304540101501        | F120314540101501       |



# 60/30 EXPO

On the following pages you will find a selection of 60/30 Expo configurations including prices and lists of components included in the specific configuration. Please note that other configurations are available.

60/30 Expo is available as double-sided over a maximum of 3 bays. It consists of components, which are used for the 60/30 Classic shelving configurations along with a series of specific 60/30 Expo components. 60/30 Expo is made of steel uprights, painted wooden shelves and acrylic display shelves. The steel uprights and painted wooden shelves are available in all our standard colours. Note that wooden shelves cannot be placed next to an acrylic shelf.



## Acrylic display shelf

| Shelf depth<br>cm | Item no.   |
|-------------------|------------|
| 30                | S47705D733 |



## Bracket for shelf

| Shelf depth<br>cm | Item no. |
|-------------------|----------|
| 30                | S477203  |



## Double-sided bottom shelf with round corners



| No. of<br>bays | Item no.<br>Painted |
|----------------|---------------------|
| 1              | S4765033261         |
| 2              | S4765033262         |
| 3              | S4765033263         |



## Double-sided shelf with round corners




| No. of<br>bays | Item no.<br>Painted |
|----------------|---------------------|
| 1              | S4754033261         |
| 2              | S4754033262         |
| 3              | S4754033263         |



## Castors

H9.9 cm.




| Brakes  | Item no. |
|---------|----------|
| Without | S019030  |
| With    | S019031  |

# 60/30 EXPO

DOUBLE-SIDED - H122 CM - 1 BAY

Height 122 cm - 1 bay

Module 90 cm / depth 30 cm



The configurations consist of the following components:

| Component    | Round corners<br>Item no. | Quantity |
|--------------|---------------------------|----------|
| Upright      | B301000232                | 2        |
| Crossbar     | B3010129                  | 2        |
| Back panel   | B301900295                | 1        |
| Bottom shelf | B30850539215              | 1        |


Round corners  
Configuration

Expo 121



Height 122 cm - 1 bay

Module 90 cm / depth 30 cm



The configurations consist of the following components:

| Component             | Round corners<br>Item no. | Quantity |
|-----------------------|---------------------------|----------|
| Upright               | B301000232                | 2        |
| Crossbar              | B3010129                  | 2        |
| Back panel            | B301900295                | 1        |
| Bottom shelf          | B30850539215              | 1        |
| Acrylic display shelf | B30850039                 | 2        |


Round corners  
Configuration

Expo 122



Height 122 cm - 1 bay

Module 90 cm / depth 30 cm



The configurations consist of the following components:

| Component             | Round corners<br>Item no. | Quantity |
|-----------------------|---------------------------|----------|
| Upright               | B301000232                | 2        |
| Crossbar              | B3010129                  | 2        |
| Bottom shelf          | B30850539215              | 1        |
| Acrylic display shelf | B30850039                 | 2        |
| Shelf                 | B30850839215              | 1        |
| Bracket for shelf     | B3085043                  | 4        |

Round corners  
Configuration

Expo 123



Height 122 cm - 1 bay

Module 90 cm / depth 30 cm



The configurations consist of the following components:

| Component         | Round corners<br>Item no. | Quantity |
|-------------------|---------------------------|----------|
| Upright           | B301000232                | 2        |
| Crossbar          | B3010129                  | 2        |
| Bottom shelf      | B30850539215              | 1        |
| Shelf             | B30850839215              | 3        |
| Bracket for shelf | B3085043                  | 12       |

Round corners  
Configuration

Expo 124


# 60/30 EXPO

DOUBLE-SIDED - H122 CM - 2 & 3 BAYS



Height 122 cm - 2 bays

Module 90 cm / depth 30 cm



The configurations consist of the following components:

| Component             | Round corners<br>Item no. | Quantity |
|-----------------------|---------------------------|----------|
| Upright               | B301000232                | 3        |
| Crossbar              | B3010129                  | 4        |
| Bottom shelf          | B30850539225              | 1        |
| Acrylic display shelf | B30850039                 | 4        |
| Shelf                 | B30850839225              | 1        |
| Bracket for shelf     | B3085043                  | 6        |


Round corners  
Configuration

Expo 125



Height 122 cm - 2 bays

Module 90 cm / depth 30 cm



The configurations consist of the following components:

| Component         | Round corners<br>Item no. | Quantity |
|-------------------|---------------------------|----------|
| Upright           | B301000232                | 3        |
| Crossbar          | B3010129                  | 4        |
| Bottom shelf      | B30850539225              | 1        |
| Shelf             | B30850839225              | 3        |
| Bracket for shelf | B3085043                  | 18       |


Round corners  
Configuration

Expo 126



Height 122 cm - 3 bays

Module 90 cm / depth 30 cm



The configurations consist of the following components:

| Component         | Round corners<br>Item no. | Quantity |
|-------------------|---------------------------|----------|
| Upright           | B301000232                | 4        |
| Crossbar          | B3010129                  | 6        |
| Bottom shelf      | B30850539235              | 1        |
| Shelf             | B30850839235              | 3        |
| Bracket for shelf | B3085043                  | 24       |

Round corners  
Configuration

Expo 127

# 60/30 EXPO

DOUBLE-SIDED - H152 CM - 1 BAY



Height 152 cm - 1 bay

Module 90 cm / depth 30 cm



The configurations consist of the following components:

| Component    | Round corners<br>Item no. | Quantity |
|--------------|---------------------------|----------|
| Upright      | B301000532                | 2        |
| Crossbar     | B3010129                  | 2        |
| Back panel   | B301900595                | 1        |
| Bottom shelf | B30850539215              | 1        |


Round corners  
Configuration

Expo 151



Height 152 cm - 1 bay

Module 90 cm / depth 30 cm



The configurations consist of the following components:

| Component             | Round corners<br>Item no. | Quantity |
|-----------------------|---------------------------|----------|
| Upright               | B301000532                | 2        |
| Crossbar              | B3010129                  | 2        |
| Back panel            | B301900595                | 1        |
| Bottom shelf          | B30850539215              | 1        |
| Acrylic display shelf | B30850039                 | 4        |


Round corners  
Configuration

Expo 152



Height 152 cm - 1 bay

Module 90 cm / depth 30 cm



The configurations consist of the following components:

| Component             | Round corners<br>Item no. | Quantity |
|-----------------------|---------------------------|----------|
| Upright               | B301000532                | 2        |
| Crossbar              | B3010129                  | 2        |
| Bottom shelf          | B30850539215              | 1        |
| Acrylic display shelf | B30850039                 | 4        |

Round corners  
Configuration

Expo 153



Height 152 cm - 1 bay

Module 90 cm / depth 30 cm



The configurations consist of the following components:

| Component             | Round corners<br>Item no. | Quantity |
|-----------------------|---------------------------|----------|
| Upright               | B301000532                | 2        |
| Crossbar              | B3010129                  | 2        |
| Bottom shelf          | B30850539215              | 1        |
| Acrylic display shelf | B30850039                 | 2        |
| Shelf                 | B30850839215              | 2        |
| Bracket for shelf     | B3085043                  | 8        |

Round corners  
Configuration

Expo 154

# 60/30 EXPO

DOUBLE-SIDED - H152 CM - 1 & 2 BAYS



## Height 152 cm - 1 bay

Module 90 cm / depth 30 cm



The configurations consist of the following components:

| Component         | Round corners<br>Item no. | Quantity |
|-------------------|---------------------------|----------|
| Upright           | B301000532                | 2        |
| Crossbar          | B3010129                  | 2        |
| Bottom shelf      | B30850539215              | 1        |
| Shelf             | B30850839215              | 4        |
| Bracket for shelf | B3085043                  | 16       |


Round corners  
Configuration

Expo 155



## Height 152 cm - 2 bays

Module 90 cm / depth 30 cm



The configurations consist of the following components:

| Component             | Round corners<br>Item no. | Quantity |
|-----------------------|---------------------------|----------|
| Upright               | B301000532                | 3        |
| Crossbar              | B3010129                  | 4        |
| Back panel            | B301900595                | 1        |
| Bottom shelf          | B30850539225              | 1        |
| Acrylic display shelf | B30850039                 | 4        |


Round corners  
Configuration

Expo 156



## Height 152 cm - 2 bays

Module 90 cm / depth 30 cm



The configurations consist of the following components:

| Component             | Round corners<br>Item no. | Quantity |
|-----------------------|---------------------------|----------|
| Upright               | B301000532                | 3        |
| Crossbar              | B3010129                  | 4        |
| Bottom shelf          | B30850539225              | 1        |
| Acrylic display shelf | B30850039                 | 4        |
| Shelf                 | B30850839225              | 2        |
| Bracket for shelf     | B3085043                  | 12       |

Round corners  
Configuration

Expo 157


# 60/30 EXPO

DOUBLE-SIDED - H152 CM - 2 & 3 BAYS



Height 152 cm - 2 bays

Module 90 cm / depth 30 cm



The configurations consist of the following components:

Component

Upright  
Crossbar  
Bottom shelf  
Shelf  
Bracket for shelf

Round corners  
Configuration


Expo 158

| Round corners<br>Item no. | Quantity |
|---------------------------|----------|
| B301000532                | 3        |
| B3010129                  | 4        |
| B30850539225              | 1        |
| B30850839225              | 4        |
| B3085043                  | 24       |



Height 152 cm - 3 bays

Module 90 cm / depth 30 cm



The configurations consist of the following components:

Component

Upright  
Crossbar  
Back panel  
Bottom shelf  
Acrylic display shelf

Round corners  
Configuration


Expo 159

| Round corners<br>Item no. | Quantity |
|---------------------------|----------|
| B301000532                | 4        |
| B3010129                  | 6        |
| B301900595                | 1        |
| B30850539235              | 1        |
| B30850039                 | 12       |



Height 152 cm - 3 bays

Module 90 cm / depth 30 cm



The configurations consist of the following components:

Component

Upright  
Crossbar  
Bottom shelf  
Acrylic display shelf  
Shelf  
Bracket for shelf

Round corners  
Configuration

Expo 160

| Round corners<br>Item no. | Quantity |
|---------------------------|----------|
| B301000532                | 4        |
| B3010129                  | 6        |
| B30850539235              | 1        |
| B30850039                 | 6        |
| B30850839235              | 2        |
| B3085043                  | 16       |



# SHELVES


## ST1/ST11/ST2 - SINGLE- & DOUBLE-SIDED STEEL TOP SHELVES

---

### ST1 - SINGLE & DOUBLE-SIDED STEEL TOP SHELF - 25/47 MM FRONTEDGE

Details:

- Module 750/900/1000 mm
- Depth 225/250/300/400 mm
- Steel brackets
- Max. weight 25 kg.
- 1/2 bays
- Use with steel shelves with steel backedge for backedge book support




---

### ST11 - SINGLE-SIDED STEEL TOP SHELF - SIGN PROFILE

Details:

- Module 750/900/1000 mm
- Depth 225/250/300/400 mm
- Steel brackets
- Max. weight 25 kg.
- Use with steel shelves with steel backedge for backedge book support




---

### ST2 - SINGLE-SIDED STEEL TOP SHELF - 25 MM FRONTEDGE

Details:

- Module 750/900/1000 mm
- Depth 250/300/400 mm
- Steel brackets
- Max. weight 25 kg.
- Use with steel shelves with acrylic backedge for hanging book support



---

### SO1 - SINGLE- & DOUBLE-SIDED LONDON STEEL TOP PLATE - 30 MM FRONTEDGE

Details:

- Module 750/900/1000 mm
- Depth 225/250/300/400 mm
- Freestanding/outer/intermediate
- Steel brackets
- Max. weight 25 kg.
- 1/2 bays

---

### WO1 - FSC SINGLE- & DOUBLE-SIDED LONDON WOODEN OVERLAYING TOP PLATE

Details:

- Module 750/900/1000 mm
- Depth 225/250/300/400 mm
- Freestanding/outer/intermediate
- Steel brackets
- Max. weight 25 kg.
- 1/2/3 bays

# SHELVES

## ST1 SINGLE-SIDED STEEL TOP SHELF - 25 MM FRONTEDGE - 1 BAY



ST1 single-sided steel top shelf with brackets - to be used with steel shelves for backedge book support - for 1 bay



With brackets. Top shelves for starter bays include left and right brackets. Top shelves for add-on bays include double bracket.



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F1240012111             | F1240012112            |
| 75           | 25                | F1240022111             | F1240022112            |
| 75           | 30                | F1240032111             | F1240032112            |
| 75           | 40                | F1240052111             | F1240052112            |
| 90           | 22.5              | F1240013111             | F1240013112            |
| 90           | 25                | F1240023111             | F1240023112            |
| 90           | 30                | F1240033111             | F1240033112            |
| 90           | 40                | F1240053111             | F1240053112            |
| 100          | 22.5              | F1240014111             | F1240014112            |
| 100          | 25                | F1240024111             | F1240024112            |
| 100          | 30                | F1240034111             | F1240034112            |
| 100          | 40                | F1240054111             | F1240054112            |



ST1 single-sided steel top shelf - to be used with steel shelves for backedge book support - for 1 bay



Brackets must be ordered separately. A top shelf for starter bays must have a left and a right bracket. Top shelves for add-on bays must have a double bracket. See below.





| Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no. |
|--------------|-------------------|----------------|----------|
| 75           | 22.5              | 1              | S1231012 |
| 75           | 25                | 1              | S1231013 |
| 75           | 30                | 1              | S1231014 |
| 75           | 40                | 1              | S1231022 |
| 90           | 22.5              | 1              | S1231023 |
| 90           | 25                | 1              | S1231024 |
| 90           | 30                | 1              | S1231032 |
| 90           | 40                | 1              | S1231033 |
| 100          | 22.5              | 1              | S1231034 |
| 100          | 25                | 1              | S1231052 |
| 100          | 30                | 1              | S1231053 |
| 100          | 40                | 1              | S1231054 |



Steel bracket for steel top shelf



Max. load of 25 kg.



| Type   | Shelf depth<br>cm | Item no.   |
|--------|-------------------|------------|
| Left   | 22.5              | S127212311 |
| Left   | 25                | S127212321 |
| Left   | 30                | S127212331 |
| Left   | 40                | S127212351 |
| Right  | 22.5              | S127212312 |
| Right  | 25                | S127212322 |
| Right  | 30                | S127212332 |
| Right  | 40                | S127212352 |
| Double | 22.5              | S127212313 |
| Double | 25                | S127212323 |
| Double | 30                | S127212333 |
| Double | 40                | S127212353 |

# SHELVES

## ST1 SINGLE-SIDED STEEL TOP SHELF - 25 MM FRONTEDGE - 2 BAYS


 ST1 single-sided steel top shelf with brackets - to be used with steel shelves for backedge book support - for 2 bays



With brackets. Top shelves for starter bays include left, middle and right



brackets. Top shelves for add-on bays include middle and double bracket.



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F1240112211             | F1240112212            |
| 75           | 25                | F1240122211             | F1240122212            |
| 75           | 30                | F1240132211             | F1240132212            |
| 75           | 40                | F1240152211             | F1240152212            |
| 90           | 22.5              | F1240113211             | F1240113212            |
| 90           | 25                | F1240123211             | F1240123212            |
| 90           | 30                | F1240133211             | F1240133212            |
| 90           | 40                | F1240153211             | F1240153212            |
| 100          | 22.5              | F1240114211             | F1240114212            |
| 100          | 25                | F1240124211             | F1240124212            |
| 100          | 30                | F1240134211             | F1240134212            |
| 100          | 40                | F1240154211             | F1240154212            |



ST1 single-sided steel top shelf - to be used with steel shelves for backedge book support - for 2 bays




Brackets must be ordered separately.



A top shelf for starter bays must have a left, a middle and a right bracket.



Top shelves for add-on bays must have a middle and a double bracket. See below.





| Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no. |
|--------------|-------------------|----------------|----------|
| 75           | 22.5              | 2              | S1231112 |
| 75           | 25                | 2              | S1231122 |
| 75           | 30                | 2              | S1231132 |
| 75           | 40                | 2              | S1231152 |
| 90           | 22.5              | 2              | S1231113 |
| 90           | 25                | 2              | S1231123 |
| 90           | 30                | 2              | S1231133 |
| 90           | 40                | 2              | S1231153 |
| 100          | 22.5              | 2              | S1231114 |
| 100          | 25                | 2              | S1231124 |
| 100          | 30                | 2              | S1231134 |
| 100          | 40                | 2              | S1231154 |



Steel bracket for steel top shelf



Max. load of 25 kg.



| Type   | Shelf depth<br>cm | Item no.   |
|--------|-------------------|------------|
| Left   | 22.5              | S127212311 |
| Left   | 25                | S127212321 |
| Left   | 30                | S127212331 |
| Left   | 40                | S127212351 |
| Right  | 22.5              | S127212312 |
| Right  | 25                | S127212322 |
| Right  | 30                | S127212332 |
| Right  | 40                | S127212352 |
| Double | 22.5              | S127212313 |
| Double | 25                | S127212323 |
| Double | 30                | S127212333 |
| Double | 40                | S127212353 |



Steel middle bracket for steel top shelf over 2 bays



Max. load of 25 kg.



| Frontedge<br>cm | Shelf depth<br>cm | Item no. |
|-----------------|-------------------|----------|
| 25              | 22.5              | S1272313 |
| 25              | 25                | S1272323 |
| 25              | 30                | S1272333 |
| 25              | 40                | S1272353 |

# SHELVES



## ST1 SINGLE-SIDED STEEL TOP SHELF - 47 MM FRONTEDGE - 1 BAY



ST1 single-sided steel top shelf with brackets - to be used with steel shelves for backedge book support - for 1 bay



With brackets. Top shelves for starter bays include left and right brackets. Top shelves for add-on bays include double bracket.




| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F1240212111             | F1240212112            |
| 75           | 25                | F1240222111             | F1240222112            |
| 75           | 30                | F1240232111             | F1240232112            |
| 75           | 40                | F1240252111             | F1240252112            |
| 90           | 22.5              | F1240213111             | F1240213112            |
| 90           | 25                | F1240223111             | F1240223112            |
| 90           | 30                | F1240233111             | F1240233112            |
| 90           | 40                | F1240253111             | F1240253112            |
| 100          | 22.5              | F1240214111             | F1240214112            |
| 100          | 25                | F1240224111             | F1240224112            |
| 100          | 30                | F1240234111             | F1240234112            |
| 100          | 40                | F1240254111             | F1240254112            |



ST1 single-sided steel top shelf - to be used with steel shelves for backedge book support - for 1 bay



Brackets must be ordered separately. A top shelf for starter bays must have a left and a right bracket. Top shelves for add-on bays must have a double bracket. See below.





| Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.  |
|--------------|-------------------|----------------|-----------|
| 75           | 22.5              | 1              | S12312121 |
| 75           | 25                | 1              | S12312221 |
| 75           | 30                | 1              | S12312321 |
| 75           | 40                | 1              | S12312521 |
| 90           | 22.5              | 1              | S12312131 |
| 90           | 25                | 1              | S12312231 |
| 90           | 30                | 1              | S12312331 |
| 90           | 40                | 1              | S12312531 |
| 100          | 22.5              | 1              | S12312141 |
| 100          | 25                | 1              | S12312241 |
| 100          | 30                | 1              | S12312341 |
| 100          | 40                | 1              | S12312541 |



Steel bracket for steel top shelf



Max. load of 25 kg.




| Type   | Shelf depth<br>cm | Item no.   |
|--------|-------------------|------------|
| Left   | 22.5              | S127212311 |
| Left   | 25                | S127212321 |
| Left   | 30                | S127212331 |
| Left   | 40                | S127212351 |
| Right  | 22.5              | S127212312 |
| Right  | 25                | S127212322 |
| Right  | 30                | S127212332 |
| Right  | 40                | S127212352 |
| Double | 22.5              | S127212313 |
| Double | 25                | S127212323 |
| Double | 30                | S127212333 |
| Double | 40                | S127212353 |

# SHELVES

## ST1 SINGLE-SIDED STEEL TOP SHELF - 47 MM FRONTEDGE - 2 BAYS


 ST1 single-sided steel top shelf with brackets - to be used with steel shelves for backedge book support - for 2 bays

|  With brackets. Top shelves for starter bays include left, middle and right brackets. Top shelves for add-on bays include middle and double bracket. | Module | Shelf depth | Item no.    | Item no.    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------|-------------|-------------|
|                                                                                                                                                                                                                                     | cm     | cm          | Starter bay | Add-on bay  |
|                                                                                                                                                      | 75     | 22.5        | F1240212211 | F1240212212 |
|                                                                                                                                                                                                                                     | 75     | 25          | F1240222211 | F1240222212 |
|                                                                                                                                                                                                                                     | 75     | 30          | F1240232211 | F1240232212 |
|                                                                                                                                                                                                                                     | 75     | 40          | F1240252211 | F1240252212 |
|                                                                                                                                                      | 90     | 22.5        | F1240213211 | F1240213212 |
|                                                                                                                                                                                                                                     | 90     | 25          | F1240223211 | F1240223212 |
|                                                                                                                                                                                                                                     | 90     | 30          | F1240233211 | F1240233212 |
|                                                                                                                                                                                                                                     | 90     | 40          | F1240253211 | F1240253212 |
|                                                                                                                                                      | 100    | 22.5        | F1240214211 | F1240214212 |
|                                                                                                                                                                                                                                     | 100    | 25          | F1240224211 | F1240224212 |
|                                                                                                                                                                                                                                     | 100    | 30          | F1240234211 | F1240234212 |
|                                                                                                                                                                                                                                     | 100    | 40          | F1240254211 | F1240254212 |





 ST1 single-sided steel top shelf - to be used with steel shelves for backedge book support - for 2 bays

|  Brackets must be ordered separately. A top shelf for starter bays must have a left, a middle and a right bracket. Top shelves for add-on bays must have a middle and a double bracket. See below. | Module | Shelf depth | No. of bays | Item no.  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------|-------------|-----------|
|                                                                                                                                                                                                                                                                                   | cm     | cm          |             |           |
|                                                                                                                                                                                                    | 75     | 22.5        | 2           | S12312122 |
|                                                                                                                                                                                                                                                                                   | 75     | 25          | 2           | S12312222 |
|                                                                                                                                                                                                                                                                                   | 75     | 30          | 2           | S12312322 |
|                                                                                                                                                                                                                                                                                   | 75     | 40          | 2           | S12312522 |
|                                                                                                                                                                                                  | 90     | 22.5        | 2           | S12312132 |
|                                                                                                                                                                                                                                                                                   | 90     | 25          | 2           | S12312232 |
|                                                                                                                                                                                                                                                                                   | 90     | 30          | 2           | S12312332 |
|                                                                                                                                                                                                                                                                                   | 90     | 40          | 2           | S12312532 |
|                                                                                                                                                                                                  | 100    | 22.5        | 2           | S12312142 |
|                                                                                                                                                                                                                                                                                   | 100    | 25          | 2           | S12312242 |
|                                                                                                                                                                                                                                                                                   | 100    | 30          | 2           | S12312342 |
|                                                                                                                                                                                                                                                                                   | 100    | 40          | 2           | S12312542 |



 Steel bracket for steel top shelf

|  Max. load of 25 kg. | Type   | Shelf depth | Item no.   |
|-------------------------------------------------------------------------------------------------------|--------|-------------|------------|
|                                                                                                       |        | cm          |            |
|                      | Left   | 22.5        | S127212311 |
|                                                                                                       | Left   | 25          | S127212321 |
|                                                                                                       | Left   | 30          | S127212331 |
|                                                                                                       | Left   | 40          | S127212351 |
|                      | Right  | 22.5        | S127212312 |
|                                                                                                       | Right  | 25          | S127212322 |
|                                                                                                       | Right  | 30          | S127212332 |
|                                                                                                       | Right  | 40          | S127212352 |
|                      | Double | 22.5        | S127212313 |
|                                                                                                       | Double | 25          | S127212323 |
|                                                                                                       | Double | 30          | S127212333 |
|                                                                                                       | Double | 40          | S127212353 |



 Steel middle bracket for steel top shelf over 2 bays

|  Max. load of 25 kg. | Frontedge | Shelf depth | Item no. |
|-------------------------------------------------------------------------------------------------------|-----------|-------------|----------|
|                                                                                                       | cm        | cm          |          |
|                      | 25        | 22.5        | S1272313 |
|                                                                                                       | 25        | 25          | S1272323 |
|                                                                                                       | 25        | 30          | S1272333 |
|                                                                                                       | 25        | 40          | S1272353 |




# SHELVES

## ST1 DOUBLE-SIDED STEEL TOP SHELVES - 25 MM FRONTEDGE - FREESTANDING - 1 BAY

### ST1 double-sided steel top shelf with brackets - for 1 freestanding bay



2 left and 2 right brackets included.




| Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.   |
|--------------|-------------------|----------------|------------|
| 75           | 22.5              | 1              | F124031261 |
| 75           | 25                | 1              | F124032261 |
| 75           | 30                | 1              | F124033261 |
| 75           | 40                | 1              | F124035261 |
| 90           | 22.5              | 1              | F124031361 |
| 90           | 25                | 1              | F124032361 |
| 90           | 30                | 1              | F124033361 |
| 90           | 40                | 1              | F124035361 |
| 100          | 22.5              | 1              | F124031461 |
| 100          | 25                | 1              | F124032461 |
| 100          | 30                | 1              | F124033461 |
| 100          | 40                | 1              | F124035461 |

### ST1 double-sided steel top shelf - for 1 freestanding bay



2 left and 2 right brackets must be ordered separately. See below.





| Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.   |
|--------------|-------------------|----------------|------------|
| 75           | 22.5              | 1              | S123131261 |
| 75           | 25                | 1              | S123132261 |
| 75           | 30                | 1              | S123133261 |
| 75           | 40                | 1              | S123135261 |
| 90           | 22.5              | 1              | S123131361 |
| 90           | 25                | 1              | S123132361 |
| 90           | 30                | 1              | S123133361 |
| 90           | 40                | 1              | S123135361 |
| 100          | 22.5              | 1              | S123131461 |
| 100          | 25                | 1              | S123132461 |
| 100          | 30                | 1              | S123133461 |
| 100          | 40                | 1              | S123135461 |

### Steel bracket for steel top shelf



Max. load of 25 kg.



| Type   | Shelf depth<br>cm | Item no.   |
|--------|-------------------|------------|
| Left   | 22.5              | S127212311 |
| Left   | 25                | S127212321 |
| Left   | 30                | S127212331 |
| Left   | 40                | S127212351 |
| Right  | 22.5              | S127212312 |
| Right  | 25                | S127212322 |
| Right  | 30                | S127212332 |
| Right  | 40                | S127212352 |
| Double | 22.5              | S127212313 |
| Double | 25                | S127212323 |
| Double | 30                | S127212333 |
| Double | 40                | S127212353 |

# SHELVES

## ST1 DOUBLE-SIDED STEEL TOP SHELVES - 25 MM FRONTEDGE - FREESTANDING - 2 BAYS

### ST1 double-sided steel top shelf with brackets - for 2 freestanding bays

|  2 left, 2 middle and 2 right brackets included.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------------|----------------|------------|
|                                                   | 75           | 22.5              | 2              | F124031262 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 75           | 25                | 2              | F124032262 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 75           | 30                | 2              | F124033262 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 75           | 40                | 2              | F124035262 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 90           | 22.5              | 2              | F124031362 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 90           | 25                | 2              | F124032362 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 90           | 30                | 2              | F124033362 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 90           | 40                | 2              | F124035362 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 100          | 22.5              | 2              | F124031462 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 100          | 25                | 2              | F124032462 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 100          | 30                | 2              | F124033462 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 100          | 40                | 2              | F124035462 |

### ST1 double-sided steel top shelf - for 2 freestanding bays

|  2 left, 2 middle and 2 right brackets must be ordered separately. See below.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------------|----------------|------------|
|                                     | 75           | 22.5              | 2              | S123131262 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 75           | 25                | 2              | S123132262 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 75           | 30                | 2              | S123133262 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 75           | 40                | 2              | S123135262 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 90           | 22.5              | 2              | S123131362 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 90           | 25                | 2              | S123132362 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 90           | 30                | 2              | S123133362 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 90           | 40                | 2              | S123135362 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 100          | 22.5              | 2              | S123131462 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 100          | 25                | 2              | S123132462 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 100          | 30                | 2              | S123133462 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 100          | 40                | 2              | S123135462 |

### Steel bracket for steel top shelf

|  Max. load of 25 kg.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Type   | Shelf depth<br>cm | Item no.   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------------|------------|
|                       | Left   | 22.5              | S127212311 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Left   | 25                | S127212321 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Left   | 30                | S127212331 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Left   | 40                | S127212351 |
|                       | Right  | 22.5              | S127212312 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Right  | 25                | S127212322 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Right  | 30                | S127212332 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Right  | 40                | S127212352 |
|                       | Double | 22.5              | S127212313 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Double | 25                | S127212323 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Double | 30                | S127212333 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Double | 40                | S127212353 |

### Steel middle bracket for steel top shelf over 2 bays

|  Max. load of 25 kg.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Frontedge<br>cm | Shelf depth<br>cm | Item no. |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------|----------|
|         | 25              | 22.5              | S1272313 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 25              | 25                | S1272323 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 25              | 30                | S1272333 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 25              | 40                | S1272353 |


# SHELVES

## ST1 DOUBLE-SIDED STEEL TOP SHELVES - 25 MM FRONTEDGE - OUTER - 1 BAY



### ST1 double-sided steel top shelf with brackets - for 1 outer bay

1 left, 1 right and 1 double bracket included.




| Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.   |
|--------------|-------------------|----------------|------------|
| 75           | 22.5              | 1              | F124031241 |
| 75           | 25                | 1              | F124032241 |
| 75           | 30                | 1              | F124033241 |
| 75           | 40                | 1              | F124035241 |
| 90           | 22.5              | 1              | F124031341 |
| 90           | 25                | 1              | F124032341 |
| 90           | 30                | 1              | F124033341 |
| 90           | 40                | 1              | F124035341 |
| 100          | 22.5              | 1              | F124031441 |
| 100          | 25                | 1              | F124032441 |
| 100          | 30                | 1              | F124033441 |
| 100          | 40                | 1              | F124035441 |



### ST1 double-sided steel top shelf - for 1 outer bay

1 left, 1 right and 1 double bracket must be ordered separately. See below.





| Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.   |
|--------------|-------------------|----------------|------------|
| 75           | 22.5              | 1              | S123131241 |
| 75           | 25                | 1              | S123132241 |
| 75           | 30                | 1              | S123133241 |
| 75           | 40                | 1              | S123135241 |
| 90           | 22.5              | 1              | S123141241 |
| 90           | 25                | 1              | S123142241 |
| 90           | 30                | 1              | S123143241 |
| 90           | 40                | 1              | S123145241 |
| 100          | 22.5              | 1              | S123131341 |
| 100          | 25                | 1              | S123132341 |
| 100          | 30                | 1              | S123133341 |
| 100          | 40                | 1              | S123135341 |



### Steel bracket for steel top shelf

Max. load of 25 kg.



| Type   | Shelf depth<br>cm | Item no.   |
|--------|-------------------|------------|
| Left   | 22.5              | S127212311 |
| Left   | 25                | S127212321 |
| Left   | 30                | S127212331 |
| Left   | 40                | S127212351 |
| Right  | 22.5              | S127212312 |
| Right  | 25                | S127212322 |
| Right  | 30                | S127212332 |
| Right  | 40                | S127212352 |
| Double | 22.5              | S127212313 |
| Double | 25                | S127212323 |
| Double | 30                | S127212333 |
| Double | 40                | S127212353 |


# SHELVES

## ST1 DOUBLE-SIDED STEEL TOP SHELVES - 25 MM FRONTEDGE - OUTER - 2 BAYS



### ST1 double-sided steel top shelf with brackets - for 2 outer bays

1 left, 1 right, 1 double and 2 middle brackets included.




| Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.   |
|--------------|-------------------|----------------|------------|
| 75           | 22.5              | 2              | F124031242 |
| 75           | 25                | 2              | F124032242 |
| 75           | 30                | 2              | F124033242 |
| 75           | 40                | 2              | F124035242 |
| 90           | 22.5              | 2              | F124031342 |
| 90           | 25                | 2              | F124032342 |
| 90           | 30                | 2              | F124033342 |
| 90           | 40                | 2              | F124035342 |
| 100          | 22.5              | 2              | F124031442 |
| 100          | 25                | 2              | F124032442 |
| 100          | 30                | 2              | F124033442 |
| 100          | 40                | 2              | F124035442 |



### ST1 double-sided steel top shelf - for 2 outer bays

1 left, 1 right, 1 double and 2 middle brackets must be ordered separately. See below.





| Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.   |
|--------------|-------------------|----------------|------------|
| 75           | 22.5              | 2              | S123131242 |
| 75           | 25                | 2              | S123132242 |
| 75           | 30                | 2              | S123133242 |
| 75           | 40                | 2              | S123135242 |
| 90           | 22.5              | 2              | S123141242 |
| 90           | 25                | 2              | S123142242 |
| 90           | 30                | 2              | S123143242 |
| 90           | 40                | 2              | S123145242 |
| 100          | 22.5              | 2              | S123131342 |
| 100          | 25                | 2              | S123132342 |
| 100          | 30                | 2              | S123133342 |
| 100          | 40                | 2              | S123135342 |



### Steel bracket for steel top shelf

Max. load of 25 kg.



| Type   | Shelf depth<br>cm | Item no.   |
|--------|-------------------|------------|
| Left   | 22.5              | S127212311 |
| Left   | 25                | S127212321 |
| Left   | 30                | S127212331 |
| Left   | 40                | S127212351 |
| Right  | 22.5              | S127212312 |
| Right  | 25                | S127212322 |
| Right  | 30                | S127212332 |
| Right  | 40                | S127212352 |
| Double | 22.5              | S127212313 |
| Double | 25                | S127212323 |
| Double | 30                | S127212333 |
| Double | 40                | S127212353 |



### Steel middle bracket for steel top shelf over 2 bays

Max. load of 25 kg.



| Frontedge<br>cm | Shelf depth<br>cm | Item no. |
|-----------------|-------------------|----------|
| 25              | 22.5              | S1272313 |
| 25              | 25                | S1272323 |
| 25              | 30                | S1272333 |
| 25              | 40                | S1272353 |


# SHELVES

## ST1 DOUBLE-SIDED STEEL TOP SHELVES - 25 MM FRONTEDGE - INTERMEDIATE - 1 BAY

### ST1 double-sided steel top shelf with brackets - for 1 intermediate bay



2 double brackets included.




| Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.   |
|--------------|-------------------|----------------|------------|
| 75           | 22.5              | 1              | F124031231 |
| 75           | 25                | 1              | F124032231 |
| 75           | 30                | 1              | F124033231 |
| 75           | 40                | 1              | F124035231 |
| 90           | 22.5              | 1              | F124031331 |
| 90           | 25                | 1              | F124032331 |
| 90           | 30                | 1              | F124033331 |
| 90           | 40                | 1              | F124035331 |
| 100          | 22.5              | 1              | F124031431 |
| 100          | 25                | 1              | F124032431 |
| 100          | 30                | 1              | F124033431 |
| 100          | 40                | 1              | F124035431 |

### ST1 double-sided steel top shelf - for 1 intermediate bay



2 double brackets must be ordered separately. See below.





| Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.   |
|--------------|-------------------|----------------|------------|
| 75           | 22.5              | 1              | S123131231 |
| 75           | 25                | 1              | S123132231 |
| 75           | 30                | 1              | S123133231 |
| 75           | 40                | 1              | S123135231 |
| 90           | 22.5              | 1              | S123131331 |
| 90           | 25                | 1              | S123132331 |
| 90           | 30                | 1              | S123133331 |
| 90           | 40                | 1              | S123135331 |
| 100          | 22.5              | 1              | S123131431 |
| 100          | 25                | 1              | S123132431 |
| 100          | 30                | 1              | S123133431 |
| 100          | 40                | 1              | S123135431 |

### Steel bracket for steel top shelf



Max. load of 25 kg.



| Type   | Shelf depth<br>cm | Item no.   |
|--------|-------------------|------------|
| Left   | 22.5              | S127212311 |
| Left   | 25                | S127212321 |
| Left   | 30                | S127212331 |
| Left   | 40                | S127212351 |
| Right  | 22.5              | S127212312 |
| Right  | 25                | S127212322 |
| Right  | 30                | S127212332 |
| Right  | 40                | S127212352 |
| Double | 22.5              | S127212313 |
| Double | 25                | S127212323 |
| Double | 30                | S127212333 |
| Double | 40                | S127212353 |


# SHELVES

## ST1 DOUBLE-SIDED STEEL TOP SHELVES - 25 MM FRONTEDGE - INTERMEDIATE - 2 BAYS



### ST1 double-sided steel top shelf - for 2 intermediate bays

2 double and 2 middle brackets included.




| Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.   |
|--------------|-------------------|----------------|------------|
| 75           | 22.5              | 2              | F124031232 |
| 75           | 25                | 2              | F124032232 |
| 75           | 30                | 2              | F124033232 |
| 75           | 40                | 2              | F124035232 |
| 90           | 22.5              | 2              | F124031332 |
| 90           | 25                | 2              | F124032332 |
| 90           | 30                | 2              | F124033332 |
| 90           | 40                | 2              | F124035332 |
| 100          | 22.5              | 2              | F124031432 |
| 100          | 25                | 2              | F124032432 |
| 100          | 30                | 2              | F124033432 |
| 100          | 40                | 2              | F124035432 |



### ST1 double-sided steel top shelf - for 2 intermediate bays

2 double and 2 middle brackets must be ordered separately. See below.





| Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.   |
|--------------|-------------------|----------------|------------|
| 75           | 22.5              | 2              | S123131232 |
| 75           | 25                | 2              | S123132232 |
| 75           | 30                | 2              | S123133232 |
| 75           | 40                | 2              | S123135232 |
| 90           | 22.5              | 2              | S123131332 |
| 90           | 25                | 2              | S123132332 |
| 90           | 30                | 2              | S123133332 |
| 90           | 40                | 2              | S123135332 |
| 100          | 22.5              | 2              | S123131432 |
| 100          | 25                | 2              | S123132432 |
| 100          | 30                | 2              | S123133432 |
| 100          | 40                | 2              | S123135432 |



### Steel bracket for steel top shelf

Max. load of 25 kg.



| Type   | Shelf depth<br>cm | Item no.   |
|--------|-------------------|------------|
| Left   | 22.5              | S127212311 |
| Left   | 25                | S127212321 |
| Left   | 30                | S127212331 |
| Left   | 40                | S127212351 |
| Right  | 22.5              | S127212312 |
| Right  | 25                | S127212322 |
| Right  | 30                | S127212332 |
| Right  | 40                | S127212352 |
| Double | 22.5              | S127212313 |
| Double | 25                | S127212323 |
| Double | 30                | S127212333 |
| Double | 40                | S127212353 |



### Steel middle bracket for steel top shelf over 2 bays

Max. load of 25 kg.



| Frontedge<br>cm | Shelf depth<br>cm | Item no. |
|-----------------|-------------------|----------|
| 25              | 22.5              | S1272313 |
| 25              | 25                | S1272323 |
| 25              | 30                | S1272333 |
| 25              | 40                | S1272353 |


# SHELVES

## ST1 DOUBLE-SIDED STEEL TOP SHELVES - 47 MM FRONTEDGE - FREESTANDING - 1 BAY

### ST1 double-sided steel top shelf with brackets - for 1 freestanding bay



2 left and 2 right brackets included.




| Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.   |
|--------------|-------------------|----------------|------------|
| 75           | 22.5              | 1              | F124041261 |
| 75           | 25                | 1              | F124042261 |
| 75           | 30                | 1              | F124043261 |
| 75           | 40                | 1              | F124045261 |
| 90           | 22.5              | 1              | F124041361 |
| 90           | 25                | 1              | F124042361 |
| 90           | 30                | 1              | F124043361 |
| 90           | 40                | 1              | F124045361 |
| 100          | 22.5              | 1              | F124041461 |
| 100          | 25                | 1              | F124042461 |
| 100          | 30                | 1              | F124043461 |
| 100          | 40                | 1              | F124045461 |

### ST1 double-sided steel top shelf - for 1 freestanding bay



2 left and 2 right brackets must be ordered separately. See below.





| Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.   |
|--------------|-------------------|----------------|------------|
| 75           | 22.5              | 1              | S123141261 |
| 75           | 25                | 1              | S123142261 |
| 75           | 30                | 1              | S123143261 |
| 75           | 40                | 1              | S123145261 |
| 90           | 22.5              | 1              | S123141361 |
| 90           | 25                | 1              | S123142361 |
| 90           | 30                | 1              | S123143361 |
| 90           | 40                | 1              | S123145361 |
| 100          | 22.5              | 1              | S123141461 |
| 100          | 25                | 1              | S123142461 |
| 100          | 30                | 1              | S123143461 |
| 100          | 40                | 1              | S123145461 |

### Steel bracket for steel top shelf



Max. load of 25 kg.



| Type   | Shelf depth<br>cm | Item no.   |
|--------|-------------------|------------|
| Left   | 22.5              | S127212311 |
| Left   | 25                | S127212321 |
| Left   | 30                | S127212331 |
| Left   | 40                | S127212351 |
| Right  | 22.5              | S127212312 |
| Right  | 25                | S127212322 |
| Right  | 30                | S127212332 |
| Right  | 40                | S127212352 |
| Double | 22.5              | S127212313 |
| Double | 25                | S127212323 |
| Double | 30                | S127212333 |
| Double | 40                | S127212353 |

# SHELVES

## ST1 DOUBLE-SIDED STEEL TOP SHELVES - 47 MM FRONTEDGE - FREESTANDING - 2 BAYS

### ST1 double-sided steel top shelf with brackets - for 2 freestanding bays

|  2 left, 2 middle and 2 right brackets included.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------------|----------------|------------|
|                                                   | 75           | 22.5              | 2              | F124041262 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 75           | 25                | 2              | F124042262 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 75           | 30                | 2              | F124043262 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 75           | 40                | 2              | F124045262 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 90           | 22.5              | 2              | F124041362 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 90           | 25                | 2              | F124042362 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 90           | 30                | 2              | F124043362 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 90           | 40                | 2              | F124045362 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 100          | 22.5              | 2              | F124041462 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 100          | 25                | 2              | F124042462 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 100          | 30                | 2              | F124043462 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 100          | 40                | 2              | F124045462 |

### ST1 double-sided steel top shelf - for 2 freestanding bays

|  2 left, 2 middle and 2 right brackets must be ordered separately. See below.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------------|----------------|------------|
|                                     | 75           | 22.5              | 2              | S123141262 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 75           | 25                | 2              | S123142262 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 75           | 30                | 2              | S123143262 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 75           | 40                | 2              | S123145262 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 90           | 22.5              | 2              | S123141362 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 90           | 25                | 2              | S123142362 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 90           | 30                | 2              | S123143362 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 90           | 40                | 2              | S123145362 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 100          | 22.5              | 2              | S123141462 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 100          | 25                | 2              | S123142462 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 100          | 30                | 2              | S123143462 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 100          | 40                | 2              | S123145462 |

### Steel bracket for steel top shelf

|  Max. load of 25 kg.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Type   | Shelf depth<br>cm | Item no.   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------------|------------|
|                       | Left   | 22.5              | S127212311 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Left   | 25                | S127212321 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Left   | 30                | S127212331 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Left   | 40                | S127212351 |
|                       | Right  | 22.5              | S127212312 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Right  | 25                | S127212322 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Right  | 30                | S127212332 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Right  | 40                | S127212352 |
|                       | Double | 22.5              | S127212313 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Double | 25                | S127212323 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Double | 30                | S127212333 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Double | 40                | S127212353 |

### Steel middle bracket for steel top shelf over 2 bays

|  Max. load of 25 kg.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Frontedge<br>cm | Shelf depth<br>cm | Item no. |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------|----------|
|         | 25              | 22.5              | S1272313 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 25              | 25                | S1272323 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 25              | 30                | S1272333 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 25              | 40                | S1272353 |


# SHELVES

## ST1 DOUBLE-SIDED STEEL TOP SHELVES - 47 MM FRONTEDGE - OUTER - 1 BAY



### ST1 double-sided steel top shelf with brackets - for 1 outer bay

1 left, 1 right and 1 double bracket included.




| Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.   |
|--------------|-------------------|----------------|------------|
| 75           | 22.5              | 1              | F124041241 |
| 75           | 25                | 1              | F124042241 |
| 75           | 30                | 1              | F124043241 |
| 75           | 40                | 1              | F124045241 |
| 90           | 22.5              | 1              | F124041341 |
| 90           | 25                | 1              | F124042341 |
| 90           | 30                | 1              | F124043341 |
| 90           | 40                | 1              | F124045341 |
| 100          | 22.5              | 1              | F124041441 |
| 100          | 25                | 1              | F124042441 |
| 100          | 30                | 1              | F124043441 |
| 100          | 40                | 1              | F124045441 |



### ST1 double-sided steel top shelf - for 1 outer bay

1 left, 1 right and 1 double bracket must be ordered separately. See below.





| Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.   |
|--------------|-------------------|----------------|------------|
| 75           | 22.5              | 1              | S123141241 |
| 75           | 25                | 1              | S123142241 |
| 75           | 30                | 1              | S123143241 |
| 75           | 40                | 1              | S123145241 |
| 90           | 22.5              | 1              | S123141341 |
| 90           | 25                | 1              | S123142341 |
| 90           | 30                | 1              | S123143341 |
| 90           | 40                | 1              | S123145341 |
| 100          | 22.5              | 1              | S123141441 |
| 100          | 25                | 1              | S123142441 |
| 100          | 30                | 1              | S123143441 |
| 100          | 40                | 1              | S123145441 |



### Steel bracket for steel top shelf

Max. load of 25 kg.



| Type   | Shelf depth<br>cm | Item no.   |
|--------|-------------------|------------|
| Left   | 22.5              | S127212311 |
| Left   | 25                | S127212321 |
| Left   | 30                | S127212331 |
| Left   | 40                | S127212351 |
| Right  | 22.5              | S127212312 |
| Right  | 25                | S127212322 |
| Right  | 30                | S127212332 |
| Right  | 40                | S127212352 |
| Double | 22.5              | S127212313 |
| Double | 25                | S127212323 |
| Double | 30                | S127212333 |
| Double | 40                | S127212353 |


# SHELVES

## ST1 DOUBLE-SIDED STEEL TOP SHELVES - 47 MM FRONTEDGE - OUTER - 2 BAYS



### ST1 double-sided steel top shelf with brackets - for 2 outer bays

1 left, 1 right, 1 double and 2 middle brackets included.




| Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.   |
|--------------|-------------------|----------------|------------|
| 75           | 22.5              | 2              | F124041242 |
| 75           | 25                | 2              | F124042242 |
| 75           | 30                | 2              | F124043242 |
| 75           | 40                | 2              | F124045242 |
| 90           | 22.5              | 2              | F124041342 |
| 90           | 25                | 2              | F124042342 |
| 90           | 30                | 2              | F124043342 |
| 90           | 40                | 2              | F124045342 |
| 100          | 22.5              | 2              | F124041442 |
| 100          | 25                | 2              | F124042442 |
| 100          | 30                | 2              | F124043442 |
| 100          | 40                | 2              | F124045442 |



### ST1 double-sided steel top shelf - for 2 outer bays

1 left, 1 right, 1 double and 2 middle brackets must be ordered separately. See below.




| Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.   |
|--------------|-------------------|----------------|------------|
| 75           | 22.5              | 2              | S123141242 |
| 75           | 25                | 2              | S123142242 |
| 75           | 30                | 2              | S123143242 |
| 75           | 40                | 2              | S123145242 |
| 90           | 22.5              | 2              | S123141342 |
| 90           | 25                | 2              | S123142342 |
| 90           | 30                | 2              | S123143342 |
| 90           | 40                | 2              | S123145342 |
| 100          | 22.5              | 2              | S123141442 |
| 100          | 25                | 2              | S123142442 |
| 100          | 30                | 2              | S123143442 |
| 100          | 40                | 2              | S123145442 |



### Steel bracket for steel top shelf

Max. load of 25 kg.



| Type   | Shelf depth<br>cm | Item no.   |
|--------|-------------------|------------|
| Left   | 22.5              | S127212311 |
| Left   | 25                | S127212321 |
| Left   | 30                | S127212331 |
| Left   | 40                | S127212351 |
| Right  | 22.5              | S127212312 |
| Right  | 25                | S127212322 |
| Right  | 30                | S127212332 |
| Right  | 40                | S127212352 |
| Double | 22.5              | S127212313 |
| Double | 25                | S127212323 |
| Double | 30                | S127212333 |
| Double | 40                | S127212353 |



### Steel middle bracket for steel top shelf over 2 bays

Max. load of 25 kg.



| Frontedge<br>cm | Shelf depth<br>cm | Item no. |
|-----------------|-------------------|----------|
| 25              | 22.5              | S1272313 |
| 25              | 25                | S1272323 |
| 25              | 30                | S1272333 |
| 25              | 40                | S1272353 |


# SHELVES

## ST1 DOUBLE-SIDED STEEL TOP SHELVES - 47 MM FRONTEDGE - INTERMEDIATE - 1 BAY

### ST1 double-sided steel top shelf with brackets - for 1 intermediate bay



2 double brackets included.




| Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.   |
|--------------|-------------------|----------------|------------|
| 75           | 22.5              | 1              | F124041231 |
| 75           | 25                | 1              | F124042231 |
| 75           | 30                | 1              | F124043231 |
| 75           | 40                | 1              | F124045231 |
| 90           | 22.5              | 1              | F124041331 |
| 90           | 25                | 1              | F124042331 |
| 90           | 30                | 1              | F124043331 |
| 90           | 40                | 1              | F124045331 |
| 100          | 22.5              | 1              | F124041431 |
| 100          | 25                | 1              | F124042431 |
| 100          | 30                | 1              | F124043431 |
| 100          | 40                | 1              | F124045431 |

### ST1 double-sided steel top shelf - for 1 intermediate bay



2 double brackets must be ordered separately. See below.





| Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.   |
|--------------|-------------------|----------------|------------|
| 75           | 22.5              | 1              | S123141231 |
| 75           | 25                | 1              | S123142231 |
| 75           | 30                | 1              | S123143231 |
| 75           | 40                | 1              | S123145231 |
| 90           | 22.5              | 1              | S123141331 |
| 90           | 25                | 1              | S123142331 |
| 90           | 30                | 1              | S123143331 |
| 90           | 40                | 1              | S123145331 |
| 100          | 22.5              | 1              | S123141431 |
| 100          | 25                | 1              | S123142431 |
| 100          | 30                | 1              | S123143431 |
| 100          | 40                | 1              | S123145431 |

### Steel bracket for steel top shelf



Max. load of 25 kg.




| Type   | Shelf depth<br>cm | Item no.   |
|--------|-------------------|------------|
| Left   | 22.5              | S127212311 |
| Left   | 25                | S127212321 |
| Left   | 30                | S127212331 |
| Left   | 40                | S127212351 |
| Right  | 22.5              | S127212312 |
| Right  | 25                | S127212322 |
| Right  | 30                | S127212332 |
| Right  | 40                | S127212352 |
| Double | 22.5              | S127212313 |
| Double | 25                | S127212323 |
| Double | 30                | S127212333 |
| Double | 40                | S127212353 |

# SHELVES

## ST1 DOUBLE-SIDED STEEL TOP SHELVES - 47 MM FRONTEDGE - INTERMEDIATE - 2 BAYS

### ST1 double-sided steel top shelf with brackets - for 2 intermediate bays


 2 double and 2 middle brackets included.



| Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.   |
|--------------|-------------------|----------------|------------|
| 75           | 22.5              | 2              | F124041232 |
| 75           | 25                | 2              | F124042232 |
| 75           | 30                | 2              | F124043232 |
| 75           | 40                | 2              | F124045232 |
| 90           | 22.5              | 2              | F124041332 |
| 90           | 25                | 2              | F124042332 |
| 90           | 30                | 2              | F124043332 |
| 90           | 40                | 2              | F124045332 |
| 100          | 22.5              | 2              | F124041432 |
| 100          | 25                | 2              | F124042432 |
| 100          | 30                | 2              | F124043432 |
| 100          | 40                | 2              | F124045432 |

### ST1 double-sided steel top shelf - for 2 intermediate bays



 2 double and 2 middle brackets must be ordered separately. See below.



| Module<br>cm | Shelf depth<br>cm | No. of<br>bays | Item no.   |
|--------------|-------------------|----------------|------------|
| 75           | 22.5              | 2              | S123141232 |
| 75           | 25                | 2              | S123142232 |
| 75           | 30                | 2              | S123143232 |
| 75           | 40                | 2              | S123145232 |
| 90           | 22.5              | 2              | S123141332 |
| 90           | 25                | 2              | S123142332 |
| 90           | 30                | 2              | S123143332 |
| 90           | 40                | 2              | S123145332 |
| 100          | 22.5              | 2              | S123141432 |
| 100          | 25                | 2              | S123142432 |
| 100          | 30                | 2              | S123143432 |
| 100          | 40                | 2              | S123145432 |

### Steel bracket for steel top shelf

 Max. load of 25 kg.



| Type   | Shelf depth<br>cm | Item no.   |
|--------|-------------------|------------|
| Left   | 22.5              | S127212311 |
| Left   | 25                | S127212321 |
| Left   | 30                | S127212331 |
| Left   | 40                | S127212351 |
| Right  | 22.5              | S127212312 |
| Right  | 25                | S127212322 |
| Right  | 30                | S127212332 |
| Right  | 40                | S127212352 |
| Double | 22.5              | S127212313 |
| Double | 25                | S127212323 |
| Double | 30                | S127212333 |
| Double | 40                | S127212353 |

### Steel middle bracket for steel top shelf over 2 bays

 Max. load of 25 kg.



| Frontedge<br>cm | Shelf depth<br>cm | Item no. |
|-----------------|-------------------|----------|
| 25              | 22.5              | S1272313 |
| 25              | 25                | S1272323 |
| 25              | 30                | S1272333 |
| 25              | 40                | S1272353 |

# SHELVES


## ST11 SINGLE-SIDED STEEL TOP SHELVES - SIGN PROFILE - 1 BAY



ST11 single-sided steel top shelf with sign profile and brackets - to be used with shelves for backedge book support



With brackets. Label S01890 to be ordered separately. Top shelves for starter bays include left and right brackets. Top shelves for add-on bays include double bracket.



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F124051211              | F124051212             |
| 75           | 25                | F124052211              | F124052212             |
| 75           | 30                | F124053211              | F124053212             |
| 75           | 40                | F124055211              | F124055212             |
| 90           | 22.5              | F124051311              | F124051312             |
| 90           | 25                | F124052311              | F124052312             |
| 90           | 30                | F124053311              | F124053312             |
| 90           | 40                | F124055311              | F124055312             |
| 100          | 22.5              | F124051411              | F124051412             |
| 100          | 25                | F124052411              | F124052412             |
| 100          | 30                | F124053411              | F124053412             |
| 100          | 40                | F124055411              | F124055412             |

Label. H4.1 cm.

100

S01890154


-



ST11 single-sided steel top shelf with sign profile - to be used with steel shelves for backedge book support



Brackets and label S01890 must be ordered separately. A top shelf for starter bays must have a left and a right bracket. Top shelves for add-on bays must have a double bracket. See below.



| Module<br>cm | Shelf depth<br>cm | Item no. |
|--------------|-------------------|----------|
| 75           | 22.5              | S1231512 |
| 75           | 25                | S1231522 |
| 75           | 30                | S1231532 |
| 75           | 40                | S1231552 |
| 90           | 22.5              | S1231513 |
| 90           | 25                | S1231523 |
| 90           | 30                | S1231533 |
| 90           | 40                | S1231553 |
| 100          | 22.5              | S1231514 |
| 100          | 25                | S1231524 |
| 100          | 30                | S1231534 |
| 100          | 40                | S1231554 |

Label. H4.1 cm.

100

S01890154



-



Steel bracket for steel top shelf



H7.5 cm. Max. load of 25 kg.




| Type   | Shelf depth<br>cm | Item no.   |
|--------|-------------------|------------|
| Left   | 22.5              | S127222311 |
| Left   | 25                | S127222321 |
| Left   | 30                | S127222331 |
| Left   | 40                | S127222351 |
| Right  | 22.5              | S127222312 |
| Right  | 25                | S127222322 |
| Right  | 30                | S127222332 |
| Right  | 40                | S127222352 |
| Double | 22.5              | S127222313 |
| Double | 25                | S127222323 |
| Double | 30                | S127222333 |
| Double | 40                | S127222353 |

# SHELVES

## ST2 SINGLE-SIDED STEEL TOP SHELVES - 25 MM FRONTEDGE - 1 BAY

### ST2 single-sided steel top shelf with brackets - to be used with shelves for hanging book support


 Incl. H7.5 cm lower brackets. Top shelves for starter bays include left and right brackets. Top shelves for add-on bays include double bracket.



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F124061211              | F124061212             |
| 75           | 25                | F124062211              | F124062212             |
| 75           | 30                | F124063211              | F124063212             |
| 75           | 40                | F124065211              | F124065212             |
| 90           | 22.5              | F124061311              | F124061312             |
| 90           | 25                | F124062311              | F124062312             |
| 90           | 30                | F124063311              | F124063312             |
| 90           | 40                | F124065311              | F124065312             |
| 100          | 22.5              | F124061411              | F124061412             |
| 100          | 25                | F124062411              | F124062412             |
| 100          | 30                | F124063411              | F124063412             |
| 1000         | 40                | F124065411              | F124065412             |

### ST2 single-sided steel top shelf - to be used with shelves for hanging book support




 Brackets must be ordered separately. A top shelf for starter bays must have a left and a right bracket. Top shelves for add-on bays must have a double bracket. See below.



| Module<br>cm | Shelf depth<br>cm | Item no. |
|--------------|-------------------|----------|
| 75           | 22.5              | S1231612 |
| 75           | 25                | S1231622 |
| 75           | 30                | S1231632 |
| 75           | 40                | S1231652 |
| 90           | 22.5              | S1231613 |
| 90           | 25                | S1231623 |
| 90           | 30                | S1231633 |
| 90           | 40                | S1231653 |
| 100          | 22.5              | S1231614 |
| 100          | 25                | S1231624 |
| 100          | 30                | S1231634 |
| 100          | 40                | S1231654 |

### Steel bracket for steel top shelf

 H7.5 cm. Max. load of 25 kg.



| Type   | Shelf depth<br>cm | Item no.   |
|--------|-------------------|------------|
| Left   | 22.5              | S127222311 |
| Left   | 25                | S127222321 |
| Left   | 30                | S127222331 |
| Left   | 40                | S127222351 |
| Right  | 22.5              | S127222312 |
| Right  | 25                | S127222322 |
| Right  | 30                | S127222332 |
| Right  | 40                | S127222352 |
| Double | 22.5              | S127222313 |
| Double | 25                | S127222323 |
| Double | 30                | S127222333 |
| Double | 40                | S127222353 |

# SHELVES

## SO1 SINGLE-SIDED LONDON STEEL OVERLAYING TOP PLATE - 30 MM FRONTEDGE - 1 BAY



### SO1 Single-sided London steel overlaying top plate - freestanding

30 mm front edge. With brackets.

| Module<br>cm | Shelf depth<br>cm | Bays | Art. no.   |
|--------------|-------------------|------|------------|
| 75           | 22.5              | 1    | S123001261 |
| 75           | 25                | 1    | S123002261 |
| 75           | 30                | 1    | S123003261 |
| 75           | 40                | 1    | S123005261 |
| 90           | 22.5              | 1    | S123001361 |
| 90           | 25                | 1    | S123002361 |
| 90           | 30                | 1    | S123003361 |
| 90           | 40                | 1    | S123005361 |
| 100          | 22.5              | 1    | S123001461 |
| 100          | 25                | 1    | S123002461 |
| 100          | 30                | 1    | S123003461 |
| 100          | 40                | 1    | S123005461 |



### SO1 Single-sided London steel overlaying top plate - outer

30 mm front edge. With brackets.

| Module<br>cm | Shelf depth<br>cm | Bays | Art. no.   |
|--------------|-------------------|------|------------|
| 75           | 22.5              | 1    | S123001241 |
| 75           | 25                | 1    | S123002241 |
| 75           | 30                | 1    | S123003241 |
| 75           | 40                | 1    | S123005241 |
| 90           | 22.5              | 1    | S123001341 |
| 90           | 25                | 1    | S123002341 |
| 90           | 30                | 1    | S123003341 |
| 90           | 40                | 1    | S123005341 |
| 100          | 22.5              | 1    | S123001441 |
| 100          | 25                | 1    | S123002441 |
| 100          | 30                | 1    | S123003441 |
| 100          | 40                | 1    | S123005441 |



### SO1 Single-sided London steel overlaying top plate - intermediate

30 mm front edge. With brackets.

| Module<br>cm | Shelf depth<br>cm | Bays | Art. no.   |
|--------------|-------------------|------|------------|
| 75           | 22.5              | 1    | S123001231 |
| 75           | 25                | 1    | S123002231 |
| 75           | 30                | 1    | S123003231 |
| 75           | 40                | 1    | S123005231 |
| 90           | 22.5              | 1    | S123001331 |
| 90           | 25                | 1    | S123002331 |
| 90           | 30                | 1    | S123003331 |
| 90           | 40                | 1    | S123005331 |
| 100          | 22.5              | 1    | S123001431 |
| 100          | 25                | 1    | S123002431 |
| 100          | 30                | 1    | S123003431 |
| 100          | 40                | 1    | S123005431 |

## SO1 SINGLE-SIDED LONDON STEEL OVERLAYING TOP PLATE - 30 MM FRONTEDGE - 2 BAYS



### SO1 Single-sided London steel overlaying top plate - freestanding

| 30 mm front edge. With brackets. | Module<br>cm | Shelf depth<br>cm | Bays | Art. no.   |
|----------------------------------|--------------|-------------------|------|------------|
|                                  | 75           | 22.5              | 2    | S123001262 |
|                                  | 75           | 25                | 2    | S123002262 |
|                                  | 75           | 30                | 2    | S123003262 |
|                                  | 75           | 40                | 2    | S123005262 |
|                                  | 90           | 22.5              | 2    | S123001362 |
|                                  | 90           | 25                | 2    | S123002362 |
|                                  | 90           | 30                | 2    | S123003362 |
|                                  | 90           | 40                | 2    | S123005362 |
|                                  | 100          | 22.5              | 2    | S123001462 |
|                                  | 100          | 25                | 2    | S123002462 |
|                                  | 100          | 30                | 2    | S123003462 |
|                                  | 100          | 40                | 2    | S123005462 |



### SO1 Single-sided London steel overlaying top plate - outer

| 30 mm front edge. With brackets. | Module<br>cm | Shelf depth<br>cm | Bays | Art. no.   |
|----------------------------------|--------------|-------------------|------|------------|
|                                  | 75           | 22.5              | 2    | S123001242 |
|                                  | 75           | 25                | 2    | S123002242 |
|                                  | 75           | 30                | 2    | S123003242 |
|                                  | 75           | 40                | 2    | S123005242 |
|                                  | 90           | 22.5              | 2    | S123001342 |
|                                  | 90           | 25                | 2    | S123002342 |
|                                  | 90           | 30                | 2    | S123003342 |
|                                  | 90           | 40                | 2    | S123005342 |
|                                  | 100          | 22.5              | 2    | S123001442 |
|                                  | 100          | 25                | 2    | S123002442 |
|                                  | 100          | 30                | 2    | S123003442 |
|                                  | 100          | 40                | 2    | S123005442 |



### SO1 Single-sided London steel overlaying top plate - intermediate

| 30 mm front edge. With brackets. | Module<br>cm | Shelf depth<br>cm | Bays | Art. no.   |
|----------------------------------|--------------|-------------------|------|------------|
|                                  | 75           | 22.5              | 1    | S123001232 |
|                                  | 75           | 25                | 1    | S123002232 |
|                                  | 75           | 30                | 1    | S123003232 |
|                                  | 75           | 40                | 1    | S123005232 |
|                                  | 90           | 22.5              | 1    | S123001332 |
|                                  | 90           | 25                | 1    | S123002332 |
|                                  | 90           | 30                | 1    | S123003332 |
|                                  | 90           | 40                | 1    | S123005332 |
|                                  | 100          | 22.5              | 1    | S123001432 |
|                                  | 100          | 25                | 1    | S123002432 |
|                                  | 100          | 30                | 1    | S123003432 |
|                                  | 100          | 40                | 1    | S123005432 |

# SHELVES

## SO1 DOUBLE-SIDED LONDON STEEL OVERLAYING TOP PLATE - 30 MM FRONTEDGE - 1 BAY



### SO1 Double-sided London steel overlaying top plate - freestanding

30 mm front edge. With brackets.

| Module<br>cm | Shelf depth<br>cm | Bays | Art. no.   |
|--------------|-------------------|------|------------|
| 75           | 22.5              | 1    | S123011261 |
| 75           | 25                | 1    | S123012261 |
| 75           | 30                | 1    | S123013261 |
| 75           | 40                | 1    | S123015261 |
| 90           | 22.5              | 1    | S123011361 |
| 90           | 25                | 1    | S123012361 |
| 90           | 30                | 1    | S123013361 |
| 90           | 40                | 1    | S123015361 |
| 100          | 22.5              | 1    | S123011461 |
| 100          | 25                | 1    | S123012461 |
| 100          | 30                | 1    | S123013461 |
| 100          | 40                | 1    | S123015461 |



### SO1 Double-sided London steel overlaying top plate - outer

30 mm front edge. With brackets.

| Module<br>cm | Shelf depth<br>cm | Bays | Art. no.   |
|--------------|-------------------|------|------------|
| 75           | 22.5              | 1    | S123011241 |
| 75           | 25                | 1    | S123012241 |
| 75           | 30                | 1    | S123013241 |
| 75           | 40                | 1    | S123015241 |
| 90           | 22.5              | 1    | S123011341 |
| 90           | 25                | 1    | S123012341 |
| 90           | 30                | 1    | S123013341 |
| 90           | 40                | 1    | S123015341 |
| 100          | 22.5              | 1    | S123011441 |
| 100          | 25                | 1    | S123012441 |
| 100          | 30                | 1    | S123013441 |
| 100          | 40                | 1    | S123015441 |



### SO1 Double-sided London steel overlaying top plate - intermediate

30 mm front edge. With brackets.

| Module<br>cm | Shelf depth<br>cm | Bays | Art. no.   |
|--------------|-------------------|------|------------|
| 75           | 22.5              | 1    | S123011231 |
| 75           | 25                | 1    | S123012231 |
| 75           | 30                | 1    | S123013231 |
| 75           | 40                | 1    | S123015231 |
| 90           | 22.5              | 1    | S123011331 |
| 90           | 25                | 1    | S123012331 |
| 90           | 30                | 1    | S123013331 |
| 90           | 40                | 1    | S123015331 |
| 100          | 22.5              | 1    | S123011431 |
| 100          | 25                | 1    | S123012431 |
| 100          | 30                | 1    | S123013431 |
| 100          | 40                | 1    | S123015431 |

## SO1 DOUBLE-SIDED LONDON STEEL OVERLAYING TOP PLATE - 30 MM FRONTEDGE - 2 BAYS



### SO1 Double-sided London steel overlaying top plate - freestanding

30 mm front edge. With brackets.

| Module<br>cm | Shelf depth<br>cm | Bays | Art. no.   |
|--------------|-------------------|------|------------|
| 75           | 22.5              | 2    | S123011262 |
| 75           | 25                | 2    | S123012262 |
| 75           | 30                | 2    | S123013262 |
| 75           | 40                | 2    | S123015262 |
| 90           | 22.5              | 2    | S123011362 |
| 90           | 25                | 2    | S123012362 |
| 90           | 30                | 2    | S123013362 |
| 90           | 40                | 2    | S123015362 |
| 100          | 22.5              | 2    | S123011462 |
| 100          | 25                | 2    | S123012462 |
| 100          | 30                | 2    | S123013462 |
| 100          | 40                | 2    | S123015462 |



### SO1 Double-sided London steel overlaying top plate - outer

30 mm front edge. With brackets.

| Module<br>cm | Shelf depth<br>cm | Bays | Art. no.   |
|--------------|-------------------|------|------------|
| 75           | 22.5              | 2    | S123011242 |
| 75           | 25                | 2    | S123012242 |
| 75           | 30                | 2    | S123013242 |
| 75           | 40                | 2    | S123015242 |
| 90           | 22.5              | 2    | S123011342 |
| 90           | 25                | 2    | S123012342 |
| 90           | 30                | 2    | S123013342 |
| 90           | 40                | 2    | S123015342 |
| 100          | 22.5              | 2    | S123011442 |
| 100          | 25                | 2    | S123012442 |
| 100          | 30                | 2    | S123013442 |
| 100          | 40                | 2    | S123015442 |



### SO1 Double-sided London steel overlaying top plate - intermediate

30 mm front edge. With brackets.

| Module<br>cm | Shelf depth<br>cm | Bays | Art. no.   |
|--------------|-------------------|------|------------|
| 75           | 22.5              | 1    | S123011232 |
| 75           | 25                | 1    | S123012232 |
| 75           | 30                | 1    | S123013232 |
| 75           | 40                | 1    | S123015232 |
| 90           | 22.5              | 1    | S123011332 |
| 90           | 25                | 1    | S123012332 |
| 90           | 30                | 1    | S123013332 |
| 90           | 40                | 1    | S123015332 |
| 100          | 22.5              | 1    | S123011432 |
| 100          | 25                | 1    | S123012432 |
| 100          | 30                | 1    | S123013432 |
| 100          | 40                | 1    | S123015432 |

# SHELVES

## WO1 SINGLE-SIDED LONDON WOODEN OVERLAYING TOP PLATES - FREESTANDING - 1-3 BAYS

### WO1 Single-sided FSC London wooden overlaying top plate - freestanding



30 mm front edge. With brackets.



| Module<br>cm | Shelf depth<br>cm | Bays | Art. no.    |
|--------------|-------------------|------|-------------|
| 75           | 22.5              | 1    | S1240012161 |
| 75           | 25                | 1    | S1240022161 |
| 75           | 30                | 1    | S1240032161 |
| 75           | 40                | 1    | S1240052161 |
| 90           | 22.5              | 1    | S1240013161 |
| 90           | 25                | 1    | S1240023161 |
| 90           | 30                | 1    | S1240033161 |
| 90           | 40                | 1    | S1240053161 |
| 100          | 22.5              | 1    | S1240014161 |
| 100          | 25                | 1    | S1240024161 |
| 100          | 30                | 1    | S1240034161 |
| 100          | 40                | 1    | S1240054161 |
| 75           | 22.5              | 2    | S1240012162 |
| 75           | 25                | 2    | S1240022162 |
| 75           | 30                | 2    | S1240032162 |
| 75           | 40                | 2    | S1240052162 |
| 90           | 22.5              | 2    | S1240013162 |
| 90           | 25                | 2    | S1240023162 |
| 90           | 30                | 2    | S1240033162 |
| 90           | 40                | 2    | S1240053162 |
| 100          | 22.5              | 2    | S1240014162 |
| 100          | 25                | 2    | S1240024162 |
| 100          | 30                | 2    | S1240034162 |
| 100          | 40                | 2    | S1240054162 |
| 75           | 22.5              | 3    | S1240012163 |
| 75           | 25                | 3    | S1240022163 |
| 75           | 30                | 3    | S1240032163 |
| 75           | 40                | 3    | S1240052163 |
| 90           | 22.5              | 3    | S1240013163 |
| 90           | 25                | 3    | S1240023163 |
| 90           | 30                | 3    | S1240033163 |
| 90           | 40                | 3    | S1240053163 |

# SHELVES

## WO1 SINGLE-SIDED LONDON WOODEN OVERLAYING TOP PLATES - OUTER - 1-3 BAYS



### WO1 Single-sided FSC London wooden overlaying top plate - outer

30 mm front edge. With brackets.

| Module<br>cm | Shelf depth<br>cm | Bays | Art. no.    |
|--------------|-------------------|------|-------------|
| 75           | 22.5              | 1    | S1240012141 |
| 75           | 25                | 1    | S1240022141 |
| 75           | 30                | 1    | S1240032141 |
| 75           | 40                | 1    | S1240052141 |
| 90           | 22.5              | 1    | S1240013141 |
| 90           | 25                | 1    | S1240023141 |
| 90           | 30                | 1    | S1240033141 |
| 90           | 40                | 1    | S1240053141 |
| 100          | 22.5              | 1    | S1240014141 |
| 100          | 25                | 1    | S1240024141 |
| 100          | 30                | 1    | S1240034141 |
| 100          | 40                | 1    | S1240054141 |
| 75           | 22.5              | 2    | S1240012142 |
| 75           | 25                | 2    | S1240022142 |
| 75           | 30                | 2    | S1240032142 |
| 75           | 40                | 2    | S1240052142 |
| 90           | 22.5              | 2    | S1240013142 |
| 90           | 25                | 2    | S1240023142 |
| 90           | 30                | 2    | S1240033142 |
| 90           | 40                | 2    | S1240053142 |
| 100          | 22.5              | 2    | S1240014142 |
| 100          | 25                | 2    | S1240024142 |
| 100          | 30                | 2    | S1240034142 |
| 100          | 40                | 2    | S1240054142 |
| 75           | 22.5              | 3    | S1240012143 |
| 75           | 25                | 3    | S1240022143 |
| 75           | 30                | 3    | S1240032143 |
| 75           | 40                | 3    | S1240052143 |
| 90           | 22.5              | 3    | S1240013143 |
| 90           | 25                | 3    | S1240023143 |
| 90           | 30                | 3    | S1240033143 |
| 90           | 40                | 3    | S1240053143 |

# SHELVES

## WO1 SINGLE-SIDED LONDON WOODEN OVERLAYING TOP PLATES - INTERMEDIATE - 1-3 BAYS

### WO1 Single-sided FSC London wooden overlaying top plate - intermediate



30 mm front edge. With brackets.

| Module<br>cm | Shelf depth<br>cm | Bays | Art. no.    |
|--------------|-------------------|------|-------------|
| 75           | 22.5              | 1    | S1240012131 |
| 75           | 25                | 1    | S1240022131 |
| 75           | 30                | 1    | S1240032131 |
| 75           | 40                | 1    | S1240052131 |
| 90           | 22.5              | 1    | S1240013131 |
| 90           | 25                | 1    | S1240023131 |
| 90           | 30                | 1    | S1240033131 |
| 90           | 40                | 1    | S1240053131 |
| 100          | 22.5              | 1    | S1240014131 |
| 100          | 25                | 1    | S1240024131 |
| 100          | 30                | 1    | S1240034131 |
| 100          | 40                | 1    | S1240054131 |
| 75           | 22.5              | 2    | S1240012132 |
| 75           | 25                | 2    | S1240022132 |
| 75           | 30                | 2    | S1240032132 |
| 75           | 40                | 2    | S1240052132 |
| 90           | 22.5              | 2    | S1240013132 |
| 90           | 25                | 2    | S1240023132 |
| 90           | 30                | 2    | S1240033132 |
| 90           | 40                | 2    | S1240053132 |
| 100          | 22.5              | 2    | S1240014132 |
| 100          | 25                | 2    | S1240024132 |
| 100          | 30                | 2    | S1240034132 |
| 100          | 40                | 2    | S1240054132 |
| 75           | 22.5              | 3    | S1240012133 |
| 75           | 25                | 3    | S1240022133 |
| 75           | 30                | 3    | S1240032133 |
| 75           | 40                | 3    | S1240052133 |
| 90           | 22.5              | 3    | S1240013133 |
| 90           | 25                | 3    | S1240023133 |
| 90           | 30                | 3    | S1240033133 |
| 90           | 40                | 3    | S1240053133 |

# SHELVES

## WO1 DOUBLE-SIDED LONDON WOODEN OVERLAYING TOP PLATES - FREESTANDING - 1-3 BAYS

### WO1 Double-sided FSC London wooden overlaying top plate - freestanding



30 mm front edge. With brackets.

| Module<br>cm | Shelf depth<br>cm | Bays | Art. no.    |
|--------------|-------------------|------|-------------|
| 75           | 22.5              | 1    | S1240012261 |
| 75           | 25                | 1    | S1240022261 |
| 75           | 30                | 1    | S1240032261 |
| 75           | 40                | 1    | S1240052261 |
| 90           | 22.5              | 1    | S1240013261 |
| 90           | 25                | 1    | S1240023261 |
| 90           | 30                | 1    | S1240033261 |
| 90           | 40                | 1    | S1240053261 |
| 100          | 22.5              | 1    | S1240014261 |
| 100          | 25                | 1    | S1240024261 |
| 100          | 30                | 1    | S1240034261 |
| 100          | 40                | 1    | S1240054261 |
| 75           | 22.5              | 2    | S1240012262 |
| 75           | 25                | 2    | S1240022262 |
| 75           | 30                | 2    | S1240032262 |
| 75           | 40                | 2    | S1240052262 |
| 90           | 22.5              | 2    | S1240013262 |
| 90           | 25                | 2    | S1240023262 |
| 90           | 30                | 2    | S1240033262 |
| 90           | 40                | 2    | S1240053262 |
| 100          | 22.5              | 2    | S1240014262 |
| 100          | 25                | 2    | S1240024262 |
| 100          | 30                | 2    | S1240034262 |
| 100          | 40                | 2    | S1240054262 |
| 75           | 22.5              | 3    | S1240012263 |
| 75           | 25                | 3    | S1240022263 |
| 75           | 30                | 3    | S1240032263 |
| 75           | 40                | 3    | S1240052263 |
| 90           | 22.5              | 3    | S1240013263 |
| 90           | 25                | 3    | S1240023263 |
| 90           | 30                | 3    | S1240033263 |
| 90           | 40                | 3    | S1240053263 |

# SHELVES

## WO1 DOUBLE-SIDED LONDON WOODEN OVERLAYING TOP PLATES - OUTER - 1-3 BAYS



### WO1 Double-sided FSC London wooden overlaying top plate - outer

30 mm front edge. With brackets.

| Module<br>cm | Shelf depth<br>cm | Bays | Art. no.    |
|--------------|-------------------|------|-------------|
| 75           | 22.5              | 1    | S1240012241 |
| 75           | 25                | 1    | S1240022241 |
| 75           | 30                | 1    | S1240032241 |
| 75           | 40                | 1    | S1240052241 |
| 90           | 22.5              | 1    | S1240013241 |
| 90           | 25                | 1    | S1240023241 |
| 90           | 30                | 1    | S1240033241 |
| 90           | 40                | 1    | S1240053241 |
| 100          | 22.5              | 1    | S1240014241 |
| 100          | 25                | 1    | S1240024241 |
| 100          | 30                | 1    | S1240034241 |
| 100          | 40                | 1    | S1240054241 |
| 75           | 22.5              | 2    | S1240012242 |
| 75           | 25                | 2    | S1240022242 |
| 75           | 30                | 2    | S1240032242 |
| 75           | 40                | 2    | S1240052242 |
| 90           | 22.5              | 2    | S1240013242 |
| 90           | 25                | 2    | S1240023242 |
| 90           | 30                | 2    | S1240033242 |
| 90           | 40                | 2    | S1240053242 |
| 100          | 22.5              | 2    | S1240014242 |
| 100          | 25                | 2    | S1240024242 |
| 100          | 30                | 2    | S1240034242 |
| 100          | 40                | 2    | S1240054242 |
| 75           | 22.5              | 3    | S1240012243 |
| 75           | 25                | 3    | S1240022243 |
| 75           | 30                | 3    | S1240032243 |
| 75           | 40                | 3    | S1240052243 |
| 90           | 22.5              | 3    | S1240013243 |
| 90           | 25                | 3    | S1240023243 |
| 90           | 30                | 3    | S1240033243 |
| 90           | 40                | 3    | S1240053243 |

## WO1 DOUBLE-SIDED LONDON WOODEN OVERLAYING TOP PLATES - INTERMEDIATE - 1-3 BAYS

### WO1 Double-sided FSC London wooden overlaying top plate - intermediate



30 mm front edge. With brackets.

| Module<br>cm | Shelf depth<br>cm | Bays | Art. no.    |
|--------------|-------------------|------|-------------|
| 75           | 22.5              | 1    | S1240012231 |
| 75           | 25                | 1    | S1240022231 |
| 75           | 30                | 1    | S1240032231 |
| 75           | 40                | 1    | S1240052231 |
| 90           | 22.5              | 1    | S1240013231 |
| 90           | 25                | 1    | S1240023231 |
| 90           | 30                | 1    | S1240033231 |
| 90           | 40                | 1    | S1240053231 |
| 100          | 22.5              | 1    | S1240014231 |
| 100          | 25                | 1    | S1240024231 |
| 100          | 30                | 1    | S1240034231 |
| 100          | 40                | 1    | S1240054231 |
| 75           | 22.5              | 2    | S1240012232 |
| 75           | 25                | 2    | S1240022232 |
| 75           | 30                | 2    | S1240032232 |
| 75           | 40                | 2    | S1240052232 |
| 90           | 22.5              | 2    | S1240013232 |
| 90           | 25                | 2    | S1240023232 |
| 90           | 30                | 2    | S1240033232 |
| 90           | 40                | 2    | S1240053232 |
| 100          | 22.5              | 2    | S1240014232 |
| 100          | 25                | 2    | S1240024232 |
| 100          | 30                | 2    | S1240034232 |
| 100          | 40                | 2    | S1240054232 |
| 75           | 22.5              | 3    | S1240012233 |
| 75           | 25                | 3    | S1240022233 |
| 75           | 30                | 3    | S1240032233 |
| 75           | 40                | 3    | S1240052233 |
| 90           | 22.5              | 3    | S1240013233 |
| 90           | 25                | 3    | S1240023233 |
| 90           | 30                | 3    | S1240033233 |
| 90           | 40                | 3    | S1240053233 |




---

### SI1 STEEL INTERMEDIATE SHELF WITH STEEL BACKEDGE - FOR BACKEDGE BOOK SUPPORT

Details:

- Module 750/900/1000 mm
- Depth 225/250/300/400 mm
- Steel backedge H47 mm
- Backedge book support
- Steel plate brackets
- Max. weight 80 kg.
- Straight & 45°/60° sloping




---

### SI2 STEEL INTERMEDIATE SHELF WITH ACRYLIC BACKEDGE - FOR HANGING BOOK SUPPORT

Details:

- Module 750/900/1000 mm
- Depth 225/250/300/400 mm
- Acrylic backedge H17 mm (loose part)
- Hanging book support
- Steel plate brackets
- Max. weight 80 kg.
- Straight & 45°/60° sloping



# SHELVES

## SI1 STEEL INTERMEDIATE SHELF WITH STEEL BACKEDGE




### SI1 steel intermediate shelf with steel backedge and steel brackets - for backedge book support



Steel backedge H47 mm. Incl. H15 cm brackets. Shelves for starter bays include left and right brackets.



Shelves for add-on bays include double bracket.




| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F124201211              | F124201212             |
| 75           | 25                | F124202211              | F124202212             |
| 75           | 30                | F124203211              | F124203212             |
| 75           | 40                | F124205211              | F124205212             |
| 90           | 22.5              | F124201311              | F124201312             |
| 90           | 25                | F124202311              | F124202312             |
| 90           | 30                | F124203311              | F124203312             |
| 90           | 40                | F124205311              | F124205312             |
| 100          | 22.5              | F124201411              | F124201412             |
| 100          | 25                | F124202411              | F124202412             |
| 100          | 30                | F124203411              | F124203412             |
| 100          | 40                | F124205411              | F124205412             |



### SI1 steel intermediate shelf with steel backedge - for backedge book support




Steel backedge H47 mm. Left, right or double brackets must be ordered separately. See below.



| Module<br>cm | Shelf depth<br>cm | Item no.  |
|--------------|-------------------|-----------|
| 75           | 22.5              | S12335121 |
| 75           | 25                | S12335221 |
| 75           | 30                | S12335321 |
| 75           | 40                | S12335521 |
| 90           | 22.5              | S12335131 |
| 90           | 25                | S12335231 |
| 90           | 30                | S12335331 |
| 90           | 40                | S12335531 |
| 100          | 22.5              | S12335141 |
| 100          | 25                | S12335241 |
| 100          | 30                | S12335341 |
| 100          | 40                | S12335541 |



### Steel plate bracket for SI1 & SI2




| Type   | Shelf depth<br>cm | Item no.<br>H15 cm | Item no.<br>H20 cm |
|--------|-------------------|--------------------|--------------------|
| Left   | 22,5              | S1272311           | S1272411           |
| Left   | 25                | S1272321           | S1272421           |
| Left   | 30                | S1272331           | S1272431           |
| Left   | 40                | S1272351           | S1272451           |
| Right  | 22,5              | S1272312           | S1272412           |
| Right  | 25                | S1272322           | S1272422           |
| Right  | 30                | S1272332           | S1272432           |
| Right  | 40                | S1272352           | S1272452           |
| Double | 22,5              | S1272313           |                    |
| Double | 25                | S1272323           |                    |
| Double | 30                | S1272333           |                    |
| Double | 40                | S1272353           |                    |



### Backedge book support - for SI1 steel shelf

Nickel plated steel, Ø6 mm, with a nylon glider.




| Height<br>cm | Shelf depth<br>cm | Type                                    | Item no.  |
|--------------|-------------------|-----------------------------------------|-----------|
| 16,3         | 22.5/25           | For books on left side of book support  | S017754J1 |
| 16,3         | 30                | For books on left side of book support  | S017754J3 |
| 24,3         | 25/30             | For books on left side of book support  | S017756R2 |
| 16,3         | 22.5/25           | For books on right side of book support | S017764J1 |
| 16,3         | 30                | For books on right side of book support | S017764J3 |

# SHELVES

## SI1 STEEL INTERMEDIATE SHELF WITH STEEL BACKEDGE

### SI1 steel intermediate shelf with steel frontedge and 45°/60° steel plate brackets


 Steel backedge H47 mm. Incl. left and right brackets.



| Module<br>cm | Shelf depth<br>cm | Item no.<br>45° | Item no.<br>60° |
|--------------|-------------------|-----------------|-----------------|
| 75           | 22.5              | F1242112        | F1242212        |
| 75           | 25                | F1242122        | F1242222        |
| 75           | 30                | F1242132        | F1242232        |
| 90           | 22.5              | F1242113        | F1242213        |
| 90           | 25                | F1242123        | F1242223        |
| 90           | 30                | F1242133        | F1242233        |
| 100          | 22.5              | F1242114        | F1242214        |
| 100          | 25                | F1242124        | F1242224        |
| 100          | 30                | F1242134        | F1242234        |


### SI1 steel intermediate shelf with steel backedge - for backedge book support

 Steel backedge H47 mm. Left, right or double brackets must be ordered separately. See below.



| Module<br>cm | Shelf depth<br>cm | Item no.  |
|--------------|-------------------|-----------|
| 75           | 22.5              | S12335121 |
| 75           | 25                | S12335221 |
| 75           | 30                | S12335321 |
| 90           | 22.5              | S12335131 |
| 90           | 25                | S12335231 |
| 90           | 30                | S12335331 |
| 100          | 22.5              | S12335141 |
| 100          | 25                | S12335241 |
| 100          | 30                | S12335341 |

### 45°/60° steel plate bracket - for SI1 & SI2



| Depth<br>cm | Degree | Item no.<br>Left | Item no.<br>Right |
|-------------|--------|------------------|-------------------|
| 22.5        | 45°    | S1272511         | S1272512          |
| 25          | 45°    | S1272521         | S1272522          |
| 30          | 45°    | S1272531         | S1272532          |
| 22.5        | 60°    | S1272611         | S1272612          |
| 25          | 60°    | S1272621         | S1272622          |
| 30          | 60°    | S1272631         | S1272632          |

# SHELVES


## SI2 STEEL INTERMEDIATE SHELF WITH ACRYLIC BACKEDGE



### SI2 steel intermediate shelf with acrylic backedge and steel brackets - for hanging book support



Acrylic backedge H17 mm. Shelves for starter bays include left and right brackets. Shelves for add-on bays include double bracket. Note: Spot welding visible on top of surface.




| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F124241211              | F124241212             |
| 75           | 25                | F124242211              | F124242212             |
| 75           | 30                | F124243211              | F124243212             |
| 75           | 40                | F124245211              | F124245212             |
| 90           | 22.5              | F124241311              | F124241312             |
| 90           | 25                | F124242311              | F124242312             |
| 90           | 30                | F124243311              | F124243312             |
| 90           | 40                | F124245311              | F124245312             |
| 100          | 22.5              | F124241411              | F124241412             |
| 100          | 25                | F124242411              | F124242412             |
| 100          | 30                | F124243411              | F124243412             |
| 100          | 40                | F124245411              | F124245412             |



### SI2 steel intermediate shelf with acrylic backedge - for hanging book support




Acrylic backedge 17 mm. Left, right or double brackets must be ordered separately. See below. Note: Spot welding visible on top of surface.



| Module<br>cm | Shelf depth<br>cm | Item no.  |
|--------------|-------------------|-----------|
| 75           | 22.5              | S12336121 |
| 75           | 25                | S12336221 |
| 75           | 30                | S12336321 |
| 75           | 40                | S12336521 |
| 90           | 22.5              | S12336131 |
| 90           | 25                | S12336231 |
| 90           | 30                | S12336331 |
| 90           | 40                | S12336531 |
| 100          | 22.5              | S12336141 |
| 100          | 25                | S12336241 |
| 100          | 30                | S12336341 |
| 100          | 40                | S12336541 |



### Steel plate bracket for SI1 & SI2



| Type   | Shelf depth<br>cm | Item no.<br>H15 cm | Item no.<br>H20 cm |
|--------|-------------------|--------------------|--------------------|
| Left   | 22,5              | S1272311           | S1272411           |
| Left   | 25                | S1272321           | S1272421           |
| Left   | 30                | S1272331           | S1272431           |
| Left   | 40                | S1272351           | S1272451           |
| Right  | 22,5              | S1272312           | S1272412           |
| Right  | 25                | S1272322           | S1272422           |
| Right  | 30                | S1272332           | S1272432           |
| Right  | 40                | S1272352           | S1272452           |
| Double | 22,5              | S1272313           |                    |
| Double | 25                | S1272323           |                    |
| Double | 30                | S1272333           |                    |
| Double | 40                | S1272353           |                    |

### Hanging book support - for S2

Available in chromed steel or standard steel colours.



| Height<br>cm | Item no. |
|--------------|----------|
| 20           | S017775K |
| 25           | S017776Y |


# SHELVES

## SI2 STEEL INTERMEDIATE SHELF WITH ACRYLIC BACKEDGE

### SI2 steel intermediate shelf with acrylic backedge and 45°/60° steel plate brackets



Acrylic backedge H17 mm. Incl. left and right brackets. Note: Spot welding visible on top of surface.




| Module<br>cm | Shelf depth<br>cm | Item no.<br>45° | Item no.<br>60° |
|--------------|-------------------|-----------------|-----------------|
| 75           | 22.5              | F1242512        | F1242612        |
| 75           | 25                | F1242522        | F1242622        |
| 75           | 30                | F1242532        | F1242632        |
| 90           | 22.5              | F1242513        | F1242613        |
| 90           | 25                | F1242523        | F1242623        |
| 90           | 30                | F1242533        | F1242633        |
| 100          | 22.5              | F1242514        | F1242614        |
| 100          | 25                | F1242524        | F1242624        |
| 100          | 30                | F1242534        | F1242634        |

### SI2 steel intermediate shelf with acrylic backedge - for hanging book support




Acrylic backedge 17 mm. Left, right or double brackets must be ordered separately. See below. Note: Spot welding visible on top of surface.



| Module<br>cm | Shelf depth<br>cm | Item no.  |
|--------------|-------------------|-----------|
| 75           | 22.5              | S12336121 |
| 75           | 25                | S12336221 |
| 75           | 30                | S12336321 |
| 90           | 22.5              | S12336131 |
| 90           | 25                | S12336231 |
| 90           | 30                | S12336331 |
| 100          | 22.5              | S12336141 |
| 100          | 25                | S12336241 |
| 100          | 30                | S12336341 |

### 45°/60° steel plate bracket - for SI1 & SI2



| Depth<br>cm | Degree | Item no.<br>Left | Item no.<br>Right |
|-------------|--------|------------------|-------------------|
| 22.5        | 45°    | S1272511         | S1272512          |
| 25          | 45°    | S1272521         | S1272522          |
| 30          | 45°    | S1272531         | S1272532          |
| 22.5        | 60°    | S1272611         | S1272612          |
| 25          | 60°    | S1272621         | S1272622          |
| 30          | 60°    | S1272631         | S1272632          |




---

### SB1 - STEEL BOTTOM SHELF WITH STEEL BACKEDGE - FOR BACKEDGE BOOK SUPPORT

Details:

- Module 750/900/1000 mm
- Depth 225/250/300/400 mm
- Steel backedge H47 mm
- Backedge book support
- Steel plate brackets
- Max. weight 80 kg.
- Straight and 7,5° reverse tilted




---

### SB1 - STEEL BOTTOM SHELF WITH PLINTH WITH STEEL BACKEDGE

Details:

- Module 750/900/1000 mm
- Depth 225/250/300/400 mm
- Steel backedge H47 mm
- Steel brackets
- Max. weight 80 kg.




---

### SB2 - STEEL BOTTOM SHELF WITH ACRYLIC BACKEDGE - FOR HANGING BOOK SUPPORT

Details:

- Module 750/900/1000 mm
- Depth 225/250/300/400 mm
- Acrylic backedge H17 mm (loose part)
- Hanging book support
- Steel plate brackets
- Max. weight 80 kg.
- Straight & 7,5° reverse tilted




# SHELVES

## SB1 STEEL BOTTOM SHELF WITH STEEL BACKEDGE

### SB1 steel bottom shelf with steel backedge and steel brackets - for backedge book support


-  Steel backedge H47 mm. Incl. H15 cm brackets. Shelves for starter bays include left and right brackets.
-  Shelves for add-on bays include double bracket.



| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F124501211              | F124501212             |
| 75           | 25                | F124502211              | F124502212             |
| 75           | 30                | F124503211              | F124503212             |
| 75           | 40                | F124505211              | F124505212             |
| 90           | 22.5              | F124501311              | F124501312             |
| 90           | 25                | F124502311              | F124502312             |
| 90           | 30                | F124503311              | F124503312             |
| 90           | 40                | F124505311              | F124505312             |
| 100          | 22.5              | F124501411              | F124501412             |
| 100          | 25                | F124502411              | F124502412             |
| 100          | 30                | F124503411              | F124503412             |
| 100          | 40                | F124505411              | F124505412             |

### SB1 steel bottom shelf with steel backedge - for backedge book support


-  Steel backedge H47 mm. Left, right or double brackets must be ordered separately. See below.



| Module<br>cm | Shelf depth<br>cm | Item no.  |
|--------------|-------------------|-----------|
| 75           | 22.5              | S12365121 |
| 75           | 25                | S12365221 |
| 75           | 30                | S12365321 |
| 75           | 40                | S12365521 |
| 90           | 22.5              | S12365131 |
| 90           | 25                | S12365231 |
| 90           | 30                | S12365331 |
| 90           | 40                | S12365531 |
| 100          | 22.5              | S12365141 |
| 100          | 25                | S12365241 |
| 100          | 30                | S12365341 |
| 100          | 40                | S12365541 |

### Steel plate bracket for SB1 & SB2


-  Steel plate bracket for SB1 & SB2
-  Steel plate bracket for SB1 & SB2



| Type   | Shelf depth<br>cm | Item no.<br>H15 cm | Item no.<br>H20 cm |
|--------|-------------------|--------------------|--------------------|
| Left   | 22,5              | S1272311           | S1272411           |
| Left   | 25                | S1272321           | S1272421           |
| Left   | 30                | S1272331           | S1272431           |
| Left   | 40                | S1272351           | S1272451           |
| Right  | 22,5              | S1272312           | S1272412           |
| Right  | 25                | S1272322           | S1272422           |
| Right  | 30                | S1272332           | S1272432           |
| Right  | 40                | S1272352           | S1272452           |
| Double | 22,5              | S1272313           |                    |
| Double | 25                | S1272323           |                    |
| Double | 30                | S1272333           |                    |
| Double | 40                | S1272353           |                    |

### Backedge book support - for SB1 steel shelf

Nickel plated steel, Ø6 mm, with a nylon glider.




| Height<br>cm | Shelf depth<br>cm | Type                                    | Item no.  |
|--------------|-------------------|-----------------------------------------|-----------|
| 16,3         | 22.5/25           | For books on left side of book support  | S017754J1 |
| 16,3         | 30                | For books on left side of book support  | S017754J3 |
| 24,3         | 25/30             | For books on left side of book support  | S017756R2 |
| 16,3         | 22.5/25           | For books on right side of book support | S017764J1 |
| 16,3         | 30                | For books on right side of book support | S017764J3 |

# SHELVES

## SB1 STEEL BOTTOM SHELF WITH STEEL BACKEDGE

### SB1 steel bottom shelf with steel backedge and 7.5° reverse tilted steel plate brackets


 Steel backedge H47 mm. Incl. left and right brackets.



| Module<br>cm | Shelf depth<br>cm | Shelf depth<br>cm | Dimension<br>W X H<br>cm | Item no.  |
|--------------|-------------------|-------------------|--------------------------|-----------|
| 75           | 25                | 22.5              | 25 x 15                  | F12451212 |
| 75           | 30                | 22.5              | 30 x 15                  | F12451312 |
| 75           | 30                | 25                | 30 x 15                  | F12451322 |
| 90           | 25                | 22.5              | 25 x 15                  | F12451213 |
| 90           | 30                | 22.5              | 30 x 15                  | F12451313 |
| 90           | 30                | 25                | 30 x 15                  | F12451323 |
| 100          | 25                | 22.5              | 25 x 15                  | F12451214 |
| 100          | 30                | 22.5              | 30 x 15                  | F12451314 |
| 100          | 30                | 25                | 30 x 15                  | F12451324 |


### SB1 steel bottom shelf with steel backedge - for backedge book support

 Steel backedge H47 mm. Left, right or double brackets must be ordered separately. See below.



| Module<br>cm | Shelf depth<br>cm | Item no.  |
|--------------|-------------------|-----------|
| 75           | 22.5              | S12365121 |
| 75           | 25                | S12365221 |
| 75           | 30                | S12365321 |
| 75           | 40                | S12365521 |
| 90           | 22.5              | S12365131 |
| 90           | 25                | S12365231 |
| 90           | 30                | S12365331 |
| 90           | 40                | S12365531 |
| 100          | 22.5              | S12365141 |
| 100          | 25                | S12365241 |
| 100          | 30                | S12365341 |
| 100          | 40                | S12365541 |

### 7.5° reverse tilted steel plate bracket - for SB1 & SB2



| Shelf depth<br>cm | Dimension<br>W X H<br>cm | Item no.<br>Left | Item no.<br>Right |
|-------------------|--------------------------|------------------|-------------------|
| 22.5              | 25 x 15                  | S1272746211      | S1272746212       |
| 22.5              | 30 x 15                  | S1272746311      | S1272746312       |
| 25                | 30 x 15                  | S1272746321      | S1272746322       |


# SHELVES

## SB1 STEEL BOTTOM SHELF WITH BACKEDGE AND INTEGRATED PLINTH




 SB1 steel bottom shelf with steel backedge, integrated plinth and brackets - for backedge book support

|  Steel backedge H47 mm, integrated plinth H92 mm. Incl. left and right brackets. Does not fit 80/30. | Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------------|-------------------------|------------------------|
|                                                                                                                                                                                     | 75           | 22.5              | F124521211              | F124521212             |
|                                                                                                                                                                                     | 75           | 25                | F124522211              | F124522212             |
|                                                                                                                                                                                     | 75           | 30                | F124523211              | F124523212             |
|                                                                                                                                                                                     | 75           | 40                | F124525211              | F124525212             |
|                                                                                                                                                                                     | 90           | 22.5              | F124521311              | F124521312             |
|                                                                                                                                                                                     | 90           | 25                | F124522311              | F124522312             |
|                                                                                                                                                                                     | 90           | 30                | F124523311              | F124523312             |
|                                                                                                                                                                                     | 90           | 40                | F124525311              | F124525312             |
|                                                                                                                                                                                     | 100          | 22.5              | F124521411              | F124521412             |
|                                                                                                                                                                                     | 100          | 25                | F124522411              | F124522412             |
|                                                                                                                                                                                     | 100          | 30                | F124523411              | F124523412             |
|                                                                                                                                                                                     | 100          | 40                | F124525411              | F124525412             |

 SB1 steel bottom shelf with steel backedge and integrated plinth - for backedge book support

|  Steel backedge H47 mm, integrated plinth H92 mm. Brackets must be ordered separately. See below. Does not fit 80/30. | Module<br>cm | Shelf depth<br>cm | Item no.  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------------|-----------|
|                                                                                                                   | 75           | 22.5              | S12366121 |
|                                                                                                                                                                                                      | 75           | 25                | S12366221 |
|                                                                                                                                                                                                      | 75           | 30                | S12366321 |
|                                                                                                                                                                                                      | 75           | 40                | S12366521 |
|                                                                                                                                                                                                      | 90           | 22.5              | S12366131 |
|                                                                                                                                                                                                      | 90           | 25                | S12366231 |
|                                                                                                                                                                                                      | 90           | 30                | S12366331 |
|                                                                                                                                                                                                      | 90           | 40                | S12366531 |
|                                                                                                                                                                                                      | 100          | 22.5              | S12366141 |
|                                                                                                                                                                                                      | 100          | 25                | S12366241 |
|                                                                                                                                                                                                      | 100          | 30                | S12366341 |
|                                                                                                                                                                                                      | 100          | 40                | S12366541 |

 Steel plate brackets for steel bottom shelf with steel backedge and integrated plinth

|    | Type   | Shelf depth<br>cm | Item no.   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------------|------------|
|                                                                                                                                                                    | Left   | 22.5              | S127310U11 |
|                                                                                                                                                                                                                                                       | Left   | 25                | S127310U21 |
|                                                                                                                                                                                                                                                       | Left   | 30                | S127310U31 |
|                                                                                                                                                                                                                                                       | Left   | 40                | S127310U51 |
|                                                                                                                                                                    | Right  | 22.5              | S127310U12 |
|                                                                                                                                                                                                                                                       | Right  | 25                | S127310U22 |
|                                                                                                                                                                                                                                                       | Right  | 30                | S127310U32 |
|                                                                                                                                                                                                                                                       | Right  | 40                | S127310U52 |
|                                                                                                                                                                    | Double | 22.5              | S127310U13 |
|                                                                                                                                                                                                                                                       | Double | 25                | S127310U23 |
|                                                                                                                                                                                                                                                       | Double | 30                | S127310U33 |
|                                                                                                                                                                                                                                                       | Double | 40                | S127310U53 |



# SHELVES


## SB2 STEEL BOTTOM SHELF WITH ACRYLIC BACKEDGE



### SB2 steel bottom shelf with acrylic backedge and steel brackets



Acrylic backedge H17 mm. Shelves for starter bays include left and right brackets. Shelves for add-on bays include double bracket. Note: Spot welding visible on top of surface.




| Module<br>cm | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|--------------|-------------------|-------------------------|------------------------|
| 75           | 22.5              | F124531211              | F124531212             |
| 75           | 25                | F124532211              | F124532212             |
| 75           | 30                | F124533211              | F124533212             |
| 75           | 40                | F124535211              | F124535212             |
| 90           | 22.5              | F124531311              | F124531312             |
| 90           | 25                | F124532311              | F124532312             |
| 90           | 30                | F124533311              | F124533312             |
| 90           | 40                | F124535311              | F124535312             |
| 100          | 22.5              | F124531411              | F124531412             |
| 100          | 25                | F124532411              | F124532412             |
| 100          | 30                | F124533411              | F124533412             |
| 100          | 40                | F124535411              | F124535412             |



### SB2 steel bottom shelf with acrylic backedge




Acrylic backedge 17 mm. Left, right or double brackets must be ordered separately. See below. Note: Spot welding visible on top of surface.



| Module<br>cm | Shelf depth<br>cm | Item no.  |
|--------------|-------------------|-----------|
| 75           | 22.5              | S12367121 |
| 75           | 25                | S12367221 |
| 75           | 30                | S12367321 |
| 75           | 40                | S12367521 |
| 90           | 22.5              | S12367131 |
| 90           | 25                | S12367231 |
| 90           | 30                | S12367331 |
| 90           | 40                | S12367531 |
| 100          | 22.5              | S12367141 |
| 100          | 25                | S12367241 |
| 100          | 30                | S12367341 |
| 100          | 40                | S12367541 |



### Steel plate bracket for SB1 & SB2




| Type   | Shelf depth<br>cm | Item no.<br>H15 cm | Item no.<br>H20 cm |
|--------|-------------------|--------------------|--------------------|
| Left   | 22,5              | S1272311           | S1272411           |
| Left   | 25                | S1272321           | S1272421           |
| Left   | 30                | S1272331           | S1272431           |
| Left   | 40                | S1272351           | S1272451           |
| Right  | 22,5              | S1272312           | S1272412           |
| Right  | 25                | S1272322           | S1272422           |
| Right  | 30                | S1272332           | S1272432           |
| Right  | 40                | S1272352           | S1272452           |
| Double | 22,5              | S1272313           |                    |
| Double | 25                | S1272323           |                    |
| Double | 30                | S1272333           |                    |
| Double | 40                | S1272353           |                    |


# SHELVES

## SB2 STEEL BOTTOM SHELF WITH ACRYLIC BACKEDGE


### SB2 steel bottom shelf with acrylic backedge and 7.5° reverse tilted steel plate brackets

| <br><br> | Acrylic backedge H17 mm. Incl. left and right brackets. Note: Spot welding visible on top of surface. |                   |                   |                          | Item no.  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-------------------|-------------------|--------------------------|-----------|
|                                                                                                                                                                                                                                                       | Module<br>cm                                                                                          | Shelf depth<br>cm | Shelf depth<br>cm | Dimension<br>W X H<br>cm |           |
|                                                                                                                                                                      | 75                                                                                                    | 25                | 22.5              | 25 x 15                  | F12454212 |
|                                                                                                                                                                                                                                                       | 75                                                                                                    | 30                | 22.5              | 30 x 15                  | F12454312 |
|                                                                                                                                                                                                                                                       | 75                                                                                                    | 30                | 25                | 30 x 15                  | F12454322 |
|                                                                                                                                                                                                                                                       | 90                                                                                                    | 25                | 22.5              | 25 x 15                  | F12454213 |
|                                                                                                                                                                                                                                                       | 90                                                                                                    | 30                | 22.5              | 30 x 15                  | F12454313 |
|                                                                                                                                                                                                                                                       | 90                                                                                                    | 30                | 25                | 30 x 15                  | F12454323 |
|                                                                                                                                                                                                                                                       | 100                                                                                                   | 25                | 22.5              | 25 x 15                  | F12454214 |
|                                                                                                                                                                                                                                                       | 100                                                                                                   | 30                | 22.5              | 30 x 15                  | F12454314 |
|                                                                                                                                                                                                                                                       | 100                                                                                                   | 30                | 25                | 30 x 15                  | F12454324 |

### SB2 steel bottom shelf with acrylic backedge

| <br><br> | Acrylic backedge 17 mm. Left, right or double brackets must be ordered separately. See below. Note: Spot welding visible on top of surface. |                   | Item no.  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-----------|
|                                                                                                                                                                                                                                                          | Module<br>cm                                                                                                                                | Shelf depth<br>cm |           |
|                                                                                                                                                                       | 75                                                                                                                                          | 22.5              | S12367121 |
|                                                                                                                                                                                                                                                          | 75                                                                                                                                          | 25                | S12367221 |
|                                                                                                                                                                                                                                                          | 75                                                                                                                                          | 30                | S12367321 |
|                                                                                                                                                                                                                                                          | 90                                                                                                                                          | 22.5              | S12367131 |
|                                                                                                                                                                                                                                                          | 90                                                                                                                                          | 25                | S12367231 |
|                                                                                                                                                                                                                                                          | 90                                                                                                                                          | 30                | S12367331 |
|                                                                                                                                                                                                                                                          | 100                                                                                                                                         | 22.5              | S12367141 |
|                                                                                                                                                                                                                                                          | 100                                                                                                                                         | 25                | S12367241 |
|                                                                                                                                                                                                                                                          | 100                                                                                                                                         | 30                | S12367341 |

### 7.5° reverse tilted steel plate bracket - for SB1 & SB2

| <br><br> | Shelf depth<br>cm | Dimension<br>W X H<br>cm | Item no.<br>Left | Item no.<br>Right |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|--------------------------|------------------|-------------------|
|                                                                                                                                                                                                                                                             |                   |                          |                  |                   |
|                                                                                                                                                                          | 22.5              | 25 x 15                  | S1272746211      | S1272746212       |
|                                                                                                                                                                                                                                                             | 22.5              | 30 x 15                  | S1272746311      | S1272746312       |
|                                                                                                                                                                                                                                                             | 25                | 30 x 15                  | S1272746321      | S1272746322       |
|                                                                                                                                                                                                                                                             |                   |                          |                  |                   |



# SHELVES

## BRACKETS FOR S1 & S2



### Steel bracket for steel top shelf for ST1

Max. load of 25 kg.






| Type   | Shelf depth<br>cm | Item no.   |
|--------|-------------------|------------|
| Left   | 22.5              | S127212311 |
| Left   | 25                | S127212321 |
| Left   | 30                | S127212331 |
| Left   | 40                | S127212351 |
| Right  | 22.5              | S127212312 |
| Right  | 25                | S127212322 |
| Right  | 30                | S127212332 |
| Right  | 40                | S127212352 |
| Double | 22.5              | S127212313 |
| Double | 25                | S127212323 |
| Double | 30                | S127212333 |
| Double | 40                | S127212353 |



### Steel bracket for steel top shelf for ST1 1 & ST2


H7.5 cm. Max. load of 25 kg.



| Type   | Shelf depth<br>cm | Item no.   |
|--------|-------------------|------------|
| Left   | 22.5              | S127222311 |
| Left   | 25                | S127222321 |
| Left   | 30                | S127222331 |
| Left   | 40                | S127222351 |
| Right  | 22.5              | S127222312 |
| Right  | 25                | S127222322 |
| Right  | 30                | S127222332 |
| Right  | 40                | S127222352 |
| Double | 22.5              | S127222313 |
| Double | 25                | S127222323 |
| Double | 30                | S127222333 |
| Double | 40                | S127222353 |



### Steel plate bracket for SI1, SB1, SI2 & SB2




| Type   | Shelf depth<br>cm | Item no.<br>H15 cm | Item no.<br>H20 cm |
|--------|-------------------|--------------------|--------------------|
| Left   | 22,5              | S1272311           | S1272411           |
| Left   | 25                | S1272321           | S1272421           |
| Left   | 30                | S1272331           | S1272431           |
| Left   | 40                | S1272351           | S1272451           |
| Right  | 22,5              | S1272312           | S1272412           |
| Right  | 25                | S1272322           | S1272422           |
| Right  | 30                | S1272332           | S1272432           |
| Right  | 40                | S1272352           | S1272452           |
| Double | 22,5              | S1272313           |                    |
| Double | 25                | S1272323           |                    |
| Double | 30                | S1272333           |                    |
| Double | 40                | S1272353           |                    |

# SHELVES


## BRACKETS FOR S1 & S2

### 45°/60° steel plate bracket - for S11, SB1, S12 & SB2



| Depth<br>cm | Degree | Item no.<br>Left | Item no.<br>Right |
|-------------|--------|------------------|-------------------|
| 22.5        | 45°    | S1272511         | S1272512          |
| 25          | 45°    | S1272521         | S1272522          |
| 30          | 45°    | S1272531         | S1272532          |
| 22.5        | 60°    | S1272611         | S1272612          |
| 25          | 60°    | S1272621         | S1272622          |
| 30          | 60°    | S1272631         | S1272632          |

### 7.5° reverse tilted steel plate bracket - for SB1 & SB2




| Shelf depth<br>cm | Dimension<br>W X H<br>cm | Item no.<br>Left | Item no.<br>Right |
|-------------------|--------------------------|------------------|-------------------|
| 22.5              | 25 x 15                  | S1272746211      | S1272746212       |
| 22.5              | 30 x 15                  | S1272746311      | S1272746312       |
| 25                | 30 x 15                  | S1272746321      | S1272746322       |

### Steel brackets for various shelf depths - for S11 & S12



Brackets for shelves with shorter depth than actual shelving system.  
This places the shelf in line with the front of shelving system.



| Depth<br>cm | For shelving<br>depths cm | Item no.<br>Left | Item no.<br>Right |
|-------------|---------------------------|------------------|-------------------|
| 25          | 22.5                      | S127284621       | S127284622        |
| 30          | 22.5, 25                  | S127284631       | S127284632        |
| 40          | 22.5, 25, 30              | S127284651       | S127284652        |


# SHELVES

## ACCESSOIRES



### Reinforcement for shelf

All depths



Module  
cm

75  
90  
100


Item no.

S129502  
S129503  
S129504



### Acrylic backedge - for SI2 & SB2

H6 cm.



Module  
cm

75  
90  
100


Item no.

S019502  
S019503  
S019504



### Shelf bridge - for ST1 & ST2

Used to minimize gap between top shelves on double-sided shelving.



Module  
cm

75  
90  
100

Width  
cm

6  
6  
6

Item no.

S129542  
S129543  
S129544  
  
S129552  
S129553  
S129554






# ACCESSORIES

## BOOK SUPPORTS



### Backedge book support for straight shelves with steel backedge

Nickel plated steel, Ø6 mm, with a nylon glider. For shelf BB40076xxxxx and B401001xx.



| Height<br>cm | Shelf depth<br>cm | Type                                    | Item no.  |
|--------------|-------------------|-----------------------------------------|-----------|
| 16,3         | 22.5/25           | For books on left side of book support  | S017754J1 |
| 16,3         | 30                | For books on left side of book support  | S017754J3 |
| 24,3         | 25/30             | For books on left side of book support  | S017756R2 |
| 16,3         | 22.5/25           | For books on right side of book support | S017764J1 |
| 16,3         | 30                | For books on right side of book support | S017764J3 |



### Hanging book support for shelves with acrylic backedge

Available in chromed steel or BCI standard steel colours. For shelf BB40077xxxxx and B401013xx




| Height<br>cm | Item no. |
|--------------|----------|
| 20           | S017775K |
| 25           | S017776Y |



### Rail for hanging book support for wooden shelves

Incl. fittings.




| Width<br>cm | Shelf depth<br>cm | Item no. |
|-------------|-------------------|----------|
| 75          | 25, 30, 40        | S017782  |
| 90          | 25, 30, 40        | S017783  |



### Angled book support

W15 x H15 x D15 cm.



| Item no.     |
|--------------|
| S01784464646 |

# ACCESSORIES


## BROWSERS



### Single steel browser - one level - without/with pull-out frame

W75 cm. Incl. fittings and rubber mat. Excl. tubes


| Height<br>cm | Depth<br>cm      | No. of<br>dividers | Item no.<br>Without pull-out function | Item no.<br>With pull-out function |
|--------------|------------------|--------------------|---------------------------------------|------------------------------------|
| 10           | 30 <sup>*1</sup> | 0                  | S12814200                             | S12818200                          |
| 10           | 30               | 1                  | S12814201                             | S12818201                          |
| 10           | 30               | 2                  | S12814202                             | S12818202                          |
| 10           | 30               | 4                  | S12814204                             | S12818204                          |



### Single steel browser - one level - without/with pull-out frame

W75 cm. Incl. fittings, rubber mat and tubes.


| Height<br>cm | Depth<br>cm      | No. of<br>dividers | Item no.<br>Without pull-out function | Item no.<br>With pull-out function |
|--------------|------------------|--------------------|---------------------------------------|------------------------------------|
| 20           | 30 <sup>*2</sup> | 0                  | S12815200                             | S12819200                          |
| 20           | 30               | 1                  | S12815201                             | S12819201                          |
| 20           | 30               | 2                  | S12815202                             | S12819202                          |
| 20           | 30               | 4                  | S12815204                             | S12819204                          |



### Single steel browser - one level - without/with pull-out frame

W75 cm. Incl. fittings, rubber mat and tubes.


| Height<br>cm | Depth<br>cm      | No. of<br>dividers | Item no.<br>Without pull-out function | Item no.<br>With pull-out function |
|--------------|------------------|--------------------|---------------------------------------|------------------------------------|
| 20           | 40 <sup>*3</sup> | 0                  | S12816200                             | S12820200                          |
| 20           | 40               | 1                  | S12816201                             | S12820201                          |
| 20           | 40               | 2                  | S12816202                             | S12820202                          |
| 20           | 40               | 4                  | S12816204                             | S12820204                          |



### Double steel browser - two levels - without/with pull-out frame

W75 cm. Incl. fittings and rubber mat. Excl. tubes

| Height<br>cm | Depth<br>cm      | No. of<br>dividers | Item no.<br>Without pull-out function | Item no.<br>With pull-out function |
|--------------|------------------|--------------------|---------------------------------------|------------------------------------|
| 20           | 40 <sup>*4</sup> | 0                  | S12817200                             | S12821200                          |
| 20           | 40               | 2                  | S12817202                             | S12821202                          |
| 20           | 40               | 4                  | S12817204                             | S12821204                          |
| 20           | 40               | 8                  | S12817208                             | S12821208                          |






### Single steel browser - one level - without/with pull-out frame



W90 cm. Incl. fittings and rubber mat. Excl. tubes



| Height<br>cm | Depth<br>cm      | No. of<br>dividers | Item no.<br>Without pull-out function | Item no.<br>With pull-out function |
|--------------|------------------|--------------------|---------------------------------------|------------------------------------|
| 10           | 30 <sup>*1</sup> | 0                  | S12814300                             | S12818300                          |
| 10           | 30               | 2                  | S12814302                             | S12818302                          |
| 10           | 30               | 4                  | S12814304                             | S12818304                          |
| 10           | 30               | 5                  | S12814305                             | S12818305                          |




### Single steel browser - one level - without/with pull-out frame



W90 cm. Incl. fittings, rubber mat and tubes.



| Height<br>cm | Depth<br>cm      | No. of<br>dividers | Item no.<br>Without pull-out function | Item no.<br>With pull-out function |
|--------------|------------------|--------------------|---------------------------------------|------------------------------------|
| 20           | 30 <sup>*2</sup> | 0                  | S12815300                             | S12819300                          |
| 20           | 30               | 2                  | S12815302                             | S12819302                          |
| 20           | 30               | 4                  | S12815304                             | S12819304                          |
| 20           | 30               | 5                  | S12815305                             | S12819305                          |




### Single steel browser - one level - without/with pull-out frame



W90 cm. Incl. fittings, rubber mat and tubes.



| Height<br>cm | Depth<br>cm      | No. of<br>dividers | Item no.<br>Without pull-out function | Item no.<br>With pull-out function |
|--------------|------------------|--------------------|---------------------------------------|------------------------------------|
| 20           | 40 <sup>*3</sup> | 0                  | S12816300                             | S12820300                          |
| 20           | 40               | 2                  | S12816302                             | S12820302                          |
| 20           | 40               | 4                  | S12816304                             | S12820304                          |
| 20           | 40               | 5                  | S12816305                             | S12820305                          |




### Double steel browser - two levels - without/with pull-out frame



W90 cm. Incl. fittings and rubber mat. Excl. tubes



| Height<br>cm | Depth<br>cm      | No. of<br>dividers | Item no.<br>Without pull-out function | Item no.<br>With pull-out function |
|--------------|------------------|--------------------|---------------------------------------|------------------------------------|
| 20           | 40 <sup>*4</sup> | 0                  | S12817300                             | S12821300                          |
| 20           | 40               | 4                  | S12817304                             | S12821304                          |
| 20           | 40               | 8                  | S12817308                             | S12821308                          |
| 20           | 40               | 10                 | S12817310                             | S12821310                          |






WE  
ARE  
LIBRARY  
PEOPLE®





### Dividers for single and double steel browser

Chromed steel.



| Level | Height<br>cm | Depth<br>cm |
|-------|--------------|-------------|
| One   | 10           | 30          |
| One   | 20           | 30          |
| One   | 20           | 40          |
| Two   | 20           | 40          |

Item no.

S018118C  
S018118C  
S01811B4  
S01812B4

### Capacity examples for 75 cm single/double steel browser without pullout (see page 106)

|    | Type   | W cm | H x D cm | CD cases   | DVD cases  | CD pockets | Picture books | Comic picture books |
|----|--------|------|----------|------------|------------|------------|---------------|---------------------|
|    |        |      |          | 5 rows     | 5 rows     | 5 rows     | 3 rows        | 2 rows              |
| *1 | Single | 75   | 10 x 30  | 100        | 75         | 325        | -             | -                   |
| *2 | Single | 75   | 20 x 30  | 100        | 75         | 325        | 90            | 40                  |
| *3 | Single | 75   | 20 x 40  | 150        | 105        | 325        | 120           | 50                  |
|    |        |      |          | 2 x 5 rows | 2 x 5 rows | 2 x 5 rows | 3 rows        | 2 rows              |
| *4 | Double | 75   | 20 x 40  | 130        | 95         | 400        | -             | -                   |

### Capacity examples for 75 cm single/double steel browser with pullout (see page 106)

|    | Type   | W cm  | H x D cm | CD cases   | DVD cases  | CD pockets | Picture books | Comic picture books |
|----|--------|-------|----------|------------|------------|------------|---------------|---------------------|
|    |        |       |          | 5 rows     | 5 rows     | 5 rows     | 3 rows        | 2 rows              |
| *1 | Single | 75 cm | 10 x 30  | 80         | 60         | 260        | -             | -                   |
| *2 | Single | 75 cm | 20 x 30  | 80         | 60         | 260        | 90            | 40                  |
| *3 | Single | 75 cm | 20 x 40  | 120        | 84         | 340        | 120           | 50                  |
|    |        |       |          | 2 x 5 rows | 2 x 5 rows | 2 x 5 rows | 3 rows        | 2 rows              |
| *4 | Double | 75 cm | 20 x 40  | 104        | 76         | 320        | -             | -                   |

### Capacity examples for 90 cm single/double steel browser without pullout (see page 107)

|    | Type   | W cm  | H x D cm | CD cases   | DVD cases  | CD pockets | Picture books | Comic picture books |
|----|--------|-------|----------|------------|------------|------------|---------------|---------------------|
|    |        |       |          | 6 rows     | 6 rows     | 6 rows     | 4 rows        | 3 rows              |
| *1 | Single | 90 cm | 10 x 30  | 120        | 90         | 390        | -             | -                   |
| *2 | Single | 90 cm | 20 x 30  | 120        | 90         | 390        | 120           | 60                  |
| *3 | Single | 90 cm | 20 x 40  | 180        | 126        | 510        | 180           | 75                  |
|    |        |       |          | 2 x 6 rows | 2 x 6 rows | 2 x 6 rows | 4 rows        | 3 rows              |
| *4 | Double | 90 cm | 20 x 40  | 156        | 114        | 480        | -             | -                   |

### Capacity examples for 90 cm single/double steel browser with pullout (see page 107)

|    | Type   | W cm  | H x D cm | CD cases   | DVD cases  | CD pockets | Picture books | Comic picture books |
|----|--------|-------|----------|------------|------------|------------|---------------|---------------------|
|    |        |       |          | 6 rows     | 6 rows     | 6 rows     | 4 rows        | 3 rows              |
| *1 | Single | 90 cm | 10 x 30  | 100        | 75         | 325        | -             | -                   |
| *2 | Single | 90 cm | 20 x 30  | 100        | 75         | 325        | 120           | 60                  |
| *3 | Single | 90 cm | 20 x 40  | 150        | 105        | 425        | 160           | 75                  |
|    |        |       |          | 2 x 6 rows | 2 x 6 rows | 2 x 6 rows | 4 rows        | 3 rows              |
| *4 | Double | 90 cm | 20 x 40  | 130        | 95         | 400        | -             | -                   |



# ACCESSORIES

## DISPLAY & STORAGE - MAGAZINE



### Magazine display - with 1 tip up sloping shelf




W90 x H40 x D40 cm. With space for storage of either magazines piled horizontally or vertical binders (up to 32 cm in height)



Item no.

S12702B4B43



### Magazine display - with 1 tip up sloping shelf and moveable dividers




W90 x H40 x D40 cm. With space for separate storage of either magazines piled horizontally or vertical binders (up to 32 cm in height). Dividers can be moved 5 cm either way.



Item no.

S12703B4B43



### Magazine display - with 3 tip up sloping shelves




W90 x H40 x D40 cm. With space for separate storage of either magazines piled horizontally or vertical binders (up to 32 cm in height)



Item no.

S12704B4B43





# ACCESSORIES

## DISPLAY & STORAGE - MAGAZINE



### Steel magazine box - Unibox



H320 x D260 x W320 mm. Box and flap lacquered steel. With transparent antireflex foil. Recommended for use on D250 mm steel shelf with/without backedge and wooden shelf without backedge. Can be used on D300 mm shelves. With space for storage of magazines piled horizontally 140 mm.

Design Back wall

Item no.

- Yes  
- No


S017018W788W  
S017008W788W

With holes Yes  
With holes No

S017038W788W  
S017028W788W

With slots Yes  
With slots No

S017058W788W  
S017048W788W




### Steel magazine box



H320 x D260 x W238 mm. Box and flap lacquered steel. Recommended for use on D250 mm steel shelf with/without backedge and wooden shelf without backedge. Can be used on D300 mm shelves. Upright storage of magazines. With space for storage of magazines piled vertically 140 mm.

Item no.

S017078W786O



### Steel cabinet with sliding door




W90 x D40 cm. Incl. lock and 1 shelf.

Height  
cm

Item no.

62.5  
80.0

S12855HD53  
S12855M853





# ACCESSORIES

## DISPLAY & STORAGE - MULTIMEDIA




### Steel pocket book shelf



W90 x H20 x D22.5 cm. Incl. fittings.



Capacity: 50-60 pcs.



Item no.

S127005K693




### Steel shelf for CD's - 5 compartments (W17.8) with 4 steel dividers



W90 x H15 x D22.5 cm. Incl. fittings.



Capacity: 75 CD's



Item no.

S1270646693




### Steel shelf - 4 compartments (W22.4 cm) with 3 steel dividers



W90 x H20 cm. Incl. fittings.



Capacity: 75 picture books



Depth  
cm

22.5  
30

Item no.

S127015K13


S127015K33



### Extra steel dividers for steel shelf B305041x



H17.5 cm



Depth  
cm

22.5  
30

Item no.

S019511

S019513



### Steel shelf with 5 sliding dividers




W90 x H40 x D40 cm. Incl. fittings.



Can be used under browsers with


D40 cm on page 107. Capacity:

75 picture books/ 100 music books.



Item no.

S12707B453



# FUNCTIONS

## DISPLAY & STORAGE - FOR SHELVES



### Steel magazine display




H300 mm. With slanted back and additional side stop. A double front edge keeps this collector flush with the front edge of the shelf. With slip stop to prevent the display from slipping on steel shelves.

| Size   | Width<br>mm |
|--------|-------------|
| DIN A4 | 220         |
| DIN A3 | 440         |

Item no.

S017088C64  
S017088CC8



### Steel magazine divider




H300 x W95 x D240 mm. Single, slanted element connectable side by side via plug-in connections. For bay W700 mm, use 6 dividers. For bay W900 mm, use 8 dividers. For bay W1000 mm, use 9 dividers.

| Size   |
|--------|
| DIN A4 |

Item no.

S017098W6O2N




### Steel U-storage



H250 x W145 x D220 mm.  
Multi-functional storage use.

Item no.

S017106Y6441



# ACCESSORIES

## DISPLAY & STORAGE - FOR WOODEN SLAT END PANEL




Acrylic media display holder

H100 x W600 x D40 mm.

Item no.

E34466




Acrylic brochure holder

H250 x W500 x D50 mm.

Item no.

E34467

E34468




Acrylic sloping shelf display

H200 x W500 x D300 mm.

Item no.

E34469



Acrylic tilted shelf display

H160 mm.

Width  
mm


Depth  
mm

Item no.

75  
220

90  
95

E34470



# ACCESSORIES

## DISPLAY & STORAGE - FOR PERFORATED STEEL END PANELS



### Steel CD and paperback holder



The holder is a pair, so the width will vary. Bright galvanized steel.



Height  
mm


Max. insert size  
mm

Item no.

60  
140

25  
25

S017121O  
S017133W



### Steel book presenter



H148 x W90 mm. Chromed steel.



Size

Max. insert size  
mm

Item no.

A4

45

S01714442I



### Steel hanging display



H200 x W90 mm. Chromed steel.



Size

Max. insert size  
mm

Item no.

A4

50

S017155K2I





# ACCESSORIES

## SIGNAGE - FOR END PANEL/UPRIGHT/TOP

---




### Steel sign for wooden end panel

Fastened to the end panel with screws.  
The sign has an acrylic film for insertion  
of textslide.

Item no.

A4 vertical/upright format

S0187002




### Steel sign for 60/30 Classic upright

For double-sided shelving. Fastened into  
the slots of the upright.

Item no.

A4 vertical/upright format

S1287002



# ACCESSORIES

## SIGNAGE - FOR SHELF

Magnetic shelf label - for steel top shelf with 47 mm frontedge


H40 mm. Black. Attach to steel shelves with smooth edge.

Width  
mm

Item no.

300

S01885148C



Plastic clip-on label holder - for steel shelf S1 with 25 mm frontedge


H25 mm. With white label. Can glide along shelf.

Width  
mm

Item no.

220

S018800P64



Plastic clip-on label holder - for steel shelf S2 with 25 mm frontedge


H25 mm. Incl. white label. Can glide along shelf.

Width  
mm

Item no.

213

E3881



# ACCESSORIES

## SIGNAGE - FOR SHELF

### Self-adhesive plastic label holder - for steel shelf S1/S2 with 25 mm frontedge


H20 mm. Transparent, antireflective plastic. With white label.

Width  
mm

Item no.

147  
200

S018830K43  
S018830K5K



### Magnetic plastic label holder - for steel shelf S1/S2 with 25 mm frontedge


H20 mm. Transparent, antireflective plastic. With white label. Attach to steel shelves with smooth edge.

Width  
mm

Item no.

210 Self-adhesive plastic label holder  
209 White sheet w. 13 labels (spare part)

S018840K5U  
S018882X




### Steel label holder



H26 x W150 x D150 mm. Lacquered steel with transparent, antireflective plastic. Incl. white label. Universal use, simply place on shelf where needed.

Item no.

S018860Q3N46



### Labelling cube


H200 x D200 mm. Acrylic glass. Inscription field with transparent cover on sloping front. With white cardboard label. Universal use, place in between books on shelf where needed.

Width  
mm

Item no.

120  
200


S017115K5K3C  
S017115K5K5K



# UPRIGHTS


## 60/30 CLASSIC UPRIGHTS

### 60/30 uprights - height 92 cm




| Shelf depth<br>cm | Item no.<br>Single-sided | Item no.<br>Double-sided |
|-------------------|--------------------------|--------------------------|
| 22.5              | S12100211                | S12100212                |
| 25                | S12100221                | S12100222                |
| 30                | S12100231                | S12100232                |
| 40                | S12100251                | S12100252                |

### 60/30 Classic uprights - height 122 cm




| Shelf depth<br>cm | Item no.<br>Single-sided | Item no.<br>Double-sided |
|-------------------|--------------------------|--------------------------|
| 22.5              | S12100311                | S12100312                |
| 25                | S12100321                | S12100322                |
| 30                | S12100331                | S12100332                |
| 40                | S12100351                | S12100352                |

### 60/30 Classic uprights - height 152 cm




| Shelf depth<br>cm | Item no.<br>Single-sided | Item no.<br>Double-sided |
|-------------------|--------------------------|--------------------------|
| 22.5              | S12100411                | S12100412                |
| 25                | S12100421                | S12100422                |
| 30                | S12100431                | S12100432                |
| 40                | S12100451                | S12100452                |

### 60/30 Classic uprights - height 182 cm



| Shelf depth<br>cm | Item no.<br>Single-sided | Item no.<br>Double-sided |
|-------------------|--------------------------|--------------------------|
| 22.5              | S12100511                | S12100512                |
| 25                | S12100521                | S12100522                |
| 30                | S12100531                | S12100532                |
| 40                | S12100551                | S12100552                |

### 60/30 Classic uprights - height 212 cm




| Shelf depth<br>cm | Item no.<br>Single-sided | Item no.<br>Double-sided |
|-------------------|--------------------------|--------------------------|
| 22.5              | S12100611                | S12100612                |
| 25                | S12100621                | S12100622                |
| 30                | S12100631                | S12100632                |
| 40                | S12100651                | S12100652                |

# UPRIGHTS

## 80/30 CLASSIC UPRIGHTS




### 80/30 Classic uprights - height 199 cm



| Shelf depth<br>cm | Item no.<br>Single-sided | Item no.<br>Double-sided |
|-------------------|--------------------------|--------------------------|
| 22.5              | S12103111                | S12103112                |
| 25                | S12103121                | S12103122                |
| 30                | S12103131                | S12103132                |
| 40                | S12103151                | S12103152                |




### 80/30 Classic uprights - height 229 cm



| Shelf depth<br>cm | Item no.<br>Single-sided | Item no.<br>Double-sided |
|-------------------|--------------------------|--------------------------|
| 22.5              | S12103211                | S12103212                |
| 25                | S12103221                | S12103222                |
| 30                | S12103231                | S12103232                |
| 40                | S12103251                | S12103252                |



### 80/30 Classic uprights - height 259 cm



| Shelf depth<br>cm | Item no.<br>Single-sided | Item no.<br>Double-sided |
|-------------------|--------------------------|--------------------------|
| 22.5              | S12103311                | S12103312                |
| 25                | S12103321                | S12103322                |
| 30                | S12103331                | S12103332                |
| 40                | S12103351                | S12103352                |

# UPRIGHTS

## 60/30 CLASSIC WALL STRIPS



60/30 Classic wall strips



| Height<br>cm | Item no. |
|--------------|----------|
| 112.5        | S121071  |
| 142.5        | S121072  |
| 172.5        | S121073  |
| 202.5        | S121074  |

# UPRIGHTS

## COMPONENTS FOR HIDDEN CASTOR ASSEMBLY ON 60/30 CLASSIC DOUBLE-SIDED SHELVING



### 60/30 Classic double-sided upright - height 92 cm



Only to be used with the wheel frame and castor set below. Adjustment of levelling glide makes the shelving non-moveable.



Shelf depth  
cm

22.5  
25  
30  
40

Item no.

S12101212  
S12101222  
S12101232  
S12101252



### 60/30 Classic double-sided upright - height 122 cm



Only to be used with the wheel frame and castor set below. Adjustment of levelling glide makes the shelving non-moveable.



Shelf depth  
cm

22.5  
25  
30  
40

Item no.

S12101312  
S12101322  
S12101332  
S12101352



### 60/30 Classic double-sided upright - height 152 cm



Only to be used with the wheel frame and castor set below. Adjustment of levelling glide makes the shelving non-moveable.



Shelf depth  
cm

22.5  
25  
30  
40

Item no.

S12101412  
S12101422  
S12101432  
S12101452



### Castor frame and castor set for 60/30 Classic double-sided upright



Fittings included. To hide castors, use plinth for 60/30 shelving, see page 129.



Module  
cm

75  
90  
100

Item no.

S129002  
S129003  
S129004




# COMPONENTS

## UPRIGHT EXTENSIONS, CROSSBARS & ANTI-TOPPLE BRACKETS




Upright extension  
H30 x D6/D8 x W3 cm.



|              | Item no.<br>60/30 | Item no.<br>80/30 |
|--------------|-------------------|-------------------|
| Single-sided | S1210411          | S1210511          |
| Double-sided | S1210412          | S1210512          |




Crossbar  
See technical specifications for  
amount of crossbars per unit.



| Module<br>cm | Item no. |
|--------------|----------|
| 75           | S120002  |
| 90           | S120003  |
| 100          | S120004  |



Anti-topple bracket  
Secures single-sided bays to wall.



| Item no. |
|----------|
| S019521  |


# COMPONENTS

## PLINTHS & CASTORS



### Steel plinth for 60/30 Classic

H6 x top D3.2 cm. Including screws.



| Module<br>cm | Bays | Item no.     |
|--------------|------|--------------|
| 75           | 1    | S127801S0W21 |
| 75           | 2    | S127801S0W22 |
| 75           | 3    | S127801S0W23 |
| 90           | 1    | S127801S0W31 |
| 90           | 2    | S127801S0W32 |
| 100          | 1    | S127801S0W41 |
| 100          | 2    | S127801S0W42 |



### Steel plinth for 60/30 Classic - extra depth


H6 x top D13.2 cm. Including screws. To be used when magazine display S127xx is placed furthest down.

| Module<br>cm | Bays | Item no.     |
|--------------|------|--------------|
| 75           | 1    | S127811S3O21 |
| 75           | 2    | S127811S3O22 |
| 75           | 3    | S127811S3O23 |
| 90           | 1    | S127811S3O31 |
| 90           | 2    | S127811S3O32 |
| 100          | 1    | S127811S3O41 |
| 100          | 2    | S127811S3O42 |



### Steel plinth for 80/30 Classic

H8 x top D3.2 cm. Including pins.




| Module<br>cm | Bays | Item no.<br>80/30 |
|--------------|------|-------------------|
| 75           | 1    | S127822C0W21      |
| 90           | 1    | S127822C0W31      |
| 100          | 1    | S127822C0W41      |



### Castors

H9.9 cm.



| Brakes  | Item no. |
|---------|----------|
| Without | S019030  |
| With    | S019031  |

# PANELS

## PAINTED WOODEN END PANELS



### Painted FSC wooden end panel - single-sided

19 mm front edge. Incl. fittings. These end panels are not compatible with 60/30 Classic wall steel shelving.




| Height<br>cm | Shelf depth<br>cm | Item no.<br>Left | Item no.<br>Right |
|--------------|-------------------|------------------|-------------------|
| 92           | 22.5              | S121552111       | S121552112        |
| 92           | 25                | S121552211       | S121552212        |
| 92           | 30                | S121552311       | S121552312        |
| 92           | 40                | S121552511       | S121552512        |
| 122          | 22.5              | S121553111       | S121553112        |
| 122          | 25                | S121553211       | S121553212        |
| 122          | 30                | S121553311       | S121553312        |
| 122          | 40                | S121553511       | S121553512        |
| 152          | 22.5              | S121554111       | S121554112        |
| 152          | 25                | S121554211       | S121554212        |
| 152          | 30                | S121554311       | S121554312        |
| 152          | 40                | S121554511       | S121554512        |
| 182          | 22.5              | S121555111       | S121555112        |
| 182          | 25                | S121555211       | S121555212        |
| 182          | 30                | S121555311       | S121555312        |
| 182          | 40                | S121555511       | S121555512        |
| 212          | 22.5              | S121556111       | S121556112        |
| 212          | 25                | S121556211       | S121556212        |
| 212          | 30                | S121556311       | S121556312        |
| 212          | 40                | S121556511       | S121556512        |



### Painted FSC wooden end panel - double-sided

19 mm front edge. Incl. fittings. These end panels are not compatible with hidden castor frames.



| Height<br>cm | Shelf depth<br>cm | Item no.   |
|--------------|-------------------|------------|
| 92           | 22.5              | S121552124 |
| 92           | 25                | S121552224 |
| 92           | 30                | S121552324 |
| 92           | 40                | S121552524 |
| 122          | 22.5              | S121553124 |
| 122          | 25                | S121553224 |
| 122          | 30                | S121553324 |
| 122          | 40                | S121553524 |
| 152          | 22.5              | S121554124 |
| 152          | 25                | S121554224 |
| 152          | 30                | S121554324 |
| 152          | 40                | S121554524 |
| 182          | 22.5              | S121555124 |
| 182          | 25                | S121555224 |
| 182          | 30                | S121555324 |
| 182          | 40                | S121555524 |
| 212          | 22.5              | S121556124 |
| 212          | 25                | S121556224 |
| 212          | 30                | S121556324 |
| 212          | 40                | S121556524 |



### Veneer FSC wooden end panel - single-sided

19 mm front edge. Incl. fittings. These end panels are not compatible with 60/30 Classic wall steel shelving.




| Height<br>cm | Shelf depth<br>cm | Item no.<br>Left | Item no.<br>Right |
|--------------|-------------------|------------------|-------------------|
| 92           | 22.5              | S121562111       | S121562112        |
| 92           | 25                | S121562211       | S121562212        |
| 92           | 30                | S121562311       | S121562312        |
| 92           | 40                | S121562511       | S121562512        |
| 122          | 22.5              | S121563111       | S121563112        |
| 122          | 25                | S121563211       | S121563212        |
| 122          | 30                | S121563311       | S121563312        |
| 122          | 40                | S121563511       | S121563512        |
| 152          | 22.5              | S121564111       | S121564112        |
| 152          | 25                | S121564211       | S121564212        |
| 152          | 30                | S121564311       | S121564312        |
| 152          | 40                | S121564511       | S121564512        |
| 182          | 22.5              | S121565111       | S121565112        |
| 182          | 25                | S121565211       | S121565212        |
| 182          | 30                | S121565311       | S121565312        |
| 182          | 40                | S121565511       | S121565512        |
| 212          | 22.5              | S121566111       | S121566112        |
| 212          | 25                | S121566211       | S121566212        |
| 212          | 30                | S121566311       | S121566312        |
| 212          | 40                | S121566511       | S121566512        |



### Veneer FSC wooden end panel - double-sided

19 mm front edge. Incl. fittings. These end panels are not compatible with hidden castor frames.



| Height<br>cm | Shelf depth<br>cm | Item no.   |
|--------------|-------------------|------------|
| 92           | 22.5              | S121562124 |
| 92           | 25                | S121562224 |
| 92           | 30                | S121562324 |
| 92           | 40                | S121562524 |
| 122          | 22.5              | S121563124 |
| 122          | 25                | S121563224 |
| 122          | 30                | S121563324 |
| 122          | 40                | S121563524 |
| 152          | 22.5              | S121564124 |
| 152          | 25                | S121564224 |
| 152          | 30                | S121564324 |
| 152          | 40                | S121564524 |
| 182          | 22.5              | S121565124 |
| 182          | 25                | S121565224 |
| 182          | 30                | S121565324 |
| 182          | 40                | S121565524 |
| 212          | 22.5              | S121566124 |
| 212          | 25                | S121566224 |
| 212          | 30                | S121566324 |
| 212          | 40                | S121566524 |


# PANELS

## PAINTED WOODEN SLAT END PANELS



### Painted FSC wooden slat end panel - single-sided

22 mm front edge. Incl. fittings. These end panels are not compatible with 60/30 Classic wall steel shelving.




| Height<br>cm | Shelf depth<br>cm | Item no.<br>Left | Item no.<br>Right |
|--------------|-------------------|------------------|-------------------|
| 92           | 22.5              | S121592111       | S121592112        |
| 92           | 25                | S121592211       | S121592212        |
| 92           | 30                | S121592311       | S121592312        |
| 92           | 40                | S121592511       | S121592512        |
| 122          | 22.5              | S121593111       | S121593112        |
| 122          | 25                | S121593211       | S121593212        |
| 122          | 30                | S121593311       | S121593312        |
| 122          | 40                | S121593511       | S121593512        |
| 152          | 22.5              | S121594111       | S121594112        |
| 152          | 25                | S121594211       | S121594212        |
| 152          | 30                | S121594311       | S121594312        |
| 152          | 40                | S121594511       | S121594512        |
| 182          | 22.5              | S121595111       | S121595112        |
| 182          | 25                | S121595211       | S121595212        |
| 182          | 30                | S121595311       | S121595312        |
| 182          | 40                | S121595511       | S121595512        |
| 212          | 22.5              | S121596111       | S121596112        |
| 212          | 25                | S121596211       | S121596212        |
| 212          | 30                | S121596311       | S121596312        |
| 212          | 40                | S121596511       | S121596512        |



### Painted FSC wooden slat end panel - double-sided

22 mm front edge. Incl. fittings. These end panels are not compatible with hidden castor frames.



| Height<br>cm | Shelf depth<br>cm | Item no.   |
|--------------|-------------------|------------|
| 92           | 22.5              | S121592124 |
| 92           | 25                | S121592224 |
| 92           | 30                | S121592324 |
| 92           | 40                | S121592524 |
| 122          | 22.5              | S121593124 |
| 122          | 25                | S121593224 |
| 122          | 30                | S121593324 |
| 122          | 40                | S121593524 |
| 152          | 22.5              | S121594124 |
| 152          | 25                | S121594224 |
| 152          | 30                | S121594324 |
| 152          | 40                | S121594524 |
| 182          | 22.5              | S121595124 |
| 182          | 25                | S121595224 |
| 182          | 30                | S121595324 |
| 182          | 40                | S121595524 |
| 212          | 22.5              | S121596124 |
| 212          | 25                | S121596224 |
| 212          | 30                | S121596324 |
| 212          | 40                | S121596524 |

# PANELS

## veneer wooden slat end panels



### Veneer FSC wooden slat end panel - single-sided

22 mm front edge. Incl. fittings. These end panels are not compatible with 60/30 Classic wall steel shelving.



| Height<br>cm | Shelf depth<br>cm | Item no.<br>Left | Item no.<br>Right |
|--------------|-------------------|------------------|-------------------|
| 92           | 22.5              | S121602111       | S121602112        |
| 92           | 25                | S121602211       | S121602212        |
| 92           | 30                | S121602311       | S121602312        |
| 92           | 40                | S121602511       | S121602512        |
| 122          | 22.5              | S121603111       | S121603112        |
| 122          | 25                | S121603211       | S121603212        |
| 122          | 30                | S121603311       | S121603312        |
| 122          | 40                | S121603511       | S121603512        |
| 152          | 22.5              | S121604111       | S121604112        |
| 152          | 25                | S121604211       | S121604212        |
| 152          | 30                | S121604311       | S121604312        |
| 152          | 40                | S121604511       | S121604512        |
| 182          | 22.5              | S121605111       | S121605112        |
| 182          | 25                | S121605211       | S121605212        |
| 182          | 30                | S121605311       | S121605312        |
| 182          | 40                | S121605511       | S121605512        |
| 212          | 22.5              | S121606111       | S121606112        |
| 212          | 25                | S121606211       | S121606212        |
| 212          | 30                | S121606311       | S121606312        |
| 212          | 40                | S121606511       | S121606512        |



### Veneer FSC wooden slat end panel - double-sided

22 mm front edge. Incl. fittings. These end panels are not compatible with hidden castor frames.



| Height<br>cm | Shelf depth<br>cm | Item no.   |
|--------------|-------------------|------------|
| 92           | 22.5              | S121602124 |
| 92           | 25                | S121602224 |
| 92           | 30                | S121602324 |
| 92           | 40                | S121602524 |
| 122          | 22.5              | S121603124 |
| 122          | 25                | S121603224 |
| 122          | 30                | S121603324 |
| 122          | 40                | S121603524 |
| 152          | 22.5              | S121604124 |
| 152          | 25                | S121604224 |
| 152          | 30                | S121604324 |
| 152          | 40                | S121604524 |
| 182          | 22.5              | S121605124 |
| 182          | 25                | S121605224 |
| 182          | 30                | S121605324 |
| 182          | 40                | S121605524 |
| 212          | 22.5              | S121606124 |
| 212          | 25                | S121606224 |
| 212          | 30                | S121606324 |
| 212          | 40                | S121606524 |

# PANELS

## PAINTED LONDON WOODEN END PANELS - FOR STEEL TOP SHELF




### Painted FSC London wooden end panel for steel top shelf - single-sided



30 mm front edge. To be used with steel top shelf, see pages 58-61 & 74-75.



Incl. fittings. These end panels are not compatible with 60/30 Classic Classic wall steel shelving.



| Height<br>cm | Shelf depth<br>cm | Item no.<br>Left | Item no.<br>Right |
|--------------|-------------------|------------------|-------------------|
| 92           | 22.5              | S121612111       | S121612112        |
| 92           | 25                | S121612211       | S121612212        |
| 92           | 30                | S121612311       | S121612312        |
| 92           | 40                | S121612511       | S121612512        |
| 122          | 22.5              | S121613111       | S121613112        |
| 122          | 25                | S121613211       | S121613212        |
| 122          | 30                | S121613311       | S121613312        |
| 122          | 40                | S121613511       | S121613512        |
| 152          | 22.5              | S121614111       | S121614112        |
| 152          | 25                | S121614211       | S121614212        |
| 152          | 30                | S121614311       | S121614312        |
| 152          | 40                | S121614511       | S121614512        |
| 182          | 22.5              | S121615111       | S121615112        |
| 182          | 25                | S121615211       | S121615212        |
| 182          | 30                | S121615311       | S121615312        |
| 182          | 40                | S121615511       | S121615512        |
| 212          | 22.5              | S121616111       | S121616112        |
| 212          | 25                | S121616211       | S121616212        |
| 212          | 30                | S121616311       | S121616312        |
| 212          | 40                | S121616511       | S121616512        |




### Painted FSC London wooden end panel for steel top shelf - double-sided



30 mm front edge. To be used with steel top shelf, see pages 58-61 & 74-75.



Incl. fittings.




| Height<br>cm | Shelf depth<br>cm | Item no.   |
|--------------|-------------------|------------|
| 92           | 22.5              | S121612124 |
| 92           | 25                | S121612224 |
| 92           | 30                | S121612324 |
| 92           | 40                | S121612524 |
| 122          | 22.5              | S121613124 |
| 122          | 25                | S121613224 |
| 122          | 30                | S121613324 |
| 122          | 40                | S121613524 |
| 152          | 22.5              | S121614124 |
| 152          | 25                | S121614224 |
| 152          | 30                | S121614324 |
| 152          | 40                | S121614524 |
| 182          | 22.5              | S121615124 |
| 182          | 25                | S121615224 |
| 182          | 30                | S121615324 |
| 182          | 40                | S121615524 |
| 212          | 22.5              | S121616124 |
| 212          | 25                | S121616224 |
| 212          | 30                | S121616324 |
| 212          | 40                | S121616524 |

## PAINTED LONDON WOODEN END PANELS - FOR LONDON OVERLAYING TOP PLATE

### Painted FSC London wooden end panel for wooden overlaying top plate - single-sided


 30 mm front edge. To be used with London wooden overlaying top, see pages 80-85. Incl. fittings. These end panels are not compatible with 60/30 Classic wall steel shelving.



| Height<br>cm | Shelf depth<br>cm | Item no.<br>Left | Item no.<br>Right |
|--------------|-------------------|------------------|-------------------|
| 92           | 22.5              | S121632111       | S121632112        |
| 92           | 25                | S121632211       | S121632212        |
| 92           | 30                | S121632311       | S121632312        |
| 92           | 40                | S121632511       | S121632512        |
| 122          | 22.5              | S121633111       | S121633112        |
| 122          | 25                | S121633211       | S121633212        |
| 122          | 30                | S121633311       | S121633312        |
| 122          | 40                | S121633511       | S121633512        |
| 152          | 22.5              | S121634111       | S121634112        |
| 152          | 25                | S121634211       | S121634212        |
| 152          | 30                | S121634311       | S121634312        |
| 152          | 40                | S121634511       | S121634512        |
| 182          | 22.5              | S121635111       | S121635112        |
| 182          | 25                | S121635211       | S121635212        |
| 182          | 30                | S121635311       | S121635312        |
| 182          | 40                | S121635511       | S121635512        |
| 212          | 22.5              | S121636111       | S121636112        |
| 212          | 25                | S121636211       | S121636212        |
| 212          | 30                | S121636311       | S121636312        |
| 212          | 40                | S121636511       | S121636512        |

### Painted FSC London wooden end panel for wooden overlaying top plate - double-sided

 30 mm front edge. To be used with London wooden overlaying top, see pages 80-85. Incl. fittings.



| Height<br>cm | Shelf depth<br>cm | Item no.   |
|--------------|-------------------|------------|
| 92           | 22.5              | S121632124 |
| 92           | 25                | S121632224 |
| 92           | 30                | S121632324 |
| 92           | 40                | S121632524 |
| 122          | 22.5              | S121633124 |
| 122          | 25                | S121633224 |
| 122          | 30                | S121633324 |
| 122          | 40                | S121633524 |
| 152          | 22.5              | S121634124 |
| 152          | 25                | S121634224 |
| 152          | 30                | S121634324 |
| 152          | 40                | S121634524 |
| 182          | 22.5              | S121635124 |
| 182          | 25                | S121635224 |
| 182          | 30                | S121635324 |
| 182          | 40                | S121635524 |
| 212          | 22.5              | S121636124 |
| 212          | 25                | S121636224 |
| 212          | 30                | S121636324 |
| 212          | 40                | S121636524 |

# PANELS

## PERFORATED STEEL END PANEL




### Perforated steel end panels - single-sided



45 mm frontedge. One A5 acrylic cover for signage and fittings are included.



Hole size Ø4,5 mm. These end panels are not compatible with 60/30 Classic wall steel shelving.



| Height<br>cm | Shelf depth<br>cm | Item no.<br>Left | Item no.<br>Right |
|--------------|-------------------|------------------|-------------------|
| 92           | 22.5              | S121362111       | S121362112        |
| 92           | 25                | S121362211       | S121362212        |
| 92           | 30                | S121362311       | S121362312        |
| 92           | 40                | S121362511       | S121362512        |
| 122          | 22.5              | S121363111       | S121363112        |
| 122          | 25                | S121363211       | S121363212        |
| 122          | 30                | S121363311       | S121363312        |
| 122          | 40                | S121363511       | S121363512        |
| 152          | 22.5              | S121364111       | S121364112        |
| 152          | 25                | S121364211       | S121364212        |
| 152          | 30                | S121364311       | S121364312        |
| 152          | 40                | S121364511       | S121364512        |
| 182          | 22.5              | S121365111       | S121365112        |
| 182          | 25                | S121365211       | S121365212        |
| 182          | 30                | S121365311       | S121365312        |
| 182          | 40                | S121365511       | S121365512        |
| 212          | 22.5              | S121366111       | S121366112        |
| 212          | 25                | S121366211       | S121366212        |
| 212          | 30                | S121366311       | S121366312        |
| 212          | 40                | S121366511       | S121366512        |




### Perforated steel end panels - double-sided



45 mm frontedge. Two A5 acrylic covers for signage and fittings are included.



Hole size Ø4,5 mm




| Height<br>cm | Shelf depth<br>cm | Item no.   |
|--------------|-------------------|------------|
| 92           | 22.5              | S121362124 |
| 92           | 25                | S121362224 |
| 92           | 30                | S121362324 |
| 92           | 40                | S121362524 |
| 122          | 22.5              | S121363124 |
| 122          | 25                | S121363224 |
| 122          | 30                | S121363324 |
| 122          | 40                | S121363524 |
| 152          | 22.5              | S121364124 |
| 152          | 25                | S121364224 |
| 152          | 30                | S121364324 |
| 152          | 40                | S121364524 |
| 182          | 22.5              | S121365124 |
| 182          | 25                | S121365224 |
| 182          | 30                | S121365324 |
| 182          | 40                | S121365524 |
| 212          | 22.5              | S121366124 |
| 212          | 25                | S121366224 |
| 212          | 30                | S121366324 |
| 212          | 40                | S121366524 |

## LONDON STEEL END PANELS - FOR LONDON STEEL OVERLAYING TOP PLATE

### London steel end panel for London steel overlaying top plate - single-sided


 30 mm front edge. To be used with London steel overlaying top plate, see page 76-77. Incl. fittings. These end panels are not compatible with 60/30 Classic wall steel shelving.



| Height<br>cm | Shelf depth<br>cm | Item no.<br>Left | Item no.<br>Right |
|--------------|-------------------|------------------|-------------------|
| 92           | 22.5              | S121372111       | S121372112        |
| 92           | 25                | S121372211       | S121372212        |
| 92           | 30                | S121372311       | S121372312        |
| 92           | 40                | S121372511       | S121372512        |
| 122          | 22.5              | S121376211       | S121373112        |
| 122          | 25                | S121373211       | S121373212        |
| 122          | 30                | S121373311       | S121373312        |
| 122          | 40                | S121373511       | S121373512        |
| 152          | 22.5              | S121374111       | S121374112        |
| 152          | 25                | S121374211       | S121374212        |
| 152          | 30                | S121374311       | S121374312        |
| 152          | 40                | S121374511       | S121374512        |
| 182          | 22.5              | S121375111       | S121375112        |
| 182          | 25                | S121375211       | S121375212        |
| 182          | 30                | S121375311       | S121375312        |
| 182          | 40                | S121375511       | S121375512        |
| 212          | 22.5              | S121376111       | S121376112        |
| 212          | 25                | S121376211       | S121376212        |
| 212          | 30                | S121376311       | S121376312        |
| 212          | 40                | S121376511       | S121376512        |

### London steel end panel for London steel overlaying top plate - double-sided

 30 mm front edge. To be used with London steel overlaying top plate, see page 78-79. Incl. fittings.



| Height<br>cm | Shelf depth<br>cm | Item no.   |
|--------------|-------------------|------------|
| 92           | 22.5              | S121372124 |
| 92           | 25                | S121372224 |
| 92           | 30                | S121372324 |
| 92           | 40                | S121372524 |
| 122          | 22.5              | S121373124 |
| 122          | 25                | S121373224 |
| 122          | 30                | S121373324 |
| 122          | 40                | S121373524 |
| 152          | 22.5              | S121374124 |
| 152          | 25                | S121374224 |
| 152          | 30                | S121374324 |
| 152          | 40                | S121374524 |
| 182          | 22.5              | S121375124 |
| 182          | 25                | S121375224 |
| 182          | 30                | S121375324 |
| 182          | 40                | S121375524 |
| 212          | 22.5              | S121376124 |
| 212          | 25                | S121376224 |
| 212          | 30                | S121376324 |
| 212          | 40                | S121376524 |

# PANELS

## GLASS END PANELS



### Glass end panel - single-sided

10 mm front edge. Incl. fittings. These end panels are not compatible with 60/30 Classic wall steel shelving.




| Height<br>cm | Shelf depth<br>cm | Item no.<br>Left | Item no.<br>Right |
|--------------|-------------------|------------------|-------------------|
| 92           | 22.5              | S122302111       | S122302112        |
| 92           | 25                | S122302211       | S122302212        |
| 92           | 30                | S122302311       | S122302312        |
| 92           | 40                | S122302511       | S122302512        |
| 122          | 22.5              | S122303111       | S122303112        |
| 122          | 25                | S122303211       | S122303212        |
| 122          | 30                | S122303311       | S122303312        |
| 122          | 40                | S122303511       | S122303512        |
| 152          | 22.5              | S122304111       | S122304112        |
| 152          | 25                | S122304211       | S122304212        |
| 152          | 30                | S122304311       | S122304312        |
| 152          | 40                | S122304511       | S122304512        |
| 182          | 22.5              | S122305111       | S122305112        |
| 182          | 25                | S122305211       | S122305212        |
| 182          | 30                | S122305311       | S122305312        |
| 182          | 40                | S122305511       | S122305512        |
| 212          | 22.5              | S122306111       | S122306112        |
| 212          | 25                | S122306211       | S122306212        |
| 212          | 30                | S122306311       | S122306312        |
| 212          | 40                | S122306511       | S122306512        |



### Glass end panel - double-sided

10 mm front edge. Incl. fittings.




| Height<br>cm | Shelf depth<br>cm | Item no.   |
|--------------|-------------------|------------|
| 92           | 22.5              | S122302124 |
| 92           | 25                | S122302224 |
| 92           | 30                | S122302324 |
| 92           | 40                | S122302524 |
| 122          | 22.5              | S122303124 |
| 122          | 25                | S122303224 |
| 122          | 30                | S122303324 |
| 122          | 40                | S122303524 |
| 152          | 22.5              | S122304124 |
| 152          | 25                | S122304224 |
| 152          | 30                | S122304324 |
| 152          | 40                | S122304524 |
| 182          | 22.5              | S122305124 |
| 182          | 25                | S122305224 |
| 182          | 30                | S122305324 |
| 182          | 40                | S122305524 |
| 212          | 22.5              | S122306124 |
| 212          | 25                | S122306224 |
| 212          | 30                | S122306324 |
| 212          | 40                | S122306524 |

# PANELS

## WOODEN BACK PANELS

### FSC wooden back panel



| Height<br>cm | Module<br>cm | Item no.<br>Painted | Item no.<br>Veneer |
|--------------|--------------|---------------------|--------------------|
| 92           | 75           | S1204122            | S1204222           |
| 92           | 90           | S1204123            | S1204223           |
| 92           | 100          | S1204124            | S1204224           |
| 122          | 75           | S1204132            | S1204232           |
| 122          | 90           | S1204133            | S1204233           |
| 122          | 100          | S1204134            | S1204234           |
| 152          | 75           | S1204142            | S1204242           |
| 152          | 90           | S1204143            | S1204243           |
| 152          | 100          | S1204144            | S1204244           |
| 182          | 75           | S1204152            | S1204252           |
| 182          | 90           | S1204153            | S1204253           |
| 182          | 100          | S1204154            | S1204254           |
| 212          | 75           | S1204162            | S1204262           |
| 212          | 90           | S1204163            | S1204263           |
| 212          | 100          | S1204164            | S1204264           |

### Fittings for glass end panel

| Type   | Item no. |
|--------|----------|
| Left   | S127371  |
| Right  | S127372  |
| Double | S127374  |



# END PANEL BAYS

FOR DOUBLE-SIDED 60/30 CLASSIC STEEL SHELVING

The following pages will show basic configurations of end panel bays for double-sided 60/30 Classic Steel Shelving system.




# END PANEL BAYS

## FOR DOUBLE-SIDED SHELVING WITH ADJUSTABLE FEET

FSC-certified end panel bay with wooden top shelf, wooden panels, wooden bottom shelf and adjustable feet. For shelves, see page 148.




### Height 92 cm



| Depth of shelving system<br>- cm | Width of end panel bay<br>- cm | Depth of end panel bay<br>- cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|--------------------------------|--------------------------------|---------------------|--------------------|
| 22,5/22,5                        | 46,8                           | 25                             | F12200212000        | F12201212000       |
| 25/25                            | 51,8                           | 25                             | F12200222000        | F12201222000       |
| 30/30                            | 61,8                           | 25                             | F12200232000        | F12201232000       |
| 40/40                            | 81,8                           | 25                             | F12200252000        | F12201252000       |
| 22,5/22,5                        | 46,8                           | 30                             | F12200213000        | F12201213000       |
| 25/25                            | 51,8                           | 30                             | F12200223000        | F12201223000       |
| 30/30                            | 61,8                           | 30                             | F12200233000        | F12201233000       |
| 40/40                            | 81,8                           | 30                             | F12200253000        | F12201253000       |




### Height 122



| Depth of shelving system<br>- cm | Width of end panel bay<br>- cm | Depth of end panel bay<br>- cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|--------------------------------|--------------------------------|---------------------|--------------------|
| 22,5/22,5                        | 46,8                           | 25                             | F12200312000        | F12201312000       |
| 25/25                            | 51,8                           | 25                             | F12200322000        | F12201322000       |
| 30/30                            | 61,8                           | 25                             | F12200332000        | F12201332000       |
| 40/40                            | 81,8                           | 25                             | F12200352000        | F12201352000       |
| 22,5/22,5                        | 46,8                           | 30                             | F12200313000        | F12201313000       |
| 25/25                            | 51,8                           | 30                             | F12200323000        | F12201323000       |
| 30/30                            | 61,8                           | 30                             | F12200333000        | F12201333000       |
| 40/40                            | 81,8                           | 30                             | F12200353000        | F12201353000       |



### Height 152 cm



| Depth of shelving system<br>- cm | Width of end panel bay<br>- cm | Depth of end panel bay<br>- cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|--------------------------------|--------------------------------|---------------------|--------------------|
| 22,5/22,5                        | 46,8                           | 25                             | F12200412000        | F12201412000       |
| 25/25                            | 51,8                           | 25                             | F12200422000        | F12201422000       |
| 30/30                            | 61,8                           | 25                             | F12200432000        | F12201432000       |
| 40/40                            | 81,8                           | 25                             | F12200452000        | F12201452000       |
| 22,5/22,5                        | 46,8                           | 30                             | F12200413000        | F12201413000       |
| 25/25                            | 51,8                           | 30                             | F12200423000        | F12201423000       |
| 30/30                            | 61,8                           | 30                             | F12200433000        | F12201433000       |
| 40/40                            | 81,8                           | 30                             | F12200453000        | F12201453000       |


# END PANEL BAYS

## FOR DOUBLE-SIDED SHELVING WITH ADJUSTABLE FEET

FSC-certified end panel bay with wooden top shelf, wooden panels, wooden bottom shelf and adjustable feet. For shelves, see page 148.




### Height 182 cm



| Depth of shelving system<br>- cm | Width of end panel bay<br>- cm | Depth of end panel bay<br>- cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|--------------------------------|--------------------------------|---------------------|--------------------|
| 22,5/22,5                        | 46,8                           | 25                             | F12200512000        | F12201512000       |
| 25/25                            | 51,8                           | 25                             | F12200522000        | F12201522000       |
| 30/30                            | 61,8                           | 25                             | F12200532000        | F12201532000       |
| 40/40                            | 81,8                           | 25                             | F12200552000        | F12201552000       |
| 22,5/22,5                        | 46,8                           | 30                             | F12200513000        | F12201513000       |
| 25/25                            | 51,8                           | 30                             | F12200523000        | F12201523000       |
| 30/30                            | 61,8                           | 30                             | F12200533000        | F12201533000       |
| 40/40                            | 81,8                           | 30                             | F12200553000        | F12201553000       |



### Height 212 cm



| Depth of shelving system<br>- cm | Width of end panel bay<br>- cm | Depth of end panel bay<br>- cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|--------------------------------|--------------------------------|---------------------|--------------------|
| 22,5/22,5                        | 46,8                           | 25                             | F12200612000        | F12201612000       |
| 25/25                            | 51,8                           | 25                             | F12200622000        | F12201622000       |
| 30/30                            | 61,8                           | 25                             | F12200632000        | F12201632000       |
| 40/40                            | 81,8                           | 25                             | F12200652000        | F12201652000       |
| 22,5/22,5                        | 46,8                           | 30                             | F12200613000        | F12201613000       |
| 25/25                            | 51,8                           | 30                             | F12200623000        | F12201623000       |
| 30/30                            | 61,8                           | 30                             | F12200633000        | F12201633000       |
| 40/40                            | 81,8                           | 30                             | F12200653000        | F12201653000       |


# END PANEL BAYS

FOR DOUBLE-SIDED SHELVING WITH AJDUSTABLE FEET & LONDON WOODEN TOP PLATE

FSC-certified end panel bay with overlaying London wooden top plate, wooden panels, wooden bottom shelf and adjustable feet. For shelves, see page 148.




## Height 92 cm



| Depth of shelving system<br>- cm | Width of end panel bay<br>- cm | Depth of end panel bay<br>- cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|--------------------------------|--------------------------------|---------------------|--------------------|
| 22,5/22,5                        | 46,8                           | 25                             | F12202212000        | F12203212000       |
| 25/25                            | 51,8                           | 25                             | F12202222000        | F12203222000       |
| 30/30                            | 61,8                           | 25                             | F12202232000        | F12203232000       |
| 40/40                            | 81,8                           | 25                             | F12202252000        | F12203252000       |
| 22,5/22,5                        | 46,8                           | 30                             | F12202213000        | F12203213000       |
| 25/25                            | 51,8                           | 30                             | F12202223000        | F12203223000       |
| 30/30                            | 61,8                           | 30                             | F12202233000        | F12203233000       |
| 40/40                            | 81,8                           | 30                             | F12202253000        | F12203253000       |




## Height 122



| Depth of shelving system<br>- cm | Width of end panel bay<br>- cm | Depth of end panel bay<br>- cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|--------------------------------|--------------------------------|---------------------|--------------------|
| 22,5/22,5                        | 46,8                           | 25                             | F12202312000        | F12203312000       |
| 25/25                            | 51,8                           | 25                             | F12202322000        | F12203322000       |
| 30/30                            | 61,8                           | 25                             | F12202332000        | F12203332000       |
| 40/40                            | 81,8                           | 25                             | F12202352000        | F12203352000       |
| 22,5/22,5                        | 46,8                           | 30                             | F12202313000        | F12203313000       |
| 25/25                            | 51,8                           | 30                             | F12202323000        | F12203323000       |
| 30/30                            | 61,8                           | 30                             | F12202333000        | F12203333000       |
| 40/40                            | 81,8                           | 30                             | F12202353000        | F12203353000       |



## Height 152 cm



| Depth of shelving system<br>- cm | Width of end panel bay<br>- cm | Depth of end panel bay<br>- cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|--------------------------------|--------------------------------|---------------------|--------------------|
| 22,5/22,5                        | 46,8                           | 25                             | F12202412000        | F12203412000       |
| 25/25                            | 51,8                           | 25                             | F12202422000        | F12203422000       |
| 30/30                            | 61,8                           | 25                             | F12202432000        | F12203432000       |
| 40/40                            | 81,8                           | 25                             | F12202452000        | F12203452000       |
| 22,5/22,5                        | 46,8                           | 30                             | F12202413000        | F12203413000       |
| 25/25                            | 51,8                           | 30                             | F12202423000        | F12203423000       |
| 30/30                            | 61,8                           | 30                             | F12202433000        | F12203433000       |
| 40/40                            | 81,8                           | 30                             | F12202453000        | F12203453000       |


# END PANEL BAYS

FOR DOUBLE-SIDED SHELVING WITH ADJUSTABLE FEET & LONDON WOODEN TOP PLATE

FSC-certified end panel bay with overlaying London wooden top plate, wooden panels, wooden bottom shelf and adjustable feet. For shelves, see page 148.




## Height 182 cm



| Depth of shelving system<br>- cm | Width of end panel bay<br>- cm | Depth of end panel bay<br>- cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|--------------------------------|--------------------------------|---------------------|--------------------|
| 22,5/22,5                        | 46,8                           | 25                             | F12202512000        | F12203512000       |
| 25/25                            | 51,8                           | 25                             | F12202522000        | F12203522000       |
| 30/30                            | 61,8                           | 25                             | F12202532000        | F12203532000       |
| 40/40                            | 81,8                           | 25                             | F12202552000        | F12203552000       |
| 22,5/22,5                        | 46,8                           | 30                             | F12202513000        | F12203513000       |
| 25/25                            | 51,8                           | 30                             | F12202523000        | F12203523000       |
| 30/30                            | 61,8                           | 30                             | F12202533000        | F12203533000       |
| 40/40                            | 81,8                           | 30                             | F12202553000        | F12203553000       |



## Height 212 cm



| Depth of shelving system<br>- cm | Width of end panel bay<br>- cm | Depth of end panel bay<br>- cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|--------------------------------|--------------------------------|---------------------|--------------------|
| 22,5/22,5                        | 46,8                           | 25                             | F12202612000        | F12203612000       |
| 25/25                            | 51,8                           | 25                             | F12202622000        | F12203622000       |
| 30/30                            | 61,8                           | 25                             | F12202632000        | F12203632000       |
| 40/40                            | 81,8                           | 25                             | F12202652000        | F12203652000       |
| 22,5/22,5                        | 46,8                           | 30                             | F12202613000        | F12203613000       |
| 25/25                            | 51,8                           | 30                             | F12202623000        | F12203623000       |
| 30/30                            | 61,8                           | 30                             | F12202633000        | F12203633000       |
| 40/40                            | 81,8                           | 30                             | F12202653000        | F12203653000       |


# END PANEL BAYS

## FOR DOUBLE-SIDED SHELVING WITH CASTORS

FSC-certified end panel bay with wooden top shelf, wooden panels, wooden bottom shelf and castors. For shelves, see page 148.




### Height 92 cm



| Depth of shelving system<br>- cm | Width of end panel bay<br>- cm | Depth of end panel bay<br>- cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|--------------------------------|--------------------------------|---------------------|--------------------|
| 22,5/22,5                        | 46,8                           | 25                             | F12204212000        | F12205212000       |
| 25/25                            | 51,8                           | 25                             | F12204222000        | F12205222000       |
| 30/30                            | 61,8                           | 25                             | F12204232000        | F12205232000       |
| 40/40                            | 81,8                           | 25                             | F12204252000        | F12205252000       |
| 22,5/22,5                        | 46,8                           | 30                             | F12204213000        | F12205213000       |
| 25/25                            | 51,8                           | 30                             | F12204223000        | F12205223000       |
| 30/30                            | 61,8                           | 30                             | F12204233000        | F12205233000       |
| 40/40                            | 81,8                           | 30                             | F12204253000        | F12205253000       |




### Height 122



| Depth of shelving system<br>- cm | Width of end panel bay<br>- cm | Depth of end panel bay<br>- cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|--------------------------------|--------------------------------|---------------------|--------------------|
| 22,5/22,5                        | 46,8                           | 25                             | F12204312000        | F12205312000       |
| 25/25                            | 51,8                           | 25                             | F12204322000        | F12205322000       |
| 30/30                            | 61,8                           | 25                             | F12204332000        | F12205332000       |
| 40/40                            | 81,8                           | 25                             | F12204352000        | F12205352000       |
| 22,5/22,5                        | 46,8                           | 30                             | F12204313000        | F12205313000       |
| 25/25                            | 51,8                           | 30                             | F12204323000        | F12205323000       |
| 30/30                            | 61,8                           | 30                             | F12204333000        | F12205333000       |
| 40/40                            | 81,8                           | 30                             | F12204353000        | F12205353000       |



### Height 152 cm



| Depth of shelving system<br>- cm | Width of end panel bay<br>- cm | Depth of end panel bay<br>- cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|--------------------------------|--------------------------------|---------------------|--------------------|
| 22,5/22,5                        | 46,8                           | 25                             | F12204412000        | F12205412000       |
| 25/25                            | 51,8                           | 25                             | F12204422000        | F12205422000       |
| 30/30                            | 61,8                           | 25                             | F12204432000        | F12205432000       |
| 40/40                            | 81,8                           | 25                             | F12204452000        | F12205452000       |
| 22,5/22,5                        | 46,8                           | 30                             | F12204413000        | F12205413000       |
| 25/25                            | 51,8                           | 30                             | F12204423000        | F12205423000       |
| 30/30                            | 61,8                           | 30                             | F12204433000        | F12205433000       |
| 40/40                            | 81,8                           | 30                             | F12204453000        | F12205453000       |


# END PANEL BAYS

## FOR DOUBLE-SIDED SHELVING WITH CASTORS & LONDON WOODEN TOP PLATE

FSC-certified end panel bay with overlaying London wooden top plate, wooden panels, wooden bottom shelf and castors. For shelves, see page 148.




### Height 92 cm



| Depth of shelving system<br>- cm | Width of end panel bay<br>- cm | Depth of end panel bay<br>- cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|--------------------------------|--------------------------------|---------------------|--------------------|
| 22,5/22,5                        | 46,8                           | 25                             | F12206212000        | F12207212000       |
| 25/25                            | 51,8                           | 25                             | F12206222000        | F12207222000       |
| 30/30                            | 61,8                           | 25                             | F12206232000        | F12207232000       |
| 40/40                            | 81,8                           | 25                             | F12206252000        | F12207252000       |
| 22,5/22,5                        | 46,8                           | 30                             | F12206213000        | F12207213000       |
| 25/25                            | 51,8                           | 30                             | F12206223000        | F12207223000       |
| 30/30                            | 61,8                           | 30                             | F12206233000        | F12207233000       |
| 40/40                            | 81,8                           | 30                             | F12206253000        | F12207253000       |




### Height 122



| Depth of shelving system<br>- cm | Width of end panel bay<br>- cm | Depth of end panel bay<br>- cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|--------------------------------|--------------------------------|---------------------|--------------------|
| 22,5/22,5                        | 46,8                           | 25                             | F12206312000        | F12207312000       |
| 25/25                            | 51,8                           | 25                             | F12206322000        | F12207322000       |
| 30/30                            | 61,8                           | 25                             | F12206332000        | F12207332000       |
| 40/40                            | 81,8                           | 25                             | F12206352000        | F12207352000       |
| 22,5/22,5                        | 46,8                           | 30                             | F12206313000        | F12207313000       |
| 25/25                            | 51,8                           | 30                             | F12206323000        | F12207323000       |
| 30/30                            | 61,8                           | 30                             | F12206333000        | F12207333000       |
| 40/40                            | 81,8                           | 30                             | F12206353000        | F12207353000       |



### Height 152 cm



| Depth of shelving system<br>- cm | Width of end panel bay<br>- cm | Depth of end panel bay<br>- cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|--------------------------------|--------------------------------|---------------------|--------------------|
| 22,5/22,5                        | 46,8                           | 25                             | F12206412000        | F12207412000       |
| 25/25                            | 51,8                           | 25                             | F12206422000        | F12207422000       |
| 30/30                            | 61,8                           | 25                             | F12206432000        | F12207432000       |
| 40/40                            | 81,8                           | 25                             | F12206452000        | F12207452000       |
| 22,5/22,5                        | 46,8                           | 30                             | F12206413000        | F12207413000       |
| 25/25                            | 51,8                           | 30                             | F12206423000        | F12207423000       |
| 30/30                            | 61,8                           | 30                             | F12206433000        | F12207433000       |
| 40/40                            | 81,8                           | 30                             | F12206453000        | F12207453000       |

# END PANEL BAYS


## STEEL SHELVES



### Steel shelf with steel backedge for backedge book support



Steel backedge 47 mm.  
Brackets must be ordered  
separately.




| Depth of shelving<br>system - cm | Depth of end<br>panel bay - cm | Width of shelf<br>- cm | Item no. |
|----------------------------------|--------------------------------|------------------------|----------|
| 22,5/22,5                        | 25                             | 46,3                   | S1226312 |
| 25/25                            | 25                             | 51,3                   | S1226322 |
| 30/30                            | 25                             | 61,3                   | S1226332 |
| 40/40                            | 25                             | 71,3                   | S1226352 |
| 22,5/22,5                        | 30                             | 46,3                   | S1226313 |
| 25/25                            | 30                             | 51,3                   | S1226323 |
| 30/30                            | 30                             | 61,3                   | S1226333 |
| 40/40                            | 30                             | 71,3                   | S1226353 |



### Bracket for steel shelves with steel backedge



\* Can be used for D25 and  
30 cm shelves.



| Type   | Depth of end<br>panel bay - cm | Item no. |
|--------|--------------------------------|----------|
| Left   | 25                             | S1274621 |
| Right  | 25                             | S1274622 |
| Left*  | 30                             | S1274631 |
| Right* | 30                             | S1274632 |



### 45°/60° sloping steel shelf




With fittings.



| Depth of shelving<br>system - cm | Depth of end<br>panel bay - cm | Item no. |
|----------------------------------|--------------------------------|----------|
| 22,5/22,5                        | 25/30                          | S122641  |
| 25/25                            | 25/30                          | S122642  |
| 30/30                            | 25/30                          | S122643  |
| 40/40                            | 25/30                          | S122645  |





With many years of expertise in understanding the role and the function of modern libraries, we have designed and supplied a broad variety of light solutions to our shelving systems. Therefore we recommend you contact us to get an idea of our special light offering.

Depending on the architecture of the library, the use of daylight and other light sources we have the competencies to offer you special solutions that support the function of the library.

The LED lighting strips are mounted underneath each steel shelf to add light to the shelf below. Below you will find an overview of all components used in a configuration with LED lighting. It is also possible to construct your own shelving using the standard and special constructed components for LED lighting, contact Sales for further details.




#### Warm white LED lighting

Selfadhesive. 3000 kelvin. 12V. 4.8 W per meter. Energy efficiency A+. 60 diodes per meter. Light output (lm) 4.1 per meter.

Module cm  
75  
90  
100


Item no.  
Contact customer service



#### 12V DC transformer for LED lighting

Up to 6 connections. 30 W. IP20.

Item no.  
Contact customer service



# LIGHTING

## LED SHELF LIGHTING



### Transformer holder for LED lighting

1 pc. needed per bay.

Module cm

75  
90  
100

Item no.

Contact customer service



### Cable channel for LED lighting


To be mounted on the left hand side of the bay, on the inside of the upright.

Height cm

122  
152  
182  
212

Item no.

Contact customer service



### Upright for LED lighting



With extra holes for mounting cable channel.

Height cm

Depth cm

Item no. - single

Item no. - double

122 22,5  
122 25  
122 30  
122 40

S12102311  
S12102321  
S12102331  
S12102351

S12102312  
S12102322  
S12102332  
S12102352

152 22,5  
152 25  
152 30  
152 40

S12102411  
S12102421  
S12102431  
S12102451

S12102412  
S12102422  
S12102432  
S12102452

182 22,5  
182 25  
182 30  
182 40


S12102511  
S12102521  
S12102531  
S12102551

S12102512  
S12102522  
S12102532  
S12102552

212 22,5  
212 25  
212 30  
212 40

S12102611  
S12102621  
S12102631  
S12102651

S12102612  
S12102622  
S12102632  
S12102652



### Crossbar




2 pcs. per bay.

Module cm

75  
90  
100

Item no.


S120012  
S120013  
S120014



### Steel shelves



The LED lighting is mounted underneath standard steel top shelves and steel intermediate shelves with backedge. See from page 58.






The Book LED lighting armature can be fitted on wooden top shelves and can be mounted over 1, 2 and 3 bays by use of connect fittings. Continuous runs also require connect fitting.

The armature is CE-approved and available in white and steel as standard. For other colours, please ask customer service.



#### Armature



Model showing 2 bearing arms incl. light tube and louvre. Armature housing in aluminium.



#### Standard bearing arms



To be mounted on top of top shelf.



#### Front edge bearing arms



To be mounted on frontedge of predrilled top shelf/top plate (special request)

# LIGHTING

## BOOK LED LIGHTING

Below you will find a list of products needed when ordering lighting for 1, 2 or 3 bays. For 4 or more bays, you must use a combination of the armatures for 1, 2 or 3 bays by connecting the armatures with a connect fitting. Eg. for 10 bays, you can either use 5 x 2 bays (with 4 connect fittings) or 3 x 3 bays and 1 x 1 bay (with 3 connect fittings).



### 1 bay




|                                   |                          |            |
|-----------------------------------|--------------------------|------------|
| Armature module 75                | - W750 x D80 x H32 mm or | S850000750 |
| Armature module 90                | - W900 x D80 x H32 mm or | S850000900 |
| Armature module 100               | - W1005 x D80 x H32 mm   | S850001005 |
| Bearing arms, 2 pcs., standard or |                          | S850102    |
| Bearing arms, 2 pcs., front edge  |                          | S850112    |
| End covers, 2 pcs.                |                          | S850200    |

Item no.



### 2 bays




|                                   |                           |            |
|-----------------------------------|---------------------------|------------|
| Armature module 75 + 75           | - W1500 x D80 x H32 mm or | S850001500 |
| Armature module 90 + 90           | - W1800 x D80 x H32 mm or | S850001800 |
| Armature module 90 + 100          | - W1905 x D80 x H32 mm or | S850001905 |
| Armature module 100 + 100         | - W2010 x D80 x H32 mm    | S850002010 |
| Bearing arms, 2 pcs., standard or |                           | S850102    |
| Bearing arms, 2 pcs., front edge  |                           | S850112    |
| End covers, 2 pcs.                |                           | S850200    |

Item no.



### 3 bays



|                                   |                           |            |
|-----------------------------------|---------------------------|------------|
| Armature module 75 + 75 + 75      | - W2250 x D80 x H32 mm or | S850002250 |
| Armature module 75 + 90 + 75      | - W2400 x D80 x H32 mm or | S850002400 |
| Armature module 90 + 90 + 90      | - W2700 x D80 x H32 mm or | S850002700 |
| Armature module 100 + 90 + 100    | - W2910 x D80 x H32 mm or | S850002910 |
| Armature module 100 + 100 + 100   | - W3015 x D80 x H32 mm    | S850003015 |
| Bearing arms, 3 pcs., standard or |                           | S850103    |
| Bearing arms, 3 pcs., front edge  |                           | S850113    |
| End covers, 2 pcs.                |                           | S850200    |

Item no.



### Cable 3 x 1.5 mm<sup>2</sup>, L2500 mm

Item no.

S850210



### Connect fitting



Item no.

S850220



École Nationale des Ponts et Chaussées (ENPC), Champs sur Marne, France  
60/30 Classic round steel shelving


# 60/30 CLASSIC ROUND STEEL SHELVING

## CONFIGURATIONS - WITHOUT SHELVES

Double-sided shelving system with uprights and crossbars. For shelves, see page 159.




### Height 92 cm



|         | Degree | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|---------|--------|-------------------|-------------------------|------------------------|
| Ø432 cm | 26°    | 30                | F1250223000000C         | F1250323000000C        |
| Ø600 cm | 18°    | 30                | F1250623000000C         | F1250723000000C        |




### Height 122 cm



|         | Degree | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|---------|--------|-------------------|-------------------------|------------------------|
| Ø432 cm | 26°    | 30                | F1250233000000C         | F1250333000000C        |
| Ø600 cm | 18°    | 30                | F1250633000000C         | F1250733000000C        |




### Height 152 cm



|         | Degree | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|---------|--------|-------------------|-------------------------|------------------------|
| Ø432 cm | 26°    | 30                | F1250243000000C         | F1250343000000C        |
| Ø600 cm | 18°    | 30                | F1250643000000C         | F1250743000000C        |




### Height 182 cm



|         | Degree | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|---------|--------|-------------------|-------------------------|------------------------|
| Ø432 cm | 26°    | 30                | F1250253000000C         | F1250353000000C        |
| Ø600 cm | 18°    | 30                | F1250653000000C         | F1250753000000C        |



### Height 212 cm



|         | Degree | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|---------|--------|-------------------|-------------------------|------------------------|
| Ø432 cm | 26°    | 30                | F1250263000000C         | F1250363000000C        |
| Ø600 cm | 18°    | 30                | F1250663000000C         | F1250763000000C        |


# 60/30 CLASSIC ROUND STEEL SHELVING

## CONFIGURATIONS - WITH SHELVES - WITHOUT TOP SHELF

Complete double-sided shelving system with uprights, crossbars, shelves, brackets, galvanized safety clip and fittings (the safety clip is available in standard steel colours and can be ordered separately, see page 166). Shelves are rounded steel shelves with backedge. Number of shelves are calculated for optimal shelf spacing for fiction. A starter bay is delivered with one right and one left bracket per shelf. An add-on bay is delivered with a double bracket per shelf, which places the shelves in the same height as that of the starter bay.




### Height 92 cm (2 shelves on each side)



|         | Degree | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|---------|--------|-------------------|-------------------------|------------------------|
| Ø432 cm | 26°    | 30                | F1250223000110          | F12503230001101        |
| Ø600 cm | 18°    | 30                | F1250623000110          | F12507230001101        |




### Height 122 cm (3 shelves on each side)



|         | Degree | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|---------|--------|-------------------|-------------------------|------------------------|
| Ø432 cm | 26°    | 30                | F1250233000120          | F12503330001201        |
| Ø600 cm | 18°    | 30                | F1250633000120          | F12507330001201        |




### Height 152 cm (4 shelves on each side)



|         | Degree | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|---------|--------|-------------------|-------------------------|------------------------|
| Ø432 cm | 26°    | 30                | F1250243000130          | F12503430001301        |
| Ø600 cm | 18°    | 30                | F1250643000130          | F12507430001301        |




### Height 182 cm (5 shelves on each side)



|         | Degree | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|---------|--------|-------------------|-------------------------|------------------------|
| Ø432 cm | 26°    | 30                | F1250253000140          | F12503530001401        |
| Ø600 cm | 18°    | 30                | F1250653000140          | F12507530001401        |



### Height 212 cm (6 shelves on each side)



|         | Degree | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|---------|--------|-------------------|-------------------------|------------------------|
| Ø432 cm | 26°    | 30                | F1250263000150          | F12503630001501        |
| Ø600 cm | 18°    | 30                | F1250663000150          | F12507630001501        |


# 60/30 CLASSIC ROUND STEEL SHELVING

## CONFIGURATIONS - WITH SHELVES AND TOP SHELVES

Complete double-sided shelving system with uprights, crossbars, shelves, top shelves, brackets, galvanized safety clip and fittings (the safety clip is available in standard steel colours and can be ordered separately, see page 166). Shelves are rounded steel shelves with backedge, top shelves are steel shelves without backedge. Number of shelves are calculated for optimal shelf spacing for fiction. A starter bay is delivered with one right and one left bracket per shelf. An add-on bay is delivered with a double bracket per shelf, which places the shelves in the same height as that of the starter bay.




### Height 92 cm (2 shelves + top shelf on each side)



|         | Degree | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|---------|--------|-------------------|-------------------------|------------------------|
| Ø432 cm | 26°    | 30                | F1250223010110          | F12503230101101        |
| Ø600 cm | 18°    | 30                | F1250623010110          | F12507230101101        |




### Height 122 cm (3 shelves + top shelf on each side)



|         | Degree | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|---------|--------|-------------------|-------------------------|------------------------|
| Ø432 cm | 26°    | 30                | F1250233010120          | F12503330101201        |
| Ø600 cm | 18°    | 30                | F1250633010120          | F12507330101201        |




### Height 152 cm (4 shelves + top shelf on each side)



|         | Degree | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|---------|--------|-------------------|-------------------------|------------------------|
| Ø432 cm | 26°    | 30                | F1250243010130          | F12503430101301        |
| Ø600 cm | 18°    | 30                | F1250643010130          | F12507430101301        |




### Height 182 cm (5 shelves + top shelf on each side)



|         | Degree | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|---------|--------|-------------------|-------------------------|------------------------|
| Ø432 cm | 26°    | 30                | F1250253010140          | F12503530101401        |
| Ø600 cm | 18°    | 30                | F1250653010140          | F12507530101401        |



### Height 212 cm (6 shelves + top shelf on each side)



|         | Degree | Shelf depth<br>cm | Item no.<br>Starter bay | Item no.<br>Add-on bay |
|---------|--------|-------------------|-------------------------|------------------------|
| Ø432 cm | 26°    | 30                | F1250263010150          | F12503630101501        |
| Ø600 cm | 18°    | 30                | F1250663010150          | F12507630101501        |



# ROUND SHELVES


## 26° & 18° SHELVES

See below for overview of standard round steel shelves.

### ST5 - SINGLE-SIDED 26° & 18° STEEL TOP SHELF - 25 MM FRONTEDGE

Details:


- 26°/18°
- Depth 300 mm
- Steel brackets
- Max. weight 25 kg.



### ST5 - DOUBLE-SIDED 26° & 18° STEEL TOP SHELF - 25/47 MM FRONTEDGE

Details:


- 26°/18°
- Depth 660 mm
- Freestanding/outer/intermediate
- Steel brackets
- Max. weight 25 kg.



### WO5 - FSC DOUBLE-SIDED LONDON 26° & 18° WOODEN TOP PLATE - 30 MM FRONTEDGE

Details:


- 26°/18°
- Depth 300 mm
- Steel plate brackets
- Max. weight 25 kg.



### SI5 - SINGLE-SIDED 26° & 18° STEEL INTERMEDIATE SHELF W. STEEL BACKEDGE - 25 MM FRONTEDGE

Details:


- 26°/18°
- Depth 300 mm
- Steel backedge H47 mm
- Steel plate brackets
- Max. weight 80 kg.



### SB5 - SINGLE-SIDED 26° & 18° STEEL BOTTOM SHELF W. STEEL BACKEDGE - 25 MM FRONTEDGE

Details:

- 26°/18°
- Depth 300 mm
- Steel backedge H47 mm
- Steel plate brackets
- Max. weight 80 kg.



# ROUND SHELVES

## ST5 - 26° & 18° SINGLE-SIDED STEEL TOP SHELF



### ST5 - 26° & 18° single-sided steel top shelf with brackets - outer



Shelves for starter bays include one left and one right bracket. Shelves for add-on bays include double bracket.



| Degree | Shelf depth<br>cm | Item no.<br>Starter | Item no.<br>Add-on |
|--------|-------------------|---------------------|--------------------|
| 26°    | 30                | F124103211          | F124103212         |
| 18°    | 30                | F124113211          | F124113212         |



### ST5 - 26° & 18° single-sided steel top shelf with brackets - inner



Shelves for starter bays include one left and one right bracket. Shelves for add-on bays include double bracket.



| Degree | Shelf depth<br>cm | Item no.<br>Starter | Item no.<br>Add-on |
|--------|-------------------|---------------------|--------------------|
| 26°    | 30                | F124103111          | F124103112         |
| 18°    | 30                | F124113111          | F124113112         |




### ST5 - 26° & 18° single-sided steel top shelf - outer



Shelves for starter bays must be ordered with left and right brackets. Shelves for add-on bays must be ordered with double bracket.



| Degree | Shelf depth<br>cm | Item no. |
|--------|-------------------|----------|
| 26°    | 30                | S1232531 |
| 18°    | 30                | S1232631 |




### ST5 - 26° & 18° single-sided steel top shelf - inner



Shelves for starter bays must be ordered with left and right brackets. Shelves for add-on bays must be ordered with double bracket.




| Degree | Shelf depth<br>cm | Item no. |
|--------|-------------------|----------|
| 26°    | 30                | S1232532 |
| 18°    | 30                | S1232632 |



### Steel bracket for round single-sided steel top shelf



H7.5 cm. Max. load of 25 kg.




| Type   | Shelf depth<br>cm | Item no.   |
|--------|-------------------|------------|
| Left   | 30                | S127222331 |
| Right  | 30                | S127222332 |
| Double | 30                | S127222333 |

# ROUND SHELVES

## ST5 - 26° & 18° DOUBLE-SIDED STEEL TOP SHELF


### ST5 - 26° & 18° double-sided steel top shelf without brackets - for 1 freestanding bay

|                                                                                                                                                                                                                                                       |                                                                  |        |                   |                  |           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|--------|-------------------|------------------|-----------|
| <br><br> | 2 left and 2 right brackets to be ordered separately. See below. | Degree | Shelf depth<br>cm | Front edge<br>cm | Item no.  |
|                                                                                                                                                                                                                                                       |                                                                  | 26°    | 30                | 25               | S12327361 |
|                                                                                                                                                                                                                                                       |                                                                  | 18°    | 30                | 25               | S12328361 |
|                                                                                                                                                                                                                                                       |                                                                  | 26°    | 30                | 47               | S12329361 |
|                                                                                                                                                                                                                                                       |                                                                  | 18°    | 30                | 47               | S12330361 |




### ST5 - 26° & 18° double-sided steel top shelf without brackets - for 1 left, outer bay

|                                                                                                                                                                                                                                                       |                                                                            |        |                   |                  |           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|--------|-------------------|------------------|-----------|
| <br><br> | 1 left, 1 right and 1 double brackets to be ordered separately. See below. | Degree | Shelf depth<br>cm | Front edge<br>cm | Item no.  |
|                                                                                                                                                                                                                                                       |                                                                            | 26°    | 30                | 25               | S12327311 |
|                                                                                                                                                                                                                                                       |                                                                            | 18°    | 30                | 25               | S12328311 |
|                                                                                                                                                                                                                                                       |                                                                            | 26°    | 30                | 47               | S12329311 |
|                                                                                                                                                                                                                                                       |                                                                            | 18°    | 30                | 47               | S12330311 |




### ST5 - 26° & 18° double-sided steel top shelf without brackets - for 1 intermediate bay

|                                                                                                                                                                                                                                                             |                                                        |        |                   |                  |           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|--------|-------------------|------------------|-----------|
| <br><br> | 2 double brackets to be ordered separately. See below. | Degree | Shelf depth<br>cm | Front edge<br>cm | Item no.  |
|                                                                                                                                                                                                                                                             |                                                        | 26°    | 30                | 25               | S12327331 |
|                                                                                                                                                                                                                                                             |                                                        | 18°    | 30                | 25               | S12328331 |
|                                                                                                                                                                                                                                                             |                                                        | 26°    | 30                | 47               | S12329331 |
|                                                                                                                                                                                                                                                             |                                                        | 18°    | 30                | 47               | S12330331 |




### ST5 - 26° & 18° double-sided steel top shelf without brackets - for 1 right, outer bay

|                                                                                                                                                                                                                                                             |                                                                            |        |                   |                  |           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|--------|-------------------|------------------|-----------|
| <br><br> | 1 left, 1 right and 1 double brackets to be ordered separately. See below. | Degree | Shelf depth<br>cm | Front edge<br>cm | Item no.  |
|                                                                                                                                                                                                                                                             |                                                                            | 26°    | 30                | 25               | S12327321 |
|                                                                                                                                                                                                                                                             |                                                                            | 18°    | 30                | 25               | S12328321 |
|                                                                                                                                                                                                                                                             |                                                                            | 26°    | 30                | 47               | S12329321 |
|                                                                                                                                                                                                                                                             |                                                                            | 18°    | 30                | 47               | S12330321 |



### Steel bracket for steel top shelf

|                                                                                                                                                                                                                                                             |                     |        |                   |            |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|--------|-------------------|------------|
| <br><br> | Max. load of 25 kg. | Type   | Shelf depth<br>cm | Item no.   |
|                                                                                                                                                                                                                                                             |                     | Left   | 30                | S127212331 |
|                                                                                                                                                                                                                                                             |                     | Right  | 30                | S127212332 |
|                                                                                                                                                                                                                                                             |                     | Double | 30                | S127212333 |







# ROUND SHELVES

## WO5 - FSC 26° & 18° DOUBLE-SIDED ROUND LONDON WOODEN TOP PLATE

 ST5 - FSC double-sided 26° & 18° London wooden top plate with brackets

 D66 cm, 30 mm front edge.  
 Incl. brackets.



| Degree | Type         | Item no.   | Price |
|--------|--------------|------------|-------|
| 26°    | Freestanding | S124103261 | 1 bay |
| 18°    | Freestanding | S124113261 |       |
| 26°    | Left         | S124103211 |       |
| 18°    | Left         | S124113211 |       |
| 26°    | Right        | S124103221 |       |
| 18°    | Right        | S124113221 |       |
| 26°    | Intermediate | S124103231 |       |
| 18°    | Intermediate | S124113231 |       |

# ROUND SHELVES


## SI5 - 26° & 18° SINGLE-SIDED STEEL INTERMEDIATE SHELVES



### SI5 - single-sided 26° & 18° steel intermediate shelf with steel backedge and brackets - outer



Shelves for starter bays include one left and one right bracket. Shelves for add-on bays include double bracket.




| Degree | Shelf depth<br>cm | Item no.<br>Starter | Item no.<br>Add-on |
|--------|-------------------|---------------------|--------------------|
| 26°    | 30                | F124403211          | F124403212         |
| 18°    | 30                | F124413211          | F124413212         |



### SI5 - single-sided 26° & 18° steel intermediate shelf with steel backedge and brackets - inner



Shelves for starter bays include one left and one right bracket. Shelves for add-on bays include double bracket.




| Degree | Shelf depth<br>cm | Item no.<br>Starter | Item no.<br>Add-on |
|--------|-------------------|---------------------|--------------------|
| 26°    | 30                | F124403111          | F124403112         |
| 18°    | 30                | F124413111          | F124413112         |



### SI5 - single-sided 26° & 18° steel intermediate shelf with steel backedge - outer



Shelves for starter bays must be ordered with left and right brackets. Shelves for add-on bays must be ordered with double bracket.




| Degree | Shelf depth<br>cm | Item no.  |
|--------|-------------------|-----------|
| 26°    | 30                | S12350312 |
| 18°    | 30                | S12351312 |



### SI5 - single-sided 26° & 18° steel intermediate shelf with steel backedge - inner



Shelves for starter bays must be ordered with left and right brackets. Shelves for add-on bays must be ordered with double bracket.




| Degree | Shelf depth<br>cm | Item no.  |
|--------|-------------------|-----------|
| 26°    | 30                | S12350311 |
| 18°    | 30                | S12351311 |



### Steel plate bracket for steel shelves with steel backedge



H15 cm.



| Type   | Shelf depth<br>cm | Item no. |
|--------|-------------------|----------|
| Left   | 30                | S1272331 |
| Right  | 30                | S1272332 |
| Double | 30                | S1272333 |

# ROUND SHELVES


## SB5 - 26° & 18° ROUND SINGLE-SIDED STEEL BOTTOM SHELVES



### SB5 - single-sided 26° & 18° steel bottom shelf with steel backedge and brackets - outer



Shelves for starter bays include one left and one right bracket. Shelves for add-on bays include double bracket.




| Degree | Shelf depth<br>cm | Item no.<br>Starter | Item no.<br>Add-on |
|--------|-------------------|---------------------|--------------------|
| 26°    | 30                | F124603211          | F124603212         |
| 18°    | 30                | F124613211          | F124613212         |



### SB5 - single-sided 26° & 18° steel bottom shelf with steel backedge and brackets - inner



Shelves for starter bays include one left and one right bracket. Shelves for add-on bays include double bracket.




| Degree | Shelf depth<br>cm | Item no.<br>Starter | Item no.<br>Add-on |
|--------|-------------------|---------------------|--------------------|
| 26°    | 30                | F124603111          | F124603112         |
| 18°    | 30                | F124613111          | F124613112         |



### SB5 - single-sided 26° & 18° steel bottom shelf with steel backedge - outer



Shelves for starter bays must be ordered with left and right brackets. Shelves for add-on bays must be ordered with double bracket.




| Degree | Shelf depth<br>cm | Item no.  |
|--------|-------------------|-----------|
| 26°    | 30                | S12375312 |
| 18°    | 30                | S12376312 |



### SB5 - single-sided 26° & 18° steel bottom shelf with steel backedge - inner



Shelves for starter bays must be ordered with left and right brackets. Shelves for add-on bays must be ordered with double bracket.




| Degree | Shelf depth<br>cm | Item no.  |
|--------|-------------------|-----------|
| 26°    | 30                | S12375311 |
| 18°    | 30                | S12376311 |



### Steel plate bracket for steel shelves with steel backedge



H15 cm.




| Type   | Shelf depth<br>cm | Item no. |
|--------|-------------------|----------|
| Left   | 30                | S1272331 |
| Right  | 30                | S1272332 |
| Double | 30                | S1272333 |

# COMPONENTS FOR ROUND SHELVING

## UPRIGHT AND CROSSBAR




### Upright



| Height<br>cm | Shelf depth<br>cm | Item no.  |
|--------------|-------------------|-----------|
| 92           | 30                | S12106232 |
| 122          | 30                | S12106332 |
| 152          | 30                | S12106432 |
| 182          | 30                | S12106532 |
| 212          | 30                | S12106632 |



### Round crossbar



| Degree | Shelf depth<br>cm | Item no. |
|--------|-------------------|----------|
| 26°    | 30                | S120020  |
| 18°    | 30                | S120030  |



### Shelf strengthener

Max. load on round shelf is 30 kg.  
Max. load on round shelf with shelf strengthener is 80 kg.

| Degree | Shelf depth<br>cm | Item no.<br>Inner | Item no.<br>Outer |
|--------|-------------------|-------------------|-------------------|
| 26°    | 30                | S129511           | S129512           |
| 18°    | 30                | S129521           | S129522           |



### Safety clip

Two used per outer shelf. Hooks into the upright to prevent the shelf from possible tipping.

| Finish  | Item no. |
|---------|----------|
| Painted | S129530  |




# COMPONENTS FOR ROUND SHELVING

## CASTORS AND PLINTHS



### Castors



#### Type


Without brakes  
With brakes

#### Item no.

S019030  
S019031



### Round steel plinth



#### Degree

#### Curve

#### Item no.

26°

Inner

S127831S1

18°

Inner

S127841S1

26°

Outer

S127831S2

18°

Outer

S127841S2



### Round castor frame set with hidden castors and steel plinth



A set of 2 frames, 4 x Ø35 mm castors without brakes and 2 steel plinths. Fittings included. Holes must be predrilled in the foot of the upright S12106 for installation.

#### Degree


#### Item no.

26°

S129010

18°

S129020





# PANELS FOR ROUND SHELVING


## WOODEN END PANELS



### FSC painted wooden end panel - double-sided



19 mm front edge. Incl. fittings. These end panels are not compatible with hidden castor frames.




| Height<br>cm | Shelf depth<br>cm | Item no.   |
|--------------|-------------------|------------|
| 92           | 30                | S121552324 |
| 122          | 30                | S121553324 |
| 152          | 30                | S121554324 |
| 182          | 30                | S121555324 |
| 212          | 30                | S121556324 |



### FSC veneer wooden end panel - double-sided



19 mm front edge. Incl. fittings. These end panels are not compatible with hidden castor frames.



| Height<br>cm | Shelf depth<br>cm | Item no.   |
|--------------|-------------------|------------|
| 92           | 30                | S121562324 |
| 122          | 30                | S121563324 |
| 152          | 30                | S121564324 |
| 182          | 30                | S121565324 |
| 212          | 30                | S121566324 |

# PANELS FOR ROUND SHELVING


## WOODEN SLAT END PANELS



### FSC painted wooden slat end panel - double-sided



22 mm front edge. Incl. fittings. These end panels are not compatible with hidden castor frames.




| Height<br>cm | Shelf depth<br>cm | Item no.   |
|--------------|-------------------|------------|
| 92           | 30                | S121592324 |
| 122          | 30                | S121593324 |
| 152          | 30                | S121594324 |
| 182          | 30                | S121595324 |
| 212          | 30                | S121596324 |



### FSC veneer wooden slat end panel - double-sided



22 mm front edge. Incl. fittings. These end panels are not compatible with hidden castor frames.



| Height<br>cm | Shelf depth<br>cm | Item no.   |
|--------------|-------------------|------------|
| 92           | 30                | S121602324 |
| 122          | 30                | S121603324 |
| 152          | 30                | S121604324 |
| 182          | 30                | S121605324 |
| 212          | 30                | S121606324 |

# PANELS FOR ROUND SHELVING


## LONDON WOODEN END PANELS



FSC painted London wooden end panel for steel top shelf - double-sided



30 mm front edge. To be used with steel top shelf, see page 160-161. Incl. fittings.




| Height<br>cm | Shelf depth<br>cm | Item no.   |
|--------------|-------------------|------------|
| 92           | 30                | S121612324 |
| 122          | 30                | S121613324 |
| 152          | 30                | S121614324 |
| 182          | 30                | S121615324 |
| 212          | 30                | S121616324 |



FSC painted London wooden end panel for wooden overlaying top plate - double-sided



30 mm front edge. To be used with London wooden overlaying top, see page 163. Incl. fittings.




| Height<br>cm | Shelf depth<br>cm | Item no.   |
|--------------|-------------------|------------|
| 92           | 30                | S121632324 |
| 122          | 30                | S121633324 |
| 152          | 30                | S121634324 |
| 182          | 30                | S121635324 |
| 212          | 30                | S121636324 |

# PANELS FOR ROUND SHELVING

## PERFORATED STEEL END PANEL

-  Perforated steel end panels - double-sided
-  45 mm front edge. Two A5 acrylic covers for signage and fittings included.
-  Hole size Ø4,5 mm.



| Height<br>cm | Shelf depth<br>cm | Item no.   |
|--------------|-------------------|------------|
| 92           | 30                | S121362324 |
| 122          | 30                | S121363324 |
| 152          | 30                | S121364324 |
| 182          | 30                | S121365324 |
| 212          | 30                | S121366324 |

# END PANEL BAYS

FOR ROUND DOUBLE-SIDED 60/30 CLASSIC STEEL SHELVING

The following pages will show basic configurations of end panel bays for double-sided 60/30 Classic Steel Shelving system.




# END PANEL BAYS

## FOR ROUND DOUBLE-SIDED 60/30 CLASSIC STEEL SHELVING

FSC-certified end panel bay with wooden top shelf, wooden panels, wooden bottom shelf and adjustable feet. For shelves, see page 180.




### Height 92 cm



| Depth of shelving system<br>- cm | Width of end panel bay - cm | Depth of end panel bay - cm | Item no. Painted | Item no. Veneer |
|----------------------------------|-----------------------------|-----------------------------|------------------|-----------------|
| 30/30                            | 61,8                        | 25                          | F12200232000     | F12201232000    |
| 30/30                            | 61,8                        | 30                          | F12200233000     | F12201233000    |




### Height 122



| Depth of shelving system<br>- cm | Width of end panel bay - cm | Depth of end panel bay - cm | Item no. Painted | Item no. Veneer |
|----------------------------------|-----------------------------|-----------------------------|------------------|-----------------|
| 30/30                            | 61,8                        | 25                          | F12200332000     | F12201332000    |
| 30/30                            | 61,8                        | 30                          | F12200333000     | F12201333000    |



### Height 152 cm



| Depth of shelving system<br>- cm | Width of end panel bay - cm | Depth of end panel bay - cm | Item no. Painted | Item no. Veneer |
|----------------------------------|-----------------------------|-----------------------------|------------------|-----------------|
| 30/30                            | 61,8                        | 25                          | F12200432000     | F12201432000    |
| 30/30                            | 61,8                        | 30                          | F12200433000     | F12201433000    |


# END PANEL BAYS

## FOR ROUND DOUBLE-SIDED 60/30 CLASSIC STEEL SHELVING

FSC-certified end panel bay with wooden top shelf, wooden panels, wooden bottom shelf and adjustable feet. For shelves, see page 180.




### Height 182 cm



| Depth of shelving system<br>- cm | Width of end panel bay - cm | Depth of end panel bay<br>- cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|-----------------------------|--------------------------------|---------------------|--------------------|
| 30/30                            | 61,8                        | 25                             | F12200532000        | F12201532000       |
| 30/30                            | 61,8                        | 30                             | F12200533000        | F12201533000       |



### Height 212 cm



| Depth of shelving system<br>- cm | Width of end panel bay - cm | Depth of end panel bay<br>- cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|-----------------------------|--------------------------------|---------------------|--------------------|
| 30/30                            | 61,8                        | 25                             | F12200632000        | F12201632000       |
| 30/30                            | 61,8                        | 30                             | F12200633000        | F12201633000       |


# END PANEL BAYS

FOR ROUND DOUBLE-SIDED SHELVING WITH AJDUSTABLE FEET & LONDON WOODEN TOP PLATE

FSC-certified end panel bay with overlaying London wooden top plate, wooden panels, wooden bottom shelf and adjustable feet. For shelves, see page 180.




## Height 92 cm



| Depth of shelving system<br>- cm | Width of end panel bay - cm | Depth of end panel bay - cm | Item no. Painted | Item no. Veneer |
|----------------------------------|-----------------------------|-----------------------------|------------------|-----------------|
| 30/30                            | 61,8                        | 25                          | F12202232000     | F12203232000    |
| 30/30                            | 61,8                        | 30                          | F12202233000     | F12203233000    |




## Height 122



| Depth of shelving system<br>- cm | Width of end panel bay - cm | Depth of end panel bay - cm | Item no. Painted | Item no. Veneer |
|----------------------------------|-----------------------------|-----------------------------|------------------|-----------------|
| 30/30                            | 61,8                        | 25                          | F12202332000     | F12203332000    |
| 30/30                            | 61,8                        | 30                          | F12202333000     | F12203333000    |



## Height 152 cm



| Depth of shelving system<br>- cm | Width of end panel bay - cm | Depth of end panel bay - cm | Item no. Painted | Item no. Veneer |
|----------------------------------|-----------------------------|-----------------------------|------------------|-----------------|
| 30/30                            | 61,8                        | 25                          | F12202432000     | F12203432000    |
| 30/30                            | 61,8                        | 30                          | F12202433000     | F12203433000    |


# END PANEL BAYS

## FOR ROUND DOUBLE-SIDED SHELVING WITH ADJUSTABLE FEET & LONDON WOODEN TOP PLATE

FSC-certified end panel bay with overlaying London wooden top plate, wooden panels, wooden bottom shelf and adjustable feet. For shelves, see page 180.




### Height 182 cm



| Depth of shelving system<br>- cm | Width of end panel bay - cm | Depth of end panel bay<br>- cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|-----------------------------|--------------------------------|---------------------|--------------------|
| 30/30                            | 61,8                        | 25                             | F12202532000        | F12203532000       |
| 30/30                            | 61,8                        | 30                             | F12202533000        | F12203533000       |



### Height 212 cm



| Depth of shelving system<br>- cm | Width of end panel bay - cm | Depth of end panel bay<br>- cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|-----------------------------|--------------------------------|---------------------|--------------------|
| 30/30                            | 61,8                        | 25                             | F12202632000        | F12203632000       |
| 30/30                            | 61,8                        | 30                             | F12202633000        | F12203633000       |


# END PANEL BAYS

## FOR ROUND DOUBLE-SIDED SHELVING WITH CASTORS

FSC-certified end panel bay with wooden top shelf, wooden panels, wooden bottom shelf and castors. For shelves, see page 180.




### Height 92 cm



| Depth of shelving system<br>- cm | Width of end panel bay - cm | Depth of end panel bay - cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|-----------------------------|-----------------------------|---------------------|--------------------|
| 30/30                            | 61,8                        | 25                          | F12204232000        | F12205232000       |
| 30/30                            | 61,8                        | 30                          | F12204233000        | F12205233000       |




### Height 122



| Depth of shelving system<br>- cm | Width of end panel bay - cm | Depth of end panel bay - cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|-----------------------------|-----------------------------|---------------------|--------------------|
| 30/30                            | 61,8                        | 25                          | F12204332000        | F12205332000       |
| 30/30                            | 61,8                        | 30                          | F12204333000        | F12205333000       |



### Height 152 cm



| Depth of shelving system<br>- cm | Width of end panel bay - cm | Depth of end panel bay - cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|-----------------------------|-----------------------------|---------------------|--------------------|
| 30/30                            | 61,8                        | 25                          | F12204432000        | F12205432000       |
| 30/30                            | 61,8                        | 30                          | F12204433000        | F12205433000       |


# END PANEL BAYS

## FOR ROUND DOUBLE-SIDED SHELVING WITH CASTORS & LONDON WOODEN TOP PLATE

FSC-certified end panel bay with overlaying London wooden top plate, wooden panels, wooden bottom shelf and castors. For shelves, see page 180.




### Height 92 cm



| Depth of shelving system<br>- cm | Width of end panel bay - cm | Depth of end panel bay - cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|-----------------------------|-----------------------------|---------------------|--------------------|
| 30/30                            | 61,8                        | 25                          | F12206232000        | F12207232000       |
| 30/30                            | 61,8                        | 30                          | F12206233000        | F12207233000       |




### Height 122



| Depth of shelving system<br>- cm | Width of end panel bay - cm | Depth of end panel bay - cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|-----------------------------|-----------------------------|---------------------|--------------------|
| 30/30                            | 61,8                        | 25                          | F12206332000        | F12207332000       |
| 30/30                            | 61,8                        | 30                          | F12206333000        | F12207333000       |



### Height 152 cm



| Depth of shelving system<br>- cm | Width of end panel bay - cm | Depth of end panel bay - cm | Item no.<br>Painted | Item no.<br>Veneer |
|----------------------------------|-----------------------------|-----------------------------|---------------------|--------------------|
| 30/30                            | 61,8                        | 25                          | F12206432000        | F12207432000       |
| 30/30                            | 61,8                        | 30                          | F12206433000        | F12207433000       |

# END PANEL BAYS

## STEEL SHELVES



Steel shelf with steel backedge for backedge book support



Steel backedge 47 mm.  
Brackets must be ordered  
separately.



Depth of shelving  
system - cm

Depth of end  
panel bay - cm

Width of shelf  
- cm

Item no.

30/30

25

61,3


S1226332

30/30

30

61,3

S1226333



Bracket for steel shelves with steel backedge



\* Can be used for D25 and  
30 cm shelves.



Type

Depth of end  
panel bay - cm

Item no.

Left

25

S1274621

Right

25

S1274622

Left\*


30

S1274631

Right\*

30

S1274632



45°/60° sloping steel shelf



With fittings.



Depth of shelving  
system - cm

Depth of end  
panel bay - cm

Item no.

30/30

30


S122643





# LOCATIONS

WE ARE LIBRARY PEOPLE®



## DENMARK

Lammhults Biblioteksdesign A/S  
Dalbækvej 1  
6670 Holsted

bci@bci.dk  
www.bci.dk

## FRANCE

BC Intérieur Sarl  
6 allée Kepler  
77420 Champs sur Marne

bci@bcinterieur.com  
www.bcinterieur.com

## BELGIUM

SBNL - Schulz Benelux BV  
Appelweg 94 C  
3221 Holsbeek

info@sbnl.be  
www.sbnl.be

## SWEDEN

Lammhults Biblioteksdesign AB  
Odlarevägen 16  
226 60 Lund

eurobib@eurobib.se  
www.eurobib.se

## GERMANY

Schulz Speyer Bibliothekstechnik AG  
Hafenstraße 2  
67346 Speyer

sales@schulzspeyer.de  
www.schulzspeyer.de

## UNITED KINGDOM

thedesignconcept Ltd.  
The Old Bakery,  
10 Greenless Road  
Cambuslang Belgrave Street  
Glasgow G72 8JJ

info@thedesignconcept.co.uk  
www.thedesignconcept.co.uk

## NORWAY

BS Eurobib AS  
Alf Bjerckes Vei 20  
0582 Oslo

post@bseurobib.no  
www.bseurobib.no